ARCHITECTURAL RECORD

2 February 1960

Building Types Study: Schools

Image of the Architect in Practice

A Church and School by Yamasaki

Full Contents on Page 5





you specify it and you have it from Corbin, a dependable name in hardware for 110 years.





P. & F. CORBIN DIVISION

THE AMERICAN HARDWARE CORPORATION NEW BRITAIN, CONNECTICUT

NUTONE'S NEW

Jet-Power Exhaust Fans

CRISP, ULTRA-MODERN STYLING . . QUIET, POWERFUL AIR DELIVERY



The New Jet-Look WITH New Jet-Power!

NUTONE offers America's Newest Exhaust Fans . . completely redesigned for beauty and luxury . . engineered for power and performance! Changed in every way . . except the price is still the same.

Eight new models for WALL and CEILING . . Pull-Chain or Automatic . . Horizontal or Vertical Discharge. All NuTone Exhaust Fans meet or exceed the Minimum Property, Standards of FHA (MPS).

FREE ... DELUXE CATALOGS IN BINDER ... SEE NEXT PAGE -













NUTONE'S NEW

Bathroom Ceiling Heaters

FOR CHILLY MORNINGS . . . OR IN-BETWEEN SEASONS

QUICK Bathroom HEAT When You Need It Most!

NEW slim-line styling that hugs the ceiling! Your choice of surface mounted Radiant type with an air-cooled housing . . or the exclusive Heat-A-Ventlite which combines a Circulating Heater, Exhaust Fan, plus bright Ceiling Light.

All NuTone Heaters have armored elements . . for longer life and trouble-free performance.

FREE DELUXE CATALOGS IN BINDER Write to . . NUTONE, Inc., Dept. AR-2 Cincinnati 27, Ohio




NEW Model #9090 HEAT-A-VENTLITE



NEW Model #9290 RADIANT HEATER









.. cylindrical and cup sinks also available

Durcon

provides wide selection of modern, lightweight, economical, corrosion resistant laboratory sinks

Table sinks, end sinks, drainboard-sink units, double compartment sinks, cylindrical sinks, cup sinks... DURCON LAB SINKS are made of an epoxy resin, modified by The Duriron Company to provide even greater corrosion resistance and mechanical strength. They are designed to meet practically all modern laboratory needs. They will not crack due to thermal shock. They are nontoxic. Their impermeability to moisture absorption precludes staining by dyes or similar agents. Durcon Sinks, black in color, are non-glaring. They have generous coving in all corners, and the bottom is dished to outlet. Durcon sinks can easily be cleaned with a moist cloth.

Contact your laboratory furniture manufacturer for further information and prices, or write for new Bulletin PF/5a.

THE DURIRON COMPANY, INC., DAYTON, OHIO

GRANCO



FROM THE GRANCO FAMILY

TUFCOR® . CORRUFORM® . COFAR® . E/R COFAR . VIN-COR . STRUCTUR-ACOUSTIC STAY-IN-PLACE BRIDGE FORMS . GUARD RAIL . PAVEMENT JOINTS

ARCHITECTURAL RECORD (Vol. 127, No. 2 February 1960) is published monthly, except May 1960 when semi-monthly, by F. W. Dodge Corporation, 10 Ferry (National Edition)

Street, Concord, N. H. Editorial and executive effices: 119 West 40th Street, New York 18, New York \$5.50 per year in U. S., U. S. Possessions and Canada: Second-class mail privileges authorized at Concord, N. H.

ROOF DECK

ALL THE FEATURES YOU WANT... IN ONE PRODUCT

Let's be honest. Today, *all* brands of steel roof deck do a useful, high-quality job! *All* brands offer important benefits.

Isn't your job, then, to find the one product offering the most features?

This may help: Here's a list of Granco Steel Roof Deck features. Won't you check it over?... compare it with others? You'll see why so many architects and contractors specify Granco Roof Deck.

TOUGH FINISH—Flint-hard enamel, "flow coated" over cleaned, phosphate-coated steel deck, is baked on at 350° F. for 20 min. Rust-preventive finish resists scratches, prevents corrosion.

LONG SHEETS—up to 21' 6"—permit long continuous spans, stronger construction.

STRONG—New sheet design provides greater strength and load-carrying capacity.

FAST PLACING—Sheets cover up to 43 sq. ft. Wide sheets mean fewer laps and welds.

YEAR-ROUND CONSTRUCTION—Place Granco Roof Deck in any weather that permits outdoor work.

SIMPLIFIED SYSTEM—Place and weld sheets to framing. Apply insulation. Add built-up roof. Fast!

EASY TO WELD—Wide rib openings speed plug welding from top side.

FIRE-RESISTANT SYSTEM—often means lower insurance rates.

FLARED END-means simplified nesting.

20-YEAR ROOF BONDS—obtainable on Granco Roof Deck with 1" insulation board.


ATTRACTIVE—Underside of Granco Roof Deck creates striking "paneled" ceiling.

VERSATILE—Granco Roof Deck is ideal for panels, canopies, side walls, etc.

CHOICE OF GAGES—18, 20 and 22 gage meet wide range of span-load conditions.

ECONOMICAL—Structures designed for Granco Roof Deck often save 5¢ to 10¢ per sq. ft. in framing cost over heavier-type decks.

SEND FOR FREE ROOF DECK PRODUCT MANUAL &




GRANCO STEEL PRODUCTS CO., 6506 North Broadway, St. Louis 15, Missouri A Subsidiary of GRANITE CITY STEEL COMPANY

Just sign coupon . . . clip to your company letterhead . . . mail today. Address Department R-602.

Name

OUR CATALOGS ARE FILED IN SWEET'S

High soaring arches
and stone vaulted ceilings
suggested Wrought Iron radiant heating system
for this cathedral





National Cathedral, Washington, D.C. Philip Hubert Frohman, F.A.I.A.

Washington's National Cathedral, like many of the towering European cathedrals, posed a heating problem, and a Wrought Iron radiant heating system was the solution. Architect Philip Hubert Frohman advocated Wrought Iron because it had proved satisfactory in other churches he had designed. The Wilberding Company of Washington, D.C., designed this system.

Note: Now — from Byers Research — there's an even better Wrought Iron for modern corrosion control: new 4-D Wrought Iron. It is available for your design considerations in tubular and hot rolled forms. Write for our new 4-D Wrought Iron literature. A. M. Byers Company, Clark Building, Pittsburgh 22, Pennsylvania.

BYERS 4-D WROUGHT IRON

ARCHITECTURAL RECORD

February 1960

THE RECORD REPORTS: Perspectives 9
Buildings in the News 10
Australian Academy of Science Building 14
Architecture Abroad 20
Meetings and Miscellany 25
Washington Report by Ernest Mickel 58
Washington Topics by Ernest Mickel 60
Construction Cost Indexes 70
Required Reading 74
Calendar and Office Notes 334
Current Trends in Construction 384

A CHURCH AND A SCHOOL BY YAMASAKI

Art School, Society of Arts & Crafts Detroit, Mich. 149

Warren Methodist Church Warren, Mich. Minoru Yamasaki and Assoc., Architects 154

"POLYGONAL" ARCHITECTURE
Samuel F. B. Morse and Ezra Stiles Colleges
Yale University New Haven, Conn. Eero Saarinen & Assoc., Architects 159

IMAGE OF THE ARCHITECT IN PRACTICE
Introduction 165
The Architect and Public Relations by Harold Burson 166
Office Organization and Procedures for Present-Day Practice 171

HOUSES

Adelman House Beverly Hills, Calif.

Thornton M. Abell; O'Neill Ford & Assoc., Architects 181

Gilbert House Seattle, Wash. Paul Hayden Kirk & Assoc., Architects 185

SMALL OFFICE BUILDINGS

P. F. Pfeister Building Detroit, Mich. Krebs & Fader, Architects 189

The Caribe Building New Orleans, La. Curtis and Davis & Assoc., Architects 192

BUILDING TYPES STUDY 279: Schools 195

Two Loft Schools: New Instruments of Education by John Lyon Reid 196

Stoughton Elementary School Stoughton, Mass. The Architects Collaborative, Architects 204

Acton Elementary School Acton, Mass. The Architects Collaborative, Architects 208

Marie Creighton Junior High School Jefferson County, Colo.

G. Meredith Musick and Clayton S. Musick, Architects 212

Clarke School for the Deaf Northampton, Mass. James A. Britton, Architect 214

Osborn Road Elementary School Rye, N. Y. Sherwood, Mills & Smith, Architects 216

Cover:

Art School. Society of Arts & Crafts, Detroit, Mich. Minoru Yamasaki and Associates, Architects. Baltazar Korab, Photo.

ARCHITECTURAL RECORD
February 1960
Vol. 127 No. 2
© 1960
by F. W. Dodge Corporation,
with all rights reserved.
ARCHITECTURAL RECORD
(combined with
AMERICAN ARCHITECT and
ARCHITECTURS)
is published monthly,
except May 1960
when semimonthly,
by F. W. Dodge Corporation,
10 Ferry Street,
Concord, New Hampshire.
Editorial and executive offices:
119 West 40th Street,
New York 18, New York.
Western editorial office,
2877 Shasta Road,
Berkeley 8, California.

ARCHITECTURAL ENGINEERING

Introduction 21

Toward Greater Ceiling Flexibility Union Carbide Building New York, N. Y. Skidmore, Owings & Merrill, Architects 220

The New Look of Lamella Roofs by Dr. G. R. Kiewitt 226

PRODUCT REPORTS 231

OFFICE LITERATURE 232

TIME-SAVER STANDARDS: Asphalt Strip Shingles: 1, 2, 3 by Howard P. Vermilya 235, 237, 239

ADVERTISING INDEX \$88

Coming in the Record

ARCHITECTURE THAT SALUTES ITS PLACE

From Bangkok to Sun Francisco, the work of John Carl Warnecke has been distinguished by its sensitivity to the essential circumstances of place and purpose. The RECORD series on significant contemporary design continues with an article illustrating the development of this quality in Warnecke's major new buildings.

RETAILING AND THE AUTOMOBILE

The Building Types Study for March examines the impact on the design and organization of facilities for retailing of that familiar but ever more compelling fact, the automobile. The downtown shopping area, the suburban shopping center and stores on the highway will all be discussed in an article by Victor Graen, and several other architects contribute pertinent examples. Some very thoughtful comment here on current theories, not forgetting the downtown mall.

WHAT ABOUT THIN SHELLS?

Everybody's doing it, as everybody knows, but when is it justified? The first of two articles by a distinguished engineer examining the behavior of shells and (with notable sympathy for architectural considerations) their feasible design applications.

OTHER F. W. DODGE SERVICES: Dodge Reports—Dodge Construction Statistics—Sweet's Catalog Services—Dodge Books—Dodge Mailing Service—The Modern Hospital—The Nation's Schools—College and University Business—Hospital Purchasing File—Chicago Construction News—Daily Pacific Builder (San Francisco)—The Daily Journal (Denver)—Real Estate Record & Builders Guide—Dow Building Cost Calculator.

Members of Audit Bureau of Circulations and Associated Business Publications. ARCHITECTURAL RECORD is indexed in Art Index, Industrial Arts Index and Engineering Index.

Every effort will be made to return material submitted for possible publication (if accompanied by stamped, addressed envelope), but the editors and the corporation will not be responsible for loss or damage.

Subscription prices: Published monthly except May 1960 when semimonthly. U. S., U. S. Possessiona and Canada: \$5.50 per year; other Western Hemisphere countries, to those who by title are architects and engineers, \$9.00 per year. Single copy price except Mid-May 1960 issue \$2.95. Beyond Western Hemisphere, to those who by title are architects and engineers, \$9.00 per year for 12 monthly issues not including Mid-May 1960 issue. Subscriptions from all others outside U.S., U.S. Possessions and Canada for 12 monthly issues, not including Mid-May issue, \$24.00 per year. Change of address: subscribers are requested to furnish both the old and new address, sending if possible stencil impression from magazine wrapper and to include city delivery zone number, where such is used, for the new address. Allow four weeks for change.

Staff of Architectural Record

EDITOR Emerson Goble

CONSULTING EDITOR

SENIOR EDITORS
James S. Hornbeck, A.I.A., Features
William Dudley Hunt, Jr., A.I.A.
Elisabeth Kendall Thompson, A.I.A., West

ASSOCIATE EDITORS
Robert E. Fischer, Engineering
Florence A. wan Wyck, Production
Jeanne M. Davern, Assistant to the Editor
Herbert L. Smith, Jr., A.I.A., Houses
Midred F. Schmertz, Design
Grace M. Anderson
Margaret F. Farmer, Engineering

CONTRIBUTING EDITORS
Ernest Mickel, Washington
Dan Street, Washington

ASSISTANT EDITOR Pamela C. Forcey

EDITORIAL ASSISTANT Caroline F. Brady

DESIGN
Eugene H. Hawley, Director
Sheila Dressner
Julia Lee

CONSULTANTS
George Cline Smith, Economics
Clyde Shute, Statistical
Clifford G. Dunnells, Jr., Field Research
Daniel J. Howe, Jr., Public Relations
Edwin W. Magee, Jr., Industry Relations
Sigman-Ward, Drafting

PUBLISHER Robert F. Marshall

PUBLISHING ADVISER H. Judd Payne

CIRCULATION MANAGER Marshall T. Ginn

Officers of F. W. Dodge Corporation

DOSTRARY CHARMAN OF THE BOARD Lamos McV. Brood

CHAIRMAN OF THE BOARD Paul Abbott

VICE CHAIRMAN OF THE BOARD Chainney L. Williams

PRESIDENT Irving W. Hadsell

CXECUTIVE VICE PRESIDENTS
Julius T. Little, Robert F. Marshall,
T. Oliver Morgan, O. O. Paulsell

EXECUTIVE VICE PRESIDENT AND TREASURER Howard M. Thompson

Robert M. Conningham, Jr., William H. Hatch, Jr., H. Judd Payne, Richard H. Ray, George Cline Smith

iogaenal, vice Presidents Miles W. Beatty, Carl S. Bennett, Robert G. Bingham, Clinton C. Bennett, Roy J. Hard, Alton W. Kinchem, Arthur D. Prioc

ASSISTANT VICE PRESIDENT AND

assistant vice pursonners Walter F. DeSaix, Chifford G. Dunnells, Jr. Gault Eastman, Clyde Shate

lobu S. Brittain


ASSISTANT SECRETARIES William C. Br. -d, Jr., George W. Morgan

ASSISTANT TREASURER Invited B. Settin

New Heights for P/s Concrete



Growing Seattle Gets Unique New Skyscraper



Architects: BINDON & WRIGHT, Seattle
Consultants: ANDERSON, BIRKELAND & ANDERSON, Tacoma
SKIDMORE, OWINGS & MERRILL, San Francisco; T. Y. LIN, University of California
General Contractor: HOWARD S. WRIGHT CONST. CO., Seattle
P S Beams: CONCRETE TECHNOLOGY CORP., Tacoma
Ready-Mix Concrete: PIONEER SAND & GRAVEL CO., Seattle

• Prestressed concrete, virtually unknown a decade ago, has attained new heights in Seattle's 21-story Norton Building, the first U. S. structure over six floors to utilize P/S. The unique design uses 238 P/S beams in combination with a steel perimeter frame to support column-free floors in the 17-story tower. The use of P/S beams with lightweight concrete floors cut the building's dead load 20%.

Each 15-ton beam spans 70', and is only 37" deep. Apertures in the web accommodate util-

ities and ducts. Prestressing was done with pretensioned strands along the bottom flange, and with post-tensioned draped tendons. Designed for 30-ton loading, the beams were tested to 135 tons with only a 9" deflection.

Dependable, uniform 'Incor'® High Early Strength Cement was used in an 8-sack, low-slump, 9,000-psi concrete, enabling the fabricator to cast in mid-afternoon and strip forms the next dawn with 6,000-psi strength.

In the brief, brilliant history of prestressed concrete, 'Incor'*—America's first high-early—has played an important and growing role.

AMERICA'S FIRST HIGH-EARLY STRENGTH CEMENT



CORPORATION

100 Park Avenue, New York 17, N. Y.

ONE OF THE WORLD'S LEADING CEMENT PRODUCERS. OFFICES IN 17 MAJOR CITIES

IT'S WHAT **GOES INTO** PENN'S SONOTROL CURB THAT MAKES IT SO DARN GOOD!


Ventilators fit like a glove when there's a self-flashing EXTRUDED ALUMINUM SONOTROL CURB*

on the job!

The newest way to curb roof ventilators eliminates the haphazards of field construction. Instead, you place your order for curb, ventilator and damper . . . everything fits . . . and there are no delays!

Penn devoted years to developing the Sonotrol Curb. Already in use in many installations, they're non-porous, seamless and weathertight! All aluminum construction reduces roof loading . . . makes them easy to install. Special acoustical insulated lining quiets roof exhauster sounds appreciably, and eliminates condensation.

Get into this modern way to curb now by requesting Bulletin SCE-89 from your local Penn Ventilator man or write direct.





VENTILATOR CO., Inc.

A leading manufacturer of Powered and Gravity Roof Exhausters and Accessory Equipment for over 30 years.

Representatives and Distributors in Principal Cities Charter Member of AMCA

*Your roof exhauster won't be as quiet as it should be unless you use the Sonotrol Curb

Architects and the City

Questions reaching far beyond New York were raised last month at a forum discussion "What Is Good Design and Planning in New York?" sponsored by The New School in New York with Grand Central City as its focus. To explain the thinking that will put the world's largest office building on one of the world's busiest commercial sites, the forum assembled a distinguished "presentation panel" consisting of the builder, Erwin S. Wolfson; the architect, Richard Roth; and the consulting architects, Pietro Belluschi and Walter Gropius. They were confronted with a "questioning panel" of four, an audience invited to participate in the discussion and the following rather formidable questions listed in the program: "Is New York in danger of overbuilding? Can esthetics be balanced with economics? What is the future for large urban centers? How much responsibility should the architect bear for his product? At what point should civic consciousness influence building design?"

"Victims of Circumstances"

Perhaps needless to say, the questions were not answered. The trend of the discussion was summarized in these remarks by Victor Gruen, a member of the questioning panel:

"The presenting panel was modest in its claims, very conservative, and very careful not to overstate its case, and the questioning panel was kind and partly took over the task of the presenting panel.

"I guess the reason is that we all feel that under the circumstances the developer and architects did a good and workmanlike job, and maybe one could even say that they did the best they could under the circumstances.

"The question then arises, how about those circumstances? I believe that they are highly unfortunate from the point of view of urban planning. . . .

"If the developer and architects are, as I believe has been proven, victims of circumstances, who then is the culprit?

"The villain of the piece is the official attitude towards environmental planning. The fact that this largest city in the nation has still no master plan, that we permit hit or miss construction, that we are not concerned with the separation of various types of traffic, the fact that legislation offers, as I pointed out, no encouragement to good developers but, on the contrary, encourages fullest speculative exploitation of the land. They all form an indictment of the villain. Thus, our questions, which all eight of us, I am sure, have in mind, should be directed to the villain, who is not present in the flesh: governmental agencies, city, state and Federal.

"Yet if we consider it carefully, maybe the villain is present after all. It is all of us, we on the panel and you in the audience. As inhabitants of the city, and as citizens of this country, we have the democratic right and possibility, and duty, to ask for action in order that our urban areas may be saved from destruction by chaos."

Plea for Learning

The expanding demands on the architect are continually expanding the requirements of his education, Architect Charles Luckman asserted in a recent address before the Massachusetts Building Congress. "How many architects," he asked, "are being properly educated to qualify as master planners, as architectural leaders of the team effort?" Referring to the RECORD's recent survey of architectural deans (November 1959, pages 177-184, 256, 260), Mr. Luckman noted that there is wide disagreement as to what measures are required to improve education and apprenticeship procedures in the profession. His own view, he said, is that no proposal for improving formal education makes sense "unless it rests on the premise that the life of the architect is one long pursuit of learning," not just from daily experience but from systematic study. Mr. Luckman proposed a sixpoint educational program to (1) intensify and multiply refresher courses, seminars and institutes for the practitioner; (2) extend college education for the architect to eight years, culminating in a master's degree in architecture and automatic registration to practice; (3) encourage practicing architects to take on part-time teaching assignments at architectural schools; (4) use more visiting lecturers from the business world in architectural schools; (5) unite architects, engineers, contractors, suppliers, labor leaders and educators in a cooperative effort to encourage youth to prepare for careers in the building industry; (6) provide for fellowships for the architectural practitioner, after his first five or ten years of experience, to finance a year of academic study along lines similar to those of the Nieman Fellowships for journalism at Harvard.

Astornauts for Building

In line with the occasional efforts of this page to report current developments in the burgeoning field of sidewalk superintendency, let it be known that the latest notice to arrive on this subject was an invitation to join the "Astornauts, an exclusive club for sidewalk supervisors of the new Astor Theater on Times Square." The invitation (which only shortly preceded completion of the building) was accompanied by a pink and white lapel button the size of a fifty-cent piece proclaiming "I am an Astornaut" and a membership card establishing the bearer as "a full-fledged Astornaut, worldly observer of progress and dedicated sidewalk supervisor of the new Astor Theater."


Buildings in the News






Sert, Jackson & Gourley are architects of a master plan for a new high-rise campus for Boston University (shown in their model above) on the banks of the Charles River. Under a \$60-million, 10-year building program several buildings of 15 or 16 stories will be erected. The first two structures, scheduled for completion in the fall of 1962, are a \$3.6-million academic building and a \$4.4-million University Union Building. The design of the Union building (shown at left) is the first to be approved; its architects are Hoyle, Doran & Berry, with Sert, Jackson & Gourley as consultants

A service station designed by Edward D. Stone has been built by the Gulf Oil Corporation at New York International Airport. Its features include not only a grille, but also transparent plastic roof domes, canopy supported by gold-painted steel pillars, three hanging gardens, and planted alcoves. Jack Glicksman was the general contractor





A "Supermarket of the Sixties" was shown in model form recently. Its designers, who were commissioned by the Daitch-Shopwell supermarket chain, are William N. Breger, A.I.A. (chairman of the department of architectural design, Pratt Institute), and Michael Brill. A shopper would ride a moving sidewalk down a spiral ramp past food displays, picking and marking with a code number items along the way. On the main floor, all the groceries she had chosen would be assembled for her final decision before a computer added up the bill. She would then pay a change-making automated cash receiver



COPPER

simplifies plumbing in big addition to Children's Hospital, Pittsburgh



MAKING A SOLDER JOINT on an 8-inch copper soil and waste line — the largest size used in the drainage system. Solder-joint connections are one of the important reasons why copper tube systems are so much easier and faster to install.

S ome 70,000 pounds of Anaconda copper tube were used in the sanitary drainage system, hot- and cold-water lines, oxygen, vacuum, and compressed-air lines of the addition to Children's Hospital in Pittsburgh.

Copper plumbing provides the advantages of easier, faster installation, with additional economies in design and construction made possible by the lighter weight of copper tubes and the trim, space-saving, solder-joint fittings. Equally important, however, are the long-range benefits. Copper tube systems last longer, require less maintenance than systems of other materials.

Everyone benefits with all-copper plumbing. Architects have greater freedom in design to locate bathrooms and utilities where desired without sacrificing useful space. Contractors report that installation time has been reduced up to one-half—and their men prefer working with copper tube. Owners get plumbing that lasts—costs little to maintain.



ARCHITECT'S RENDERING of Children's Hospital Addition (foreground) at Pittsburgh. Architect: Alfred D. Reid Associates, Pittsburgh. Consulting Engineer: J. A. Murray, Pittsburgh. Plumbing Contractor: Sauer, Inc., Pittsburgh.



TESTING A VALVE on the hot-water supply system. Other copper tube lines in view are part of the sanitary drainage system, ranging in size from 1½ inches to 4 inches. Because connections are easily made, even in tight quarters, the lines can hug the ceiling.

Anaconda Copper Tubes are available in all standard wall thicknesses — Types K, L, M, and DWV (Copper Drainage Tube) — through plumbing wholesalers. There's a full line of Anaconda wrought and cast solder-joint fittings. For more information on ALL-COPPER plumbing, write: The American Brass Company, Waterbury 20, Conn. In Canada: Anaconda American Brass Ltd., New Toronto, Ont.

ANACONDA® COPPER TUBES AND FITTINGS

Products of THE AMERICAN BRASS COMPANY Available through Plumbing Wholesalers



Completion is scheduled for August, 1961, on this downtown office building in San Francisco. The \$10-million structure will be headquarters for the American President Lines and Natomas Company. The steel-frame tower has recessed-L corners, doubling the number of corner offices. White quartz faces the 22-story building. Anshen & Allen, architects; Dinwiddie Construction Co., general contractor



The \$100,000 administration building at Hawaiian Memorial Park on Oahu, opened last month, is of concrete tile block with a folded plate roof and concrete grilles. The structure was designed by Wimberly & Cook Architects, Ltd.; the Highway Construction Co. was general contractor



This 186-ft-long rectangular concrete structure over the sunken U.S.S. Arizona in Pearl Harbor is due to be completed in time for its dedication next December 7. The memorial to the 1102 men still entombed in the ship will contain a museum. Johnson & Perkins-Preis, architects



The Minnesota Mining & Manufacturing Co.'s research and administrative headquarters near St. Paul, as it is expected to look in about 1975. Three laboratories in foreground have been built. The tallest structure is the 14-story administration building (model shown at




right), scheduled for completion in early 1962. The \$10-million building will provide 500,000 sq ft. Ellerbe and Company are architects and planners for the research center and administration building





Two Texas banks designed by George L. Dahl, F.A.I.A. Above: The \$8-million El Paso National Bank, 19 stories and a penthouse. Carroll & Daeuble are associate architects. Below: A branch for the Dallas Federal Savings & Loan Association. Cost: \$432,539. J. E. Morgan & Sons, general contractor





A proposal for the redevelopment of a central area in Newark, N. J., is shown in model form at top. The plan envisages the elimination of a blighted area and the erection of apartments, office buildings, parking garages, and a shopping center. Certain existing buildings (darker color) would remain. The rendering is of a view into a planned square. The estimated cost is about \$200 million, and the estimated time of construction, about five years. The proposal recently was submitted to the city by John W. Galbreath & Company and the Turner Construction Company. The architects are John R. Diehl & Francis R. Stein. Planning consultants are Urban Planning Associates





The new Swiss Chancery in Washington was designed by Swiss-born William Lescaze, F.A.I.A. The exterior photograph shows the main building at left, connected with a glass-walled auditorium by a glass-enclosed corridor. The main stairway is shown in other photo. John McShain, Inc., general contractor



DOME IN AUSTRALIA SHELTERS SCIENCE HEADQUARTERS





The bridge across the moat, shown in upper photograph, leads to the one entrance to the building. Above, a night view of the cloister skirting the moat

A copper-skinned dome springing from a circular moat is the new Australian Academy of Science building in Canberra. The architects were Grounds, Romberg and Boyd of Melbourne, who were scheduled on January 29 to receive the second annual Pan-Pacific Architectural Citation of the Hawaii Chapter of the American Institute of Architects for "work of exceptional merit in the Pacific area." Structural consultants: W. L. Irwin and Associates and the department of engineering, University of Melbourne. Acoustical consultants: Bolt, Beranek & Newman. General contractor: Civil & Civic Contractors, Ltd.

The 24,175-sq-ft structure, 166 ft in over-all diam, contains a central conference chamber for 150 people, reception rooms, several offices, an exhibition gallery-reading room. The design arose in part from the necessity to provide for both the occasional accommodation of large groups and regular supervision by a staff of only one or two; thus there is a single external entrance. The wide overhang is for sun control.

Because the 16 large scallops presented problems in the calculation of stress distribution, strain measurements were carried out on a scale model. The concrete ring tying the 16 points of the dome together is the bottom of the moat; each point, which carries 45 tons, is connected to the ring with a hinged joint.

In the conference chamber, acoustical provisions include plywood discs tuned with absorbing and reflecting panels.






- 1. The entrance foyer, showing reflections from the moat
- 2. One of the two identical stair halls
- 3. Looking down at the conference chamber from the gallery. The acoustical plywood discs suspended from the dome can be seen
- 4. The council room, the only room with curtains, for privacy
- 5. The Fellows' room, with shell-vaulted ceiling







Michigan Retail Lumbermen's Assn., Grand Repids, Feb. 2-4 Middle Atlentic Lumbermen's Assn., Atlentic City, Feb. 3-5 Milliose Lumber Dealer's Assn., Chicago, Feb. 9-11 Western Pennsylvania Lumber Dealer's Assn., Pittsburgh, Feb. 16-18 Wisconsin Retail Lumbermen's Assn., Milwaukee, Feb. 16-19 Ohlo Retail Lumbermen's Assn., Columbus, Feb. 23-25

MAKES A CLOSET WALL




Only waste is the sawdust! The Hager Manufacturing Company of Mankato, Minnesota, uses Hines Widewood to make pre-cut closet wall units, cabinet ends and other types of millwork. Hager buys Hines





Widewood 34 " x 24" in 16' lengths, clear grade. Sawing one piece in half makes the sides of a closet wall unit. Three cuts in a second piece yield the top, bottom and shelves. Sides are rabbeted to hold shelf ends.



WITH FOUR SAW CUTS

Most versatile new wood product since plywood!

Hines Widewood fills certain material needs better than any other wood product. Better than lumber because it comes in wider widths and with less tendency to warp or twist. Better than plywood because you can nail or screw into the edge and the edge needs no special finishing. Easier to saw, too. It's the ideal material for closet walls, counter tops, cabinet ends, platforms, soffits, cornices, fascia, shelving... or any use where a stable, extra-wide board is desirable. Its possibilities challenge the imagination. Widewood can be made any size up to 50" wide, 24' long and 4" thick...and 100% clear if you want!

In manufacturing Hines Widewood, selected pieces of top quality kiln-dried Ponderosa Pine are electronically bonded with water-proof glue. Pieces are joined end to end with a special precision-cut joint that, when glued, is stronger than the wood itself. Panels are sanded smooth at our mill, ready for finishing. Available in any quantity in mixed cars of Ponderosa Pine.

Send for free samples today!
Just call or write the man from HINES

Edward Hines Lumber Co. Sawmills at Hines, Westfir, Dee and Botes, Oregon. Other plants: Plywood, Westfir; Hardboard, Dee; Millwork, Baker and Hines, Oregon. Engineering and Development Division: Hood River, Oregon.


Edward Hines Lumber Co.


AR-2

200 S. Michigan Avenue, Chicago 4, Illinois

Please send me free samples and information about Hines Widewood.







SHOPPING CENTERS— Pedestrian traffic flows smoothly on a SPEEDWALK "moving sidewalk."



TRANSPORTATION—Passengers move effortlessly to a Monorail Station Platform on a SPEEDRAMP Passenger Conveyor System.



Step out of the past and move into the future with SPEEDWALK and SPEEDRAMP Passenger Conveyor Systems. Do away with those needless steps in moving people horizontally or on an incline.



SPEEDWALK° SPEEDRAMP°

PASSENGER
CONVEYOR
SYSTEMS
eliminate
needless steps
in moving
pedestrian
traffic
horizontally or
on an incline

SPEEDWALK and SPEEDRAMP Passenger Conveyor Systems prove that stairways can be beautiful as well as functional. Just look at the showcase beauty that has been wrought by the architect of this modern building through the use of SPEEDRAMP Passenger Conveyors. Stairways become "beautyways" when they're glamourized by the "magic carpet" of SPEEDWALK or SPEEDRAMP Passenger Conveyors.

Beauty is only part of the story however, for SPEEDWALK and SPEEDRAMP Conveyors provide features of versatility, safety, economy and public good will, unmatched by architecturally outdated "moving stair" type conveyances.

Over 1,500,000 people have been carried with 100% safety on a SPEEDRAMP Passenger Conveyor System, at "Tomorrowland," Disneyland, California. SPEEDRAMP was chosen over all other systems, as the connecting link between ground level and the loading platform of a futuristic Monorail.

SPEEDWALK DIVISION STEPHENS-ADAMSON MFG. CO.

GENERAL OFFICE & MAIN PLANT, 53 RIDGEWAY AVENUE, AURORA ILLINOIS
PLANTS LOCATED IN: LOS ANGELES, CALIFORNIA
BELLEVILLE, ONTARIO


CLARKSDALE, MISSISSIPPI

BELLEVILLE, ONTARIO

SEE THE MONTGOMERY ELEVATOR COMPANY REPRESENTATIVE OR THE STEPHENS-ADAMSON REPRESENTATIVE IN YOUR AREA.

Ever Want Prints a Drawing?

Engineers, architects and many other types of technical people often want prints that separate key parts of a drawing from the rest of it, and some weird and costly techniques have been used. This is understandable because the cost of not getting good separation or emphasis can also be shocking. Take the case of a large West Coast engineering organization constantly involved in plant construction. They used sepia prints of floor plans to lay out the electrical work. But the lack of contrast between the plumbing shown in the sepias and the electrical layouts added required hours of careful checking and frequent revisions, even caused some expensive construction errors.



Diazo print from special-blue image intermediate produces a sharp contrast between the parts to be emphasized and those to be subdued.

That's all ancient history now! Two of Dietzgen's numerous modern draftingprintmaking aids have turned this tough old chore into a picnic. They are new drafting media (one a polyester film and

SOLVED: A COSTLY PROBLEM OF Emphasizing Parts of **COMBINING DRAWINGS AND GRAPHS**



Drafting time costing as much as \$40 was used to draw a single grid ... and draftsmen resented the tedious assignment.

A large manufacturer of automotive parts decided to plot their graphs directly on the drawings in order to end the nuisance of their being separated in

the other a vellum) diazo sensitized to produce a special blue image. The reproduction of your basic drawing on either of these media is bold and clear so drafting additions can be made without confusion or error. But when you make prints from the completed intermediate, the basic part in the special blue prints faintly (clearly visible but subdued) . . . while the added drafting, even in pencil, prints strong and bold. The results are perfect, easily and quickly obtained, delightfully inexpenhandling, filing, plant interchange, etc. But this created many new problems. Tracing or drawing the grids in position proved costly, as much as \$40 each in drafting time. They were rarely accurate and never uniform in character. The lines often smudged and usually reproduced poorly. The work created a morale problem because draftsmen resented the tedious assignment.

One of Dietzgen's modern draftingprintmaking aids furnished a perfect answer! It is a light-weight drafting film which is adhesive-backed and furnished printed with a stock grid. It is simply mounted in place and the grids are sharp, clean, clear and uniform, so much more accurate that fewer plotting points are needed to develop the graphs. Reproductions were so noticeably better as prints moved through other departments and associated plants that the change was investigated and quickly adopted. Much needed drafting time and capacity is saved and the reduction in costs amounts to many thousands of dollars a year.

Drafting-Printmaking Handbook reports new techniques for solving engineering and production problems

This new 36 page handbook describes a wide variety of engineering and production problems that have been solved with advance techniques in drafting and printmaking pioneered by Dietzgen. The concise, problem-solution approach suggests ways in which you may improve

the efficiency within your engineering department or eliminate production bottlenecks. Write today on your company letterhead for the Mechanics of Modern Miracles. Ask for Publication SPD2-A10. Eugene Dietzgen Co., Chicago 14, Illinois.




DIETZGEN

EVERYTHING FOR DRAFTING

News of Architecture Abroad

Four New Developments for London



Model illustrating the proposed redevelopment scheme for the Barbican area of London. Projected are some 2000 middle-and upper-income apartments, new buildings for the City of London School for girls and for the Guildhall School of Music and Drama, a hotel, shops, a fire station, and other adjuncts of a residential community. One of the features of the scheme would be the re-erection of the rotunda of the present Coal Exchange—which is a favorite with devotees of cast-iron architecture—to form a central concourse for the music school. Chamberlin, Powell and Bon are the architects; Ove Arup and Partners are the structural engineers

This design for Site 2 of the comprehensive redevelopment of the Elephant and Castle section of South London consists of three office blocks grouped around a central courtyard (shown below) and incorporates provision for re-housing two banks and a public house that at present occupy the site. The architect is Erno Goldfinger





This housing scheme for the St. Pancras Borough Council achieves a density of 136 persons to the acre solely through a flexible system of three-and-a-half-story maisonette blocks. Accommodation ranges from bed-sitting rooms to six-room apartments, and there is ample provision for garaging or parking of cars. Below are a block diagram of the site and a model of an individual maisonette unit. Professor Sir Leslie Martin is the architect




Construction has begun on New Zealand House, the administrative and social head-quarters for the New Zealand government in London, which will stand at the corner of the Haymarket and Pall Mall. A four-story base covering the entire site is surmounted by a 15-floor tower block. The resulting building will be 225 ft high, tall enough to be one of the most prominent features of the London skyline. Architects: Robert Matthew & Johnson-Marshall; structural engineers: Scott & Wilson, Kirkpatrick & Partners









Section CC. Selected cells are used for electrical, telephone, and for air ducts. Electrical fittings by Conduflor Corp., Cleveland.



HOW TO USE CELLULAR CONCRETE DECKS FOR ELECTRICAL AND AIR DISTRIBUTION



First Floor Framing. Corridor floor was cast in place with corridor bearing walls. Flexicore clear-spans from corridor walls to outside walls.



Section DD. Corridor walls are sole support for roof.

Minoru Yamasaki & Associates, Architects, Birmingham, Michigan



Hollow cells in Flexicore precast, fireproof floors are used for electrical and telephone wiring, and as air ducts for warm air heating, air conditioning and ventilating at American Concrete Institute Headquarters, Detroit.

For more information on this project, ask for Flexicore Facts No. 82. Write The Flexicore Co., Inc., Dayton, Ohio, the Flexicore Manufacturers Association, 297 S. High St., Columbus 15, Ohio or look under "Flexicore" in the white pages of your telephone book.



LOOK "UNDER THE HOOD" of LABORATORY SERVICE FIXTURES

(the repair man will...when inferior fixtures break down) CONSTRUCTED TO WITHSTAND FORGED BRASS HANDLE OVERSIZE SPINDLE THREADS HEAVY DUTY SEAT WASHER REMOVABLE BRASS OR S.S. SEAT HEAVY WALL CONSTRUCTION here's why leading architects and engineers specify

Let's be hard-nosed about it. When a laboratory is installed, only the best possible service fixtures will do. Architects, specifying engineers, and plumbing contractors know it no matter how well designed the science equipment is, it will operate only as well as its fixtures.

It's a fact that there are important differences in fixtures used for laboratory furniture and it takes such experts to recognize them-even the busy repair man on his frequent trips to replace ordinary washers, re-grind worn seats, or to install whole new units because of stripped threads. That is why T&S Lab-Flo Service Fixtures, heavy duty engineered and constructed throughout especially for laboratory use, are preferred for wood or metal installations of any size or design. Lab-Flo is built for strength, safety, and ease of handling in the laboratory. No thin walls or shallow threads to break down, no weak parts to give out when full line pressure is applied. Look at a cross-section of a Lab-Flo fixture and you will see a cross-section of quality at its finest. You pay for quality—why not get it? You will...when you specify Lab-Flo right down the line on your next laboratory installation, new or remodeled.

THOSE IN THE KNOW SPECIFY

se your ab-le dealer or write for Catalog


SERVICE FIXTURES - HOSE COCKS REMOTE CONTROLS - RECEPTACLES Infer to 1960 Sweet's Catalog, Code: 27b




NEW "SIMULTANEOUS"

65 × 38 Court 35-F-1 AUDITORIUM ô Total Capacity 718 Boys Practice Gym 66 - 38 Court 3-13-Tier Fixed Roll Out Unit Capacity 390


700 Seat Auditorium and Practice Gyms



700 Seat Auditorium and Regulation Gym



1600 Seat Theater (round) or Championship Court



1100 Seat Auditorium

DIMENSION ADDED TO "ALTERNATE - PURPOSE"

J. M. Blew, A.I.A., Creates Another "First" in School All-Purpose Centers

Objectives for the Chester, Pennsylvania Showalter Junior High School All-Purpose Center designed by J. M. Blew & Son, A.I.A., Media, Pennsylvania, were:

- simultaneous daily boys and girls gym and auditorium each for 700 students.
- simultaneous regulation basketball court and auditorium each for 700.
- consecutive-use 1600 seat championship basketball court or theatre-in-round.
- consecutive-use 1100 seat auditorium with complete stage facilities.

These objectives normally require a separate auditorium and gym. Each needs a lobby, rest rooms, utilities, offices, public seating. J. M. Blew used electric partitions and movable Hussey Roll-Out gym seats to achieve everything in one unit with one set of facilities.

For simultaneous daily use, no change is made in the auditorium. Practice gyms convert into regulation gym, or vice-versa, in 10 minutes by operating pre-located seats and one partition.

Changing to consecutive uses takes 4 man-hours.

Hussey's Closed Deck Roll-Out gym seats were specified because they reduce personal hazards, prevent articles dropping through the stands, and cut janitorial costs. American Seating Co. folding chairs supplement these.

This typical use of Hussey Closed Deck Roll-Out gym seats may solve a problem for you. Other spacesaving ideas available on request.

See Sweet's Catalog 23J/HU and Booths 1256 to 1262 at A.A.S.A. Convention, Atlantic City, February 13-17.




7 Railroad Avenue

35-F-11

North Berwick, Maine



700 Seat Auditorium foreground Plan 1; rear Plan 3



Theater (round) Championship Basketball
Court — Plan 3



1100 Seat Auditorium - Plan 4




700 Seat Regulation Gym - half of Plan 2

Photos by Cortlandt V. D. Hubbard



Attention to detail

Details are significant in building design... and in the equipment that goes into a building to make it function as the architect planned. For 100 years Shepard Elevator Company has consistently improved elevator hoisting machinery with assiduous attention to details. Design of a better worm gear, for instance, contributes materially to long machine life and extremely quiet operation. Shepard Elevators, geared and high-speed gearless, are now available throughout the United States and Canada. See our catalog in Sweet's Files or write for complete information. Shepard Elevator Company, Division of Dover Corporation, 5050 Brotherton Rd., Cincinnati 9, Ohio.



SHEPARD ELEVATORS





"I think they're just trying to stand out!"

Colbert Named Columbia Dean

Charles R. Colbert has been appointed dean of the Columbia University School of Architecture. Mr. Colbert is senior partner of Colbert and Lowery and Associates, New Orleans architectural firm. He will assume his new duties on April 1.

Mr. Colbert has been given a leave



of absence for the first three months of his new position to inspect other centers of architecture in this country and Europe and to compare and evaluate educational techniques.

The new dean, the sixth head of the Columbia school, succeeds Leopold Arnaud, who retired a year ago. In the interim, James Grote Van Derpool has been acting dean.

Mr. Colbert is a graduate of the Columbia school. He has been assistant professor of architecture and lecturer in city planning at Tulane, and in 1956-57 he directed the division of architecture at Texas A. & M. He is a past president of the New Orleans chapter, A.I.A.

Plans for 1964 World's Fair

Though the World's Fair is definitely to be held in New York in 1964, and the New York World's Fair 1964 Corporation is a going concern, at press time publicity arrangements had not quite shifted to high gear. One reason is that certain key personnel were yet to be named: the members of the board of design and the president of the corporation.

But progress has been made. For instance, a temporary official symbol has been evolved (see inset). It was



designed by Milton Ackoff, graphics designer for the Fair, and will be used until a permanent official symbol is chosen as the result of


an international competition. The symbol, which incorporates the Fair's permanent theme, "Peace Through Understanding," has blue, yellow, and red peripheral sectors and a black central triangle; the lettering is on white. These colors were chosen because they are those that appear most often in the flags of all nations.

Robert Kopple, executive vice

president of the Fair, gave some other facts in a talk at New York's Engineers Club recently: The 1964 Fair, which is expected to cost \$500 million and attract 60 million visitors, will be open for six months. By June it is expected that the staff will be complete, and the Administration Building is scheduled to be built during 1960. The board of design will have the challenging job of translating the theme into overall design concepts, while still allowing individual design expression to the many national and corporate exhibitors (it is expected that more than 80 nations and every major U.S. corporation will participate).

Reynolds Award Jury Chosen

The five members of the jury who will select the structure to receive the fourth annual \$25,000 R. S. Reynolds Memorial Award have been named by the American Institute of Architects. The presentation will be made at the A.I.A.'s April annual convention. The jury members are: Walter Gropius, F.A.I.A.; Philip Will, Jr., F.A.I.A.; James M. Hunter, F.A.I.A.; Arthur Fehr, F.A.I.A.; C. E. Pratt, F.R.A.I.C.



Molded Drawers make built-ins behave...

Molded drawers in built-ins deliver the smooth, trouble-free drawer action of fine furniture.

Molded of Lustrex styrene in one piece, these drawers have no seams or joints. They won't stick, swell, warp, or jam, even under the most humid conditions. Dimensionally stable, they are freely interchangeable. Their smooth hard finish is scratch-resistant, non-snagging. Rounded corners reduce cleaning to a simple wipe of a damp cloth. Molded drawers are unusually strong, yet weigh pounds less than conventional ones.

Fronts can be wood or plastic surfaced. Partitioning can be customized to fit the specific needs.

Specify molded drawers, specially designed for built-ins in residential, institutional or commercial buildings.

Monsanto supplies LUSTREX, the styrene used by leading manufacturers in producing molded drawers. Monsanto Plastics are also the basic materials for many other products that add new values of comfort, convenience, and beauty to homes, offices, and factories. For your A. I. A. files, there is literature available on Molded Drawers, Laminated Architectural Glass and Melamine Laminated Plastic surfacing materials.

LUSTREX: Reg. U. S. Pat. Off.



MONSANTO DESIGNER IN PLASTICS



MONSANTO CHEMICAL COMPANY

Plastics Division

Company _

Springfield 2, Massachusetts

Please send brochure, "BUILT-IN IDEAS with Molded Drawers," and a list of sources of supply.

Name______Title_____

Name______

City Zone State

Competition for Memorial

Last fall, Congress set aside 27 acres in West Potomac Park, Washington, for a memorial to Franklin Delano Roosevelt, and appropriated \$150,000 for holding a competition for its design. Edmund N. Bacon, executive director, Philadelphia Planning Commission, has been appointed professional adviser to the competition. At press time, other arrangements were still pending.

Worth the Winning

NATIONAL COMPETITION FOR DESIGN-ER-CRAFTSMEN, sponsored by the American Craftsmen's Council. The theme is: "Designed and Handcrafted for Use." Accepted entries will be exhibited at the Museum of Contemporary Crafts in New York, May 27-September 11, and some will receive awards; the exhibit will be circulated afterwards. Entries may be made in any one of five use-groups. Entry forms are due by March 23, and entries by April 15. Details from: American Craftsmen's Council, 29 W. 53rd St., New York 19.

THE SECOND ANNUAL COPPER AND BRASS ACHIEVEMENT AWARD, sponsored by the Copper & Brass Research Association. The award—\$1000 and a bronze symbol—honors "the year's most significant advancement" in the use, application, or metallurgy of copper, brass, bronze or other copper-base alloys. The deadline for submission of entries is March 31. Details from: Copper & Brass Research Assn., 420 Lexington Ave., New York 17.

THE 13TH ANNUAL ENGINEERING UNDERGRADUATE AWARD AND SCHOL-ARSHIP DESIGN PROGRAM, sponsored by the James F. Lincoln Arc Welding Foundation. To be submitted are designs for machines, machine components, structures, or structural parts in which arc welding is of major importance. Resident undergraduate students in architecture and all branches of engineering are eligible. Duplicate awards, ranging from \$500 down, are made in both mechanical and structural divisions. There are also three grand awards of \$750, \$500, and \$250; scholarship funds are, in addition, granted to the schools represented by the recipients of these three awards. The deadline for submission of entries is New York's newest monument, opened last month by the American Battle Monuments Commission, is the East Coast War Memorial in Battery Park. On the eight granite pylons are inscribed the names of 4596 American servicemen lost in the coastal waters of the Atlantic during World War II. An 18½-ft bronze eagle (Albino Manca, sculptor) will be placed later on the center pedestal, on axis with the Statue of Liberty. The architects are Gehron & Seltzer





Morris Ketchum Jr., president of the Architectural League of New York (right), and David R. Campbell, president of the American Craftsmen's Council, go over plans for the League's 61st National Gold Medal Exhibition, due to open February 26 at the Museum of Contemporary Crafts, New York, and run through May

July 1. Details from: The James F. Lincoln Arc Welding Foundation, Cleveland 17, Ohio.

CORNELL UNIVERSITY, GRADUATE DI-VISION OF ARCHITECTURE AND FINE ARTS: fellowships, scholarships, and assistantships in architecture, landscape architecture, city and regional planning, painting, sculpture. Applications are due by February 12.

CRANBROOK ACADEMY OF ART: scholarships in architecture, ceramics, design, graphics, metalsmithing, painting, sculpture, weaving and textile design. Applications are due by March 1.

HARVARD UNIVERSITY, GRADUATE SCHOOL OF DESIGN: scholarships and fellowships in architecture and land-scape architecture (including the Arthur W. Wheelwright Fellowship in architecture for travel and study abroad; holders of Harvard B.Arch. or M.Arch. degrees are eligible; the stipend this year is more than \$6000; nominations from the profession are welcomed). Applications are due by March 15.

UNIVERSITY OF ILLINOIS, COLLEGE OF FINE AND APPLIED ARTS: the Kate Neal Kinley Memorial Fellowship of \$1500 for one year of study. Eligible are graduates of the College and similar institutions whose principal

studies have been in architectural design or history or in music or art. Applications are due by May 18.

MASSACHUSETTS INSTITUTE OF TECHNOLOGY, SCHOOL OF ARCHITECTURE AND PLANNING: fellowships and scholarships, including four new doctoral fellowships in urban design and land use and transportation. Applications are due by February 15.

UNIVERSITY OF MICHIGAN, DEPART-MENT OF ARCHITECTURE: graduate scholarship and fellowships. Applications are due by April 1.

ROTCH TRAVELLING SCHOLARSHIP: applicants must be American citizens under 31 whose architectural record includes study or experience in Massachusetts. Applications are due by March 21. Details from: William G. Perry, Secretary, Rotch Travelling Scholarship Committee, 955 Park Square Bldg., Boston 16.

MAJOR CURRENT COMPETITIONS

National Competition for Designer-Craftsmen (see above)

The Second Annual Copper and Brass Achievement Award (see above)

The Second Annual \$25,000 Mastic Tile Architects' Competition (Jan., p. 25)

The 13th Annual Engineering Undergraduate Award and Scholarship Design Program (see above)

Here are answers to the most frequently asked questions about Armstrong Acoustical Fire Guard

A RMSTRONG Acoustical Fire Guard is a new kind of ceiling tile that meets code requirements with no additional fire protection. An indication of architectural interest in the product is the number of questions that designers and specifiers have asked about Acoustical Fire Guard.

Q. What makes Acoustical Fire Guard so different from other incombustible ceiling tiles?

A. Acoustical Fire Guard is the only acoustical ceiling tile to receive fire-retardant time-design ratings from Underwriters' Laboratories, Inc. Other tiles, including many made by Armstrong, are rated "incombustible." But they all require some sort of additional fire protection between them and the structural steel above them to meet rigid building codes.

Q. What codes will Acoustical Fire Guard meet?

A. It will meet the nation's strictest codes. It has achieved one-hour, two-hour, and four-hour time-design ratings, depending on the floor-ceiling assembly with which it was used. Acoustical Fire Guard has never failed an Underwriters' Laboratories, Inc., test or been rejected by any code authority.

Q. Isn't it the floor-ceiling assembly, rather than the ceiling, which gets the time-design rating?

A. No. The ceiling carries the same rating as the assembly in which it is tested.

Q. To get local code approval, doesn't the assembly have to be constructed exactly as tested by UL?

A. No. In many cases, local officials will allow variations from the assembly as tested when those variations offer the same or greater fire protection. Thicker bar joists, deeper plenum chambers, various types of metal decks—all will logically be permissible.

Q. Do penetrations for ducts and lighting fixtures cause Acoustical Fire Guard ceilings to lose their fire-retardant ratings?

A. No, they do not. A certain amount of penetration is arbitrarily permissible under most codes. In addition, an Acoustical Fire Guard ceiling with a full complement of ducts and recessed lighting fixtures was successfully tested by Underwriters' Laboratories, Inc.

Q. How does Acoustical Fire Guard compare in cost with other incombustible tiles?

A. The material itself is moderately high in cost. But it can be installed quite economically. An installed Acoustical Fire Guard ceiling costs little, if any, more than a regular fissured mineral fiber tile ceiling. And it generally costs far less than any ceiling of tile and plaster or gypsum board which offers comparable fire protection.

Q. What dollars-and-cents savings can I expect from Acoustical Fire Guard?

A. 10¢-30¢ per square foot, depending on type of building, degree of fire protection required, and type of alternative ceiling being considered.

Q. Does it take more time to install Acoustical Fire Guard?

A. No, it actually requires less time than ordinary fireretardant ceilings because no delaying "wet" operations are necessary. For example, an elementary school in Delaware was opened three weeks sooner because Acoustical Fire Guard was specified.

Q. Is Acoustical Fire Guard an "experimental" product?

A. Absolutely not! Before it was announced a year ago, Acoustical Fire Guard had undergone months of rigid tests by both Armstrong and Underwriters' Laboratories, Inc. It withstood temperatures far higher than those of any "natural" fire.

And since its introduction a year ago, it has been chosen for millions of square feet of ceiling area in hundreds of buildings across the country. It promises to become *the* method of obtaining fire-retardant ceilings in the future.




COPA

Architect: A. G. ODELL, JR., & ASSOCIATES, Charlotte, N. C.

Sheet Metal Contractor: INGOLD COMPANY, INC., Hickory, N. C.

Revere Distributor: LYON-CONKLIN & Co., INC., Baltimore, Md.

General Contractor: HERMAN-SIPE & COMPANY., INC., Conover, N. C.



THE ROOF of the Concordia Lutheran Church takes the form of two hyperbolic paraboloids, with battens arranged to form the surface pattern.

- 1 SHEETS IN 30" x 48" size were used as they were more readily adaptable to the roof contours.
- 2 ROOF UNDER CONSTRUCTION showing how battens were designed and formed.
- 3 31,500 lbs. of Revere 16 and 20 oz. soft sheet copper were used for the roof.
- 4 SUCH A ROOF as this would have been economically impractical without the extreme design flexibility of copper.



A. G. ODELL, JR., dared to be different in designing the Concordia Lutheran Church, Conover, N. C., with astonishing results While the church you see pictured on these pages is the only one of its kind in the world, it is not a freak. The dominant architectural feature of the unique church is the sanctuary roof, of laminated wood beams and tongued and grooved decking. Each pair of beams extends from the ground to an apex which forms the ridge line of the roof. The beams are the same length and at the ground level are further apart at the entrance to the church than at the altar, making the altar a focal point.

The roof cover could probably have been treated in any one of a dozen



ways, but the architect with his specific design in mind, chose to use copper because he knew copper would best express that design. In addition, he knew the physical characteristics would enable him to form it into any pattern of his choosing. As to the enduring qualities of copper . . . they have been proved for centuries.

During the development of the design the architect took advantage of the experience of Revere's Technical Advisory Service and Research Department and consulted with them frequently. During the installation, too, Mr. Odell, Jr. tells us that these Revere services were most helpful.

Although other metals and alloys have come to the fore during the past few years, the photos on these pages are still another example of what can be done with man's oldest metal . . .

In the hands of imaginative architects, such as A. G. Odell, Jr., copper can be made to produce astounding results . . . practical results.

Why don't you dare to be different . imagine with copper? Revere's Technical Advisory Service with its vast, diversified experience, will be glad to help you with that imagining.



REVERE COPPER AND BRASS INCORPORATED

Founded by Paul Revere in 1801

Executive Offices: 230 Park Avenue, New York 17, N. Y.

Mills: Rome, N.Y.; Baltimore, Md., Chicago, Clinton and Joliet Ill.; Detroit, Mich.; Los Angeles and Riverside, Calif.; New Bedford, Mass.; Brooklyn, N. Y.; Neuspert, Ark.; Ft. Calbonn. Neb. Sales Offices in Principal Citiss. Distributors Everywbre.

There is greater value in

Kirlin EXITS

THE COMPLETE LINE

ALL ALUMINUM



AT PRICE OF STEEL

VARIETY OF MODELS



FLUORESCENT
has 6000 hour lamp life

shock resisting glass glow-in-dark glass stencilled metal fronts

also available "MEN" - "WOMEN"

EXPLOSION-PROOF EXITS ALSO WITH STANDARD 6" LETTERS

Wiring inter-changeable for either incandescent or fluorescent lighting

Surface units have luminous bottom



In stock at leading electrical jobbers

Underwriters' Laboratory and I.B.E.W. labels



Send for new EXIT catalog

3435 E. JEFFERSON, DETROIT 7, MICH.



PENDANT single or double faced

Kirlin




THE STANDARD RECESSED FIXTURE

Still leading with these features:

- · GlasSurfaced aluminum reflectors
- · Spread-type lenses, stay clean
- · Largest variety of types and sizes

The KIRLIN CO.

SALES ENGINEERS IN PRINCIPAL CITIES



Soundguard


the folding partition that separates both space and sound effectively

FOLDOOR continues its leadership in the field of sound retardant folding doors and partitions with the introduction of SOUNDGUARD-the folding partition that separates both space and sound with an unprecedented high degree of efficiency.

Soundguard offers greater sound reduction-over a wide range—than any other folding partition available today. This is due not only to the denser sound insulation within the partition itself, but also to complete perimeter sealing. Soundguard provides a tight seal that

blocks sound from passing around jambs and operating edges. This is an outstanding Soundguard feature!

With superior Soundguard insulation, FOLDOOR can serve a broader use in many places. Hotels, motels and restaurants can now put meeting rooms and dining areas to more profitable multi-purpose uses. Churches, schools and hospitals can now convert limited space to more economical uses. Mortuaries can now have the ultimate in quiet services and flexible use of space.



Soundguard's new complete insulation system has been designed to block the passage of sound through the partition and around the edges. The body of the partition is insulated on each side of the frame with 3/6" (.187") flame treated building-board panels (A) laminated to a vinyl coated flexible membrane B that is also flame treated. Resilient seals at the deep-nesting post mouldings (and at all perimeter edges (1) (3) form seals that effectively bar sound leaks at walls and ceiling.

In addition, the seal at ceiling and floor is effected by flexible rubber sweep strips 6. The plasticity of these strips allows air to be expelled equally along the length of the partition when it is stacked.

Special Draw Latch with Pendant Pull (H) is furnished on partitions more than 8'0" high, assuring a tight seal. The latch is released by a natural downward pull of the pendant—an important safety factor in an emergency.

EXTRA STRONG FRAME

Soundguard has the strongest steel frame of all fabric covered folding partitions. This superior frame strength supplies stability throughout the entire height-top, middle and bottom. A high-strength hinge is used at all levels, giving lateral rigidity and pantographic action at each hinge row.

The design strength of the hinge (J), and the frequency of use, contribute to vertical operating rigidity. This rigidity—both vertical and horizontal—is unique with FOLDOOR Multi-X frame construction.

EASY OPERATION

To support the largest partitions (12' heights and over), large trolley wheels with steel ball bearings and tough Nylon treads roll easily and quietly in 16-gauge steel tracks (K) that are formed to provide precision tracking without side play. Trolley and track designs, combined with vertical and horizontal rigidity, are responsible for ease of operation of FOLDOOR Soundguard.

BEAUTIFUL APPEARANCE

The supported vinyl fabric outer covering of Soundguard always presents a beautiful, smoothly draped appearance. The outer fabric is fastened in the volutes of each fold by means of a freefloating, self-aligning fastener (L) which assures smooth draping-completely independent of any influence from in-sulation liners, and free of tension in every folding and unfolding position.

PROFILE AND STACKING





C = 2 1/4" per foot of opening width, plus 3" for fixed jamb type.

Soundguard's profile width is narrow because of the 8" Multi-X Foldoor hinge construction, which provides greater strength and more vertical supporting rods for each lineal foot than doors with longer hinges. Stacking space is nominal, requiring only slightly more space than non-insulated Multi-X FOLDOORS.

ADDITIONAL DETAILS

Essentially, Soundguard is a specially insulated Multi-X Foldoor with special equipment. Track, trolleys, locks, foot bolts, multiple posts, switches and details are the same as presented for Multi-X doors and partitions in the FOLDOOR Catalog.





FIRST CLASS PERMIT NO. 15 INDIANAPOLIS IND

BUSINESS REPLY MAIL

NO POSTAGE STAMP NECESSARY IF MAILED IN THE UNITED STATES

POSTAGE WILL BE PAID BY-

HOLCOMB & HOKE MFG. CO., INC.

1545 VAN BUREN STREET INDIANAPOLIS 7, INDIANA

a new contribution to privacy



● Here's something different —intriguing —functional and decorative-a brand new design medium! FiliGrille is a new 34" thick polystyrene grillework available in standard designs, factory fabricated in customized panels.

FiliGrille is engineered for simple and economical installation in hotels, restaurants, churches, offices-or in the modern home. Offered in a variety of complete framing systems adaptable to any application: see-through walls, space dividers, floating screens, wall decorations, etc. Available also for framing in woods to match paneling

Standard white FiliGrille blends well with most color schemes. Also can be factory painted in colors or metallics. Special FiliGrille designs available on architect's request.

HOLCOMB & HOKE MFG. CO., INC. . Dept. A-31, 1545 Van Buren Street, Indianapolis, Indiana

Manufacturers of FOLDOOR—the most complete line of fabric covered folding doors and partitions Distributors in principal cities in U.S. and Canada

Holcomb & Hoke Mfg. Co., Inc., Dept. A31 1545 Van Buren St., Indianapolis 7, Indiana

Please send complete information on:

FOLDOOR Soundguard FILIGRILLE grillework

ADDRESS.

FORM NO. 7268

For complete information on Holcomb & Hoke FOLDOOR Soundguard or FiliGrille, send this card TODAY!

Leading manufacturers back a program of uniform standards in air-conditioning equipment.

Forty-Six manufacturers, producing more than 90% of all the unitary* air-conditioning equipment sold, now support an industry-wide testing, rating and certification program symbolized by the ARI Seal.

NEW ASSURANCE OF AIR-CONDITIONING PERFORMANCE



Result: Complete assurance that the unitary equipment you specify will deliver its full rated cooling capacity, and continue to deliver ample capacity under adverse conditions.

How the ARI Seal of Certification Program works:

To be granted this Seal by the Air-Conditioning and Refrigeration Institute, a manufacturer must rate his equipment in standard B.T.U.'s per hour instead of less accurate and confusing "tons," "horsepower" and "cubic feet." His unitary equipment is subject to random selection from stock for intensive checking and verification in an independent testing laboratory under adverse conditions, with emphasis on wilting heat and high humidity. Any model which fails to deliver rated capacity under this severe testing must be brought up to standard or be withdrawn from sale.


When you specify Unitary Air-Conditioning Equipment:

Look for the ARI Seal of Certification—your assurance of uniform high standards of safety and performance. Send for the latest ARI Directory, which lists all unitary air conditioners certified under this program. It will aid you in specifying. There is no charge. Write to: Chief Engineer, Dept. O-201 Air-Conditioning and Refrigeration Institute 1346 Connecticut Avenue, N. W., Washington, D.C.


Manufacturers participating in the program: Airtemp Division, Chrysler Corporation Amana Refrigeration, Incorporated American Furnace Company American Fandard Industrial Division American Radiator and Standard Santary Corporation Arkla Air Conditioning Corporation Armstrong Furnace Company, Division of National Union Electric Corporation Bryant Manufacturing Company Carrier Corporation Cleveland Steel Producta Corporation Cobell Industries Incorporated Continental Manufacturing Company Corleta Manufacturing Company Day and Night Manufacturing Company Florida Warren Corporation Florida Martines Company Company Florida Warren Corporation Florida Manufacturing Company Papa and Night Manufacturing Company Florida Warren Corporation Florida Martines Florida Martines

*"Unitary" air conditioners included in this program: all packaged air conditioners, whether single units or two-piece units (called "split" systems) up to 135,000 B.T.U.'s per hour in capacity, but not including room air conditioners. ARI Standard 210-58 for electricallydriven equipment; ARI Standard 250-58 for heatpowered equipment.

Now you can be sure that specified unitary air-conditioning equipment will deliver rated performance, and continue to deliver ample capacity under adverse conditions.








like these as a part of a Honeywell Clock System

For the first time, you can complete your interior themes perfectly with a matching clock system. And regardless of your choice, each provides the finest in supervised time—a complete master clock-slave system, with programming optional. Shown here are just a few of the 33 attractive new faces available for your selection. All are backed by the same traditional service you've found so dependable in all Honeywell installations. For more information, call the Honeywell write Minneapolis-Honeywell, Dept. AR-2-

Honeywell



1960 ARCHITECTURAL FILE, SEC. 34b/Mi

75th



Vip

"--- and don't tell ME

EVERYTHING HINGES ON HAGER!"

C. Hager & Sens Hinge Mfg. Co. • St. Leuts 4, Mo. In Canada, Hager Hinge Canada Limited • Kitchener, Ontario

Founded 1849—Every Hager Hinge Swings on 100 Years of Experience





New Cork-Tex® bulletin board can take it!

You're looking at Cork-Tex®, the first bulletin board that combines the brilliant color possibilities of vinyl with the rapid healing properties of genuine cork. You choose the precise vinyl color and pattern that blends with your interior scheme.

And Cork-Tex® can take it! The resilient, unadulterated cork body pushes the vinyl cover back into place after tacks or pins (even scout knives!) are removed. No visible scars...Cork-Tex® stays looking as new as the day it was installed.

More good news: on-the-wall costs are lower than for many "substitute" materials, and maintenance-free Cork-Tex® wipes clean with mild soap and water.



The Cork-Tex® secret: Special adhesive perma-nently bonds unadulterated cork sheet to handsome, longer-lasting vinyl cover.



Many colors in stock. Write us and we'll have the nearest distributor contact you. He'll show you color swatches and price lists.

BOND CROWN & C

CONTINENTAL © CAN COMPANY
WRITE FOR FULL INFORMATION: Bond Crown & Cork, Dept. A, 1819 N. Major Ave., Chicago 39, III.

Going, Going UP!

in record time with


Reinforced CONCRETE

Another notable example of the trend toward reinforced concrete construction is the new "Addition to the Brown Palace Hotel" in Denver, Colorado. Important reasons for utilizing reinforced concrete construction for this handsome new structure were speed of construction and flexibility of design. The inherent fireproof qualities of reinforced concrete make lower insurance rates possible. The ready availability of reinforcing steel permitted the job to get under way at once. Before you build, investigate this economical, flexible, firesafe, and timesaving medium of construction.

Addition to the Brown Palace Hotel Denver, Colorado

Architect: William B. Tabler, New York City
Structural Engineer: Seelye, Stevenson, Yalue &
Knecht, New York City
General Contractor: N. G. Petry Construction
Company, Denver, Colorado





Concrete Reinforcing Steel Institute 38 South Dearborn St., Chicago 3, Ill.

TYPE M


Multi-Pattern Diffusers


The extreme flexibility of Type M Multi-Pattern Diffusers means custom-selected air distribution

TYPE M 1-WAY BLOW

TYPE M 2-WAY BLOW







TYPE M 3-WAY BLOW

TYPE M 4-WAY BLOW

Ideal conditions for the placement of ceiling diffusers do not always exist. Walls, partitions, exposed beams, supporting columns, light fixtures . . . big offices, small offices, corridors . . . are some of the factors that can contribute to the problem of correctly selecting and locating air distribution outlets.

With Tuttle & Bailey Type M Diffusers . . . you can select units that will distribute air in a one-, two-, three-, or four-way pattern . . . and you can select from a wide range of square and rectangular sizes. An added advantage . . . if and when requirements change in the conditioned space, it is an easy matter to install a core with a different air pattern arrangement.


T&BType M Diffusers are attractively styled and can be furnished with four margin styles . . . beveled, flat, flush, or drop-collar . . . designed for various types of ceiling mountings.

For complete details, see your nearest Tuttle & Bailey Representative or write us direct.

division of Allied Thermal Corp.

New Britain, Connec

Tuttle & Bailey Pacific, Incorporated, City of Industry, California



7/16" ARCHITECTURAL CRAFTWALL

A new type of factory-finished wood paneling. Has exceptional strength and rigidity. Works and handles like the finest 3/4" plywood paneling . . . yet costs far less!

New, solid-feeling Architectural Craftwall is made from choice, hardwood veneers bonded to a %" center of Timblend, Roddis' amazing man-made board. This exclusive Timblend center makes the big difference!

A unique, wood-blend shaving board, Timblend gives extra strength and rigidity . . . assures maximum freedom from movement after installation. Architectural Craftwall stays put!

No underlayment needed! Architectural Craftwall goes up fast . . . directly on studs or furring strips. No costly, time-consuming underlayment needed. Install with Roddis Contact Cement. Or use nails if preferred.

Sound reduction properties are impressive, too. Tests prove acoustical values of Architectural Craftwall are comparable to plaster or drywall construction.

A wide choice of woods and styles enhances your design possibilities. Select from Birch, Silver Birch, Pastel Cherry, Oak, Sherwood Oak, Walnut, Elm, Cherry or Mahogany. Each is completely factory-finished, ready to install. Available V-grooved only or V-grooved, cross scored and pegged. All panels V-grooved at veneer joints also. In regular plywood sizes . . . plus lengths to sixteen feet.

Architectural Craftwall is also available in standard or special size panels, without grooves, with matched flitches in the wood of your choice.

For free sample just send the coupon.

Please send free sample	
7/16" Architectural Cra	ftwall.
Name	*
Firm	
Address	
	State

RODDIS does wonderful things with wood

The Leopold Company: Fusing delicate design with durability for general office furniture

The Template Group offers a clean, crisp design yet retains the ruggedness of handcrafted cabinetry. This new group of wood office furniture is produced in quantity, making it affordable for executive, secretarial and clerical offices. And each component is completely functional by itself or in combination with others.





The walnut desks are available in open style as well as closed.



Designer, Charles U. Deaton

The Template Group's interchangeable components allow unlimited combinations for executive, secretarial and clerical offices. The group includes executive L desks, bi-level L desks, double pedestal and conference desks, tables, cabinets, chairs and credenzas. All combine veneer finished walnut with brushed metal legs and U. S. Naugahyde trim. Either closed or open wells are available, with short or long outrigger legs. Tops are made to match the case, or finished in wood grain laminated plastic.

Architects, designers and decorators are invited to write direct to The Leopold Company, Burlington, Iowa, for pricing and purchasing information.

> Credenzas and cabinets are easily arranged for convenient and functional use.



The Record Reports

Committee for Protection of Designs Promotes Remedial Bill Pending in Congress

Increasing concern about unauthorized copying of designs of useful articles has led to the formation of a committee to promote the passage of remedial legislation in Congress. In fact, a bill was introduced in the Senate last May 28 by Senators Joseph C. O'Mahoney (D-Wyo.), Alexander Wiley (R-Wis.), and Philip Hart (D-Mich.). The sponsors are three of the four members of the Senate Subcommittee on Patents, Trademarks and Copyrights, the subcommittee to which the bill has been referred (Senator O'Mahoney is chairman of the subcommittee). It was expected that hearings would begin this month.

The committee, which began active operations in July, 1958, is the National Committee for Effective Design Legislation. Its officers are: George Lucas, Jr., chairman (president, L. E. Carpenter & Company, vinyl manufacturer); D. J. DePree, vice chairman (president, Herman Miller Furniture Company); Forest Wilson, vice chairman (industrial designer and chairman, Design Protection Committee, Industrial Designers Institute); O. E. Cumings, Jr., treasurer (general counsel, Oneida, Ltd., silversmiths). The executive secretary and counsel is Alan Latman.

According to Mr. Latman, the Senate bill has been interpreted as including architectural designs.


Among the organizations that are members of the N.C.E.D.L. are the American Institute of Architects, American Society of Industrial Designers, Industrial Designers Institute, National Society of Interior Designers. Of the A.I.A. Mr. Latman says: "The American Institute of Architects was one of our charter members and has been extremely helpful in every way. It is encouraging to note the effective nature of A.I.A. activities for a cause which the Institute feels is morally right."

The N.C.E.D.L. refers to the unauthorized copying of the appearance of someone else's product as "design piracy"—appropriating artistic work which is commercially valuable to its creator. According to the committee, this practice "is rampant in many industries. . . . The pirate relies on the proven success of another's venture. He not only undertakes no designing expense but takes no risks as to popular approval of a design. He is thus enabled to undercut the competitor in price and usually tries to add to his profits by using inferior materials and workmanship. . . . This practice is possible because of a gap in the present laws concerning patents, copyrights and unfair competition."

Briefly, the O'Mahoney-Wiley-Hart Bill (S. 2075) would protect the creator of an original design intended to give an ornamental appearance to a useful article. Protection against unauthorized copying would last for five years after the design had first been made known publicly. A design owner would have remedy for infringement by civil action; certain specific remedies could be awarded to a successful plaintiff by a court.

The N.C.E.D.L. solicits contributions to further its educational and legislative work. Its address is 200 East 42nd St., New York 17.

more news on page 52



Daring New Space Idea ...

SPAN SPACE LIKE NEVER BEFORE

...with Revolutionary Behlen DUBL-PANL Roof-Ceiling System

Wide Clear Span

Flat Roofs, 40 to 350 ft. Arched Roof, up to 1,000 ft. Cantilever Overhang, up to 200 ft.

New Roof Performance


Aluminized steel gives up to three times the life of ordinary built-up roofs, and with only minimum maintenance.

New Roof Economy

Positively much lighter in weight than conventional truss roofs.

Conquer space with exciting new structural designs—now made possible with Behlen DUBL-PANL. Gives heavy beam strength by two stressed panel-chords, with a minimum of diagonal bracing, transferring vertical loads into axial stresses. Proven by test. Pittsburgh Testing Lab. supervised full scale test on 200 ft. span.

DUBL-PANL Roof-Ceiling used with all types of walls: Behlen panel, masonry and curtain. Also, take advantage of DUBL-PANEL construction for high walls; resists wind loads in any desired heights. Easy, economical to insulate. Steel panels, 12-20 gauge, aluminized or galvanized. Same principles as custom-made Behlen Frameless Metal Buildings reported in *Time*, Nov. 3, 1958. Discover modern, versatile Behlen DUBL-PANL. Put it to work for you.





Write today for complete, technical Architect's File

Behlen Manufacturing Company
Dept. AR-2
Columbus, Nebr.



This \$5,000,000 fire might have been prevented with a steel pipe automatic sprinkler system

There wasn't much left when this \$5,000,000 industrial property in New England burned to the ground. Yet how different the ending could have been if a steel pipe fire sprinkler system had been installed and the fire checked at its inception.

Yes, it pays to have an automatic sprinkler system in any building-store or warehouse, hospital or hotel, theater or school. As to cost-insurance premium savings often more than pay for the fire protection system's installation.

Backbone, of course, of fire sprinkler systems is dependable steel pipe. Architects, engineers and contractors know that low-cost, easily-worked steel pipe provides lasting and dependable service. That's why steel pipe is first choice for fire sprinkler systems, electrical conduit, vent and drainage lines, structural applications, radiant heating, snow melting, refrigeration, ice making and gas, air and water transmission lines.

STEEL PIPE IS FIRST CHOICE

- Low cost with durability
 Strength unexcelled for safety
 Formable—bends readily
 Weldable—easily, strongly

- Threads smoothly, cleanly
 Sound joints, welded or coupled
 Grades, finishes for all purposes
 Available everywhere from stock

INSIST ON PIPE MADE IN U.S.A.



Automatic sprinkler systems check fires at their start — quickly, automatically and economically.

COMMITTEE ON STEEL PIPE RESEARCH

150 East Forty-Second Street, New York 17, N.Y.



Just released, this new 30-page systems manual is specifically designed for use as a valuable right arm by architects and engineers in specifying protective coatings for new construction, maintenance, or re-modeling. It includes full color application photos, handy reference tables, special technical data sections, and 91 actual color standards. The correct Rust-Oleum system of primers and top coatings for shop, field, and fabrication work is completely detailed for structural steel, bridges, metal sash, water tanks, towers, galvanized metal, etc. This important protective coatings guide is yours at no cost or obligation. Simply write on your business letterhead for your free copy of Form No. 259-A. It is also featured in Sweets Industrial Construction and Architectural Files.

RUST-OLEUM CORPORATION 2555 OAKTON STREET • EVANSTON, ILLINOIS

Rust-Oleum Industrial Distributors maintain complete stocks for prompt service throughout the United States and Canada.



A factory-assembled wall panel in one foot modules . . . one that is self-sealing for life by mere installation. You never caulk it. And there are no visible outside joints or fasteners to mar the surface. This is Monopanl, the most unusual curtain wall. Tongue-and-groove joints with double vinyl gaskets provide the seal. The cross section sketch shown below tells the story.

Spanning ability is exceptional, as you can see from the configuration. Glass fiber insulation will not settle.

Beautiful Monopanl is furnished in a range of gauges. Exterior and interior faces can be specified in aluminum or galvanized steel. Choose from a selection of factoryapplied colors. Integral fenestration is available.

For further information refer to Sweet's 1960 Architectural File. For complete technical details and actual samples of Monopanl, contact your Butler Builder. He's listed in the Yellow Pages under "Buildings" or "Steel Buildings." Or write direct for a descriptive brochure and data sheets.

...the most unusual curtain wall **BUTLER MANUFACTURING COMPANY** 7427 East 13th Street, Kansas City 26, Missouri

Manufacturers of Metal Buildings • Equipment for Farming, Oil Transportation, Outdoor Advertising • Contract Manufacturing

Sales offices in Los Angeles and Richmond, Calif. • Houston, Tex. • Birmingham, Ala. • Kansas City, Mo. • Minneapolis, Minn. • Chicago, Ill. • Detroit, Mich. • Cleveland, Ohio

Pittsburgh, Pa. • New York City and Syracuse, N. Y. • Boston, Mass. • Washington, D. C. • Burlington, Ontario, Canada







When Bill Dale, president of the Dale Tile Co., Minneapolis, constructed a new building for his growing business, he chose frostproof ceramic tile for the exterior — installed with TILEMATE. Men who know tile best invariably specify TILEMATE for all weatherproof exteriors — swimming pools, too. A thin-set mortar, TILEMATE can be used over cement mud coat, or against dry back-up. Mixes with water at the job site. Lighter, easier to handle, saves labor and material costs. Write for catalog.

Mf'd. under license issued by The Tile Council of America



THE UPCO CO.

4805 LEXINGTON AVENUE . CLEVELAND 3, OHIO

Manufacturers of Hydroment Joint Filler

In the West, HYDROMENT, INC., Monterey Park, Calif.

FIRST HONOR AWARDS: Above, left: Laboratory Buildings for Rice Institute, Houston. George Pierce-Abel B. Pierce, architects; Marshall Construction Co., general contractor. Above, right: Residence for Mr. and Mrs. M. L. Cook, Friendswood. Bolton & Barnstone, architects; Knoll Planning Unit, interiors; Pine Construction Co., general contractor

Five Buildings Win Awards In Texas Program

The five buildings shown on this page and page 56 won awards in the Texas Architecture 1959 program of the Texas Society of Architects. Two First Honor Awards and three Merit Awards were given.

The members of the jury were: John Dinkeloo of Eero Saarinen & Associates, Birmingham, Mich.; Marshall H. Walker of Walker & Walker, Shreveport, La.; William Stephen Allen, F.A.I.A., of Anshen & Allen, San Francisco.

Work was exhibited by 29 firms, including the five winning firms.



MERIT AWARD: First Christian Church, Houston. Brown & McKim, architects; Marxen & Son, general contractor

continued on page 56

What's the score on Gym Seats for that new school



		-	1/45	-		F2 5 85	730
	SEATS	SEATS	SEATS	SEATS	MEDART SEATS		
MARK "YES" or "NO" IN SPACES AT RIGHT 1. Do seats have a true horizontal telescoping operation in which all seat rows are supported on rigid vertical in the during opening and closing?	A				yes	Athenas a vale	
uprights during opening and uprights during self-	1		1	1	yes		
diagonal bracing? Is it adequately deflection? diagonal bracing? Is it adequately deflection? port capacity loads without hazardous deflection?	1				yes		
4. Are all seat-supporting uprights equipped to two rubber-tread rollers that retract under load strength weight is borne by steel shoes instead of by weight is borne floor-denting casters?	ill				yes	1	
5. Are roller housings at bottom of each upright, and the scoping sleeves at top, interlocked to insure straig scoping sleeves at top, interlocked to insure straig scoping sleeves binding opening and closing of seats?	ht-				yes	A	
7. Are fronts of seat sections perfectly vertical with a fronts of seat sections perfectly vertical with a few sections and sections are sections as a few sections of sections and sections are sections of sections and sections are sections.	mes? eats).				yes		
Can one seat row, two rows, or as many rows as use Can one seat row, two rows, or as many rows as use Can one seat row, two rows, or as many rows as use	losed?			*******	ye	2	
resistance; that won't chip of the resistance is power un	nit built				ye	s	
If seats are to be power-operations and is it of adequate integral with seat sections, and is it of adequate to operate entire banks of seats simultaneous one control switch? A more comprehensive comparations.		ard is a	railable.	Write for	your copy.		
A more comprehensive						1	

Long Beach City College Gymnasium Long Beach, California



There are many conflicting claims made about different makes of retractable, folding or telescoping gym seats. This "scorecard" will help you get the facts straight.

Additional factors that should be considered are the engineering experience of the manufacturer—approval among architects, schools and colleges—cost and frequency of maintenance as well as availability of service—durability (maximum service life).

YOU make the comparison before deciding, as thousands of other school officials and architects have done.

Ask for complete catalog.

MEDART TELESCOPIC GYM SEATS

SPECIFY the best, then INSIST on it!



FRED MEDART PRODUCTS INCORPORATED • 3340 DEKALB STREET • SAINT LOUIS 18, MISSOURI IN CANADA: 20 KILBARRY CRESCENT, OTTAWA, ONT.

again...CONNOR'S Creative Engineering produces another Beneficial Advance in

HIGH VELOCITY AIR DISTRIBUTION



Designed especially for Dual Duct, Constant Volume Systems

Here's the new Kno-Draft Series 45P Valve Attenuator, designed especially for dual duct, constant volume high velocity air distribution systems—a product created by the same engineers who developed the unique Helical Spring Damper in '58 and revolutionary Pneumavalve*in '59.

The Series 45P offers distinct application superiority over motorized valves because of these features:

- NO MOTORS, NO LINKAGE used-foolproof function through pneumatically activated airfoil valves and controls...no moving parts to loosen or wear... no future decrease in capacity owing to clogged perforations.
- Acute sensitivity to slightest variation in control pressure... no hysteresis.
 Patent applied for.

- Flexibility of operation...constant volume operation normally, with fast warm-up when required.
- Positive mixing of hot and cold air...no stratification.
- Ultra-quiet operation . . . valve surfaces are flocked . . . all baffles and internal surfaces are lined with one-inch coated acoustical material.

As with all Connor products, the reliability of the Series 45P is backed by more than forty years of experience in the development and application of air handling equipment. For complete selection and application information on the Series 45P, request Bulletin K-45 from the Connor sales engineer near you, or from Connor Engineering Corporation direct.



CONNOR... for Constant


Comfort Conditions

CONNOR ENGINEERING CORPORATION

DANBURY . CONNECTICUT



Design Possibilities Unlimited...




	RANWOOD FLOORING CO.
P. O. BOX 360 CI	LINTON, S. C.
Please rush full i samples.	nformation concerning Granwood, including
NAME	
FIRM	
STREET	


PERMANENTLY BEAUTIFUL AND GUARANTEED ON AND BELOW GRADE

Here's a different kind of floor...a floor with endless design possibilities and uses. We call it Granwood. For gymnasiums it's first choice. It's permanent, water-proof, fire resistant (absolutely will not add to combustion) and resilient. And it's the only resilient floor guaranteed on and below grade. Game lines, school letters and colors can be put permanently into the design. For ballrooms, lobbies, banks, airport terminals, churches, cafetoriums...where foot traffic is heavy... Granwood is the answer. It's so easy to walk on...silent to the tread...needs only a minimum of care to retain its good looks. Available in five different wood colors and four bright tile-like colors. Write, wire or phone for complete details, samples and free Granwood Designer's Kit.



GRANWOOD FLOORING





Ramset^a Fastening System

Q OLIN MATHIESON CHEMICAL CORP. . WINCHESTER-WESTERN DIV. . 301-0 WINCHESTER AVE. NEW HAVEN 4, CONN.

The Record Reports

continued from page 52



MERIT AWARD: Utilities Plant, Exchange Park, Dallas. Lane, Gamble and Associates, architects and engineers; J. E. Morgan and Sons, general contractor



MERIT AWARD: Gibraltar Savings & Loan Association, Houston. Greacen and Brogniez, architects; J. Victor Neuhaus III, associate architect; Marshall Construction Co., general contractor





School Aid Bill Early on Agenda as Congress Comes Back

The second session of the 86th Congress convened last month in an atmosphere of urgency which pointed toward a shorter session, one terminating perhaps by July 4. Thoroughly conscious of the political portents of the last half of 1960, the lawmakers were eager to expedite their work and adjourn in time for the important Presidential nominating conventions. There was some talk that a conclusion as early as July 4 would mean a resumption of deliberations later in the year but members appeared to be more intent upon focusing their attention on legislation carried over from the first half of the current session and winding up their affairs as quickly as possible.

The first piece of major construction legislation on the docket was the aid to education measure which had moved part way through Congress during the first session last year. The President's State of the Union Message, delivered on January 7, indicated that the Administration intended to stand by and large on the program sent to Capitol Hill last year. In principle, at least, the White House proposals which were to go to Congress early would coincide with the general tenets frequently outlined by Administration spokesmen.

School Aid: No Hypodermic

Here is how the President stated it on January 7:

"I do not doubt that our urban and other perplexing problems can be solved in the traditional American method. In doing so we must realize that nothing is really solved and ruinous tendencies are set in motion by yielding to the deceptive bait of the 'easy' Federal tax dollar.

"Our educational system provides a ready example. All recognize the vital necessity of having modern school plants, well-qualified and adequately compensated teachers, and of using the best possible teaching techniques and curricula.

"We cannot be complacent about educating our youth."

Then the President's message

touched on the more specific Administration attitude on Federal aid for school construction and other educational programs, foreshadowing an anticipated deadlock in the matter of school aid. He said:

"But the route to better-trained minds is not through the swift administration of a Federal hypodermic or sustained financial transfusion. The educational process, essentially a local and personal responsibility, cannot be made to leap ahead by crash, centralized governmental action.

"The Administration has proposed a carefully reasoned program for helping eliminate current deficiencies. It is designed to stimulate classroom construction, not by substitution of Federal dollars for state and local funds, but by incentives to extend and encourage state and local efforts. This approach rejects the notion of Federal domination or control. It is workable, and should appeal to every American interested in advancement of our educational system in the traditional American way.

"I urge the Congress to take action upon it."

These proposals as voiced last year in a special message to Congress and by the Secretary of Health, Education, and Welfare, Arthur S. Flemming, embody the idea of temporary emergency Federal assistance with states assuming "a fair share" of the school building costs on a matching basis.

A Prospect of Compromise

If any new legislation on the subject were to come out of the 86th Congress, the Administration proposals would have to be compromised with a number of measures already on their way through the legislative mill which called for far more drastic action through direct Federal aid for school construction and teacher salary assistance.

The Murray-Metcalf bill was being supported strongly by the National Education Association and other groups seeking a substantial program of direct Federal expenditure in assisting states with their classroom construction. The McNamara-Hart bill had gained Senate Education and Labor Committee approval last September and was headed for floor action.

Senator Clark (D-Pa.) had promised to try to amend this legislation to include a \$125 million program of direct Federal loans for the construction of college classrooms. His decision was made last year when a similar plan was struck from the 1959 housing bill in a compromise move to get that legislation approved at the White House.

Representative of the pressure on Congress for quick action in the area of assisting states and local communities with their classroom construction programs was a letter sent to all members by the Clearinghouse on Public School Legislation. This organization is composed of 19 national liberal groups, including several labor unions.

The letter read in part:

"We firmly believe that the pending proposals of underwriting school bonds—a portion of the interest and principal payments—by the Federal government will not meet the crisis in education. These proposals are apparently made on the erroneous assumption that school districts are not making the necessary effort and that a Federal incentive to help pay debt services will encourage the states and localities to increase their efforts."

The letter went on to argue that this assumption was not supported by testimony given at hearings held last year on the subject.

State of the Union

The President's State of the Union message had a strong international flavor this year. Roughly half of it was devoted to a discussion of America's role in world affairs and it touched only lightly on domestic programs. Many of these, of course, were to be spelled out in detail in subsequent messages and in legislative programs brought to Capitol Hill by the executive departments.

METALLIC CHIP IN SOLID VINYL TILE

another exclusive style in


KENTILE FLOORS

Glistening gold, silver or copper metal chips in colorful, long-wearing solid vinyl add a distinctive touch where high style and glamour are paramount. For color selection, call your Kentile Representative or consult Sweet's File.

SPECIFICATIONS

Eight colors. Thickness: .080". Sizes: $9" \times 9"$ and $37" \times 37"$ untrimmed slabs. Special: $18" \times 18"$, and $36" \times 36"$.

Bright Gold, Bright Silver and Copper Feature Strip. Thicknesses: .080", 1/4". Sizes: 1/4", 1", 11/2" and 2" x 36".



Kentile, Inc., Brooklyn 15, N. Y.

Building Still Short of Need, Latest School Survey Shows

The design and construction of classrooms in the United States fails to keep up with stated needs because of the pressure of increasing enrollments in elementary and secondary schools. While the country's requirements for elementary and secondary school facilities actually dropped in terms of classrooms needed to replace obsolete buildings during the past year, the number of additional rooms needed to accommodate pupils enrolled in excess of normal capacity increased.

This is according to reports from education departments of the 50 states and the District of Columbia, as well as outlying parts of the United States, as summarized in an advance report on the sixth annual fall survey of public school enrollment, teachers, and schoolhousing. The summary was issued by the

Health, Education, and Welfare Department ahead of full publication of survey results which will come at a later date.

Commenting on the findings, HEW Secretary Arthur S. Flemming said they led him to only one conclusion—that the nation is not moving fast enough to reduce the classroom shortage. Two factors, he said, determined this opinion after a study of survey results:

"1. For every pupil counted as enrolled in excess of normal classroom capacity, there are many others whose education is handicapped by overcrowding, split sessions or the use of makeshift facilities. When the number of such children is actually increasing it can only mean that we are losing ground in our efforts to overcome the classroom shortage.

"2. Even if local bond sales continue at the high national rate of recent years, we will still be confronted with an indefensible shortage of classrooms in many parts of the country."

New York Leads in Need

The greatest need for additional instruction rooms as of Fall, 1959, was reported by the state of New York which said it required 9000 such rooms to accommodate an excess enrollment of 266,000 pupils. Second among the states was Michigan, reporting a need for 4698 rooms to accommodate 131,071 now enrolled in excess of normal capacity of accessible publicly-owned school plants in use.

(In dire straits too was Puerto Rico, which told HEW that another 5323 classrooms should be built there to accommodate a 207,890 pupil overload.)

Low among the states in the reported volume of units required to house excessive enrollments was Delaware, which reported that 50 more classrooms could take care of its Fall, 1959, excessive pupil load of 1446 students.

In the 50-state lineup only six reported that they were scheduling the completion of more classrooms during the 1959-60 school year than were reported needed, both for excess enrollments and to replace unsatisfactory facilities, in the fall of 1959. These were Delaware, Indiana, Ohio, Wisconsin, California, and Oklahoma.

continued on page 350



Another Van installation at famous Oak Ridge

★ Wherever you find this name plate on equipment for the preparation and service of food, there you find satisfaction.

★ This busy cafeteria of the Senior High School at the Oak Ridge, Tennessee, project is no exception. The best evidence of satisfaction is a reorder and this is not the first time Van has been called to serve at Oak Ridge.

★ Bring us your problem and let us give you the same quality that the United States Atomic Energy Commission appreciates.



429 Culvert Street

Branches in Principal Cities


Cincinnati 2, Ohio



Worth Noting: Features of the

Nesbitt Syncretizer Heating and Ventilating System

EFFICIENT HEATING ELEMENTS




FOR STEAM-with "trombone" distributing tubes that assure uniform discharge temperatures at all times.

FOR HOT WATER-with 4-pass and 8-pass circuiting for maximum heating economy from small water quanti-

FOR ELECTRICITY—with 5, 7, or 9 finned tubular elements for safe, rapid heat transfer and metered economy.

LIFETIME MOTOR AND FAN ASSEMBLY



QUIET FANS-direct-mounted and balanced on a solid steel motor shaft without outboard bearings, couplings, etc.


SERVICE FREE MOTOR—totally enclosed, quiet, variable speed, split-capacitor type, with no internal starting switch; only one moving part; oiling but once a year.

ONE-PIECE ROLL DAMPER



UNIQUE—the simplest known method of regulating the air mixture in a unit ventilator; pivots on two nylon bearings under automatic control; requires no maintenance.

EASY-ACCESS FILTERS



FOR GOOD MAINTENANCE—simply lower the room-air grille and the indoor-air filter drops for removal; open an access door and the outdoor-air filter pops to hand; divided large-area filters save money; easy access encourages regular cleaning or replacement.

OUTDOOR AIR-VOLUME STABILIZERS



ECONOMICAL—two pivoted vanes in the outdoor air compartment close progressively under wind pressure so that only the required amount of fresh air can enter; saves up to 50% fuel on windy days and stops cold blow-through.

OUTDOOR AIR INTAKE



EXCLUSIVE—all-aluminum, only 21/8 inches deep, for prefabricated panel or masonry walls; Z-shaped vertical louvres make it load-bearing and prevent air-borne rain or snow from entering the incoming air stream.

FINNED-TUBE RADIATION



ADDED PROTECTION—with the Nesbitt System, finned-tube radiation all along the window wall independently protects against downdraft and excessive radiation of body heat to cold surfaces. Working together, Nesbitt Syncretizer and Wind-o-line maintain "the thermal environment most conductive to learning."

Nesbitt Comfort Conditioning: More Learning Per School Dollar



FOLD OUT for a color preview of tomorrow's

Where to learn more about the New 600 Line

The following offices of John J. Nesbitt, Inc. (JJN) and American-Standard, Industrial Division (ASID) stand ready to assist you in the selection and application of Nesbitt Classroom Heating, Ventilating and Air Conditioning Equipment for your school. In Canada, Nesbitt Unit Ventilator products are available through the offices of American-Standard Products (Canada), Ltd.

ucinq

New Syncretizer
Unit Ventilator
and more versatile
Storage Units


EVANSVILLE 8, IND. (ASID) 611 Court Building Har AKRON 13, OHIO (ASID) P. O. Box 5260 OMAHA 2. NEBRASKA (ASID) Harrison 5-1525 Temple 6-4934 305 Patterson Bldg., 17 & Farnum Sts. Atlantic 7464 ALBANY, NEW YORK (JJN) 602 New Loudon Rd., Latham FORT WAYNE 6, IND. (ASID) 3001 Fairfield Ave., Rm. 51 Harrison 8813 PEORIA, ILL. (ASID) 3100 N. Knoxville Ave., Suite 16 State 5-8516 8-6637 ALBUQUERQUE, N. M. (ASID) Suite 2, 142 Monroe, N.E. Ami GRAND RAPIDS 2, MICH. (ASID) PHILADELPHIA 36, PA. (JJN) State Rd. & Rhawn Street Devor Amherst 8-1471 211 Assn. Commerce Bldg. Devonshire 2-2400 AMARILLO, TEXAS (ASID) 414 Fisk Building GREEN BAY, WISC. (ASID) 308 Main Street Hemlock 5-3520 PHOENIX, ARIZONA (ASID) 132 S. Central Ave. Alpine 2-4641 Drake 2-8634 ATLANTA 5, GA. (ASID) 3224 Peachtree Rd., N.E. GREENVILLE, S. C. (ASID) Cedar 7-8604 PITTSBURGH 34, PA. (JJN) 704 Castle Shannon Blvd. Conway Bidg., N. Pleasantburg Dr. Cedar 9-5361 Locust 3-0200 BALTIMORE 18, MD. (JJN) 33 East 21st Street Belmont 5-5895-6 HARRISBURG, PA. (JJN) 2300 Woodlawn Street PORTLAND 5, OREGON (ASID)
921 S. W. Washington Street Capitol E-009E Cedar 8-8144 BETHLEHEM, PA. (JJN) 1994 Collingswood Drive University 5-1221 HOUSTON 2, TEXAS (ASID) 1909 Travis Street Capitol 7-6171 RICHMOND 19, VA. (JJN) 9 East Cary Street Milton 4-3021 BILLINGS, MONTANA (ASID) 209 M&R Bldg., 1002 Division St. INDIANAPOLIS 4, IND. (ASID) 1019 Architects & Builders Bldg. 333 N. Pennsylvania Street Melrose 4-1353 SACRAMENTO 16, CAL. (ASID) Suite 3, Security Bidg., 2115 J. St. Gilbe Alpine 2-0800 BIRMINGHAM 5, ALA. (ASID) 2201 Highland Ave., So. Fairfax 3-8786 JACKSONVILLE 7, FLA. (ASID) #203 1201 San Marco Blvd. Exbrook 8-9737 ST. LOUIS 1, MO. (ASID) 1710 Railway Exchange Bldg., 611 Olive St. Garfield 1-1208 BOSTON, MASS. (JJN) 70 Jaconnet Street, Newton Highlands 61 JOHNSTOWN, PA. (JJN) 206 Fisher Building Johnstown 9-4108 Lasell 7-7100 SALT LAKE CITY 11, UTAH (ASID) 458 South Third East Davis 2-1015-16 KANSAS CITY 5, MO. (ASID) 330 Dwight Building VI 2-7181 BRYN MAWR, PA. (JJN) 765 W. Lancaster Avenue Lawrence 5-8585 SAN ANTONIO 9, TEXAS (ASID) E746 Crownhill Taylor 6-3241 KNOXVILLE 19, TENN. (ASID) 1301 Hannah Avenue, N.W. BUFFALO 16, NEW YORK (JJN) 1441 Hertel Avenue Export 2200 SAN FRANCISCO 3, CAL. (ASID) R21 Market Street Exbrook 7-6707 P. O. Box 178 CHARLESTON 23, W. VA. (ASID) 1029 Virginia St., East Dickens 6-1331 Express 4-9181 SCRANTON 9, PA. (JJN) 1660 Wyoming Avenue LITTLE ROCK, APK. (ASID)
915 West Second Street Franklin 6-1068 Diamond 3-7318 CHARLOTTE 4, N. C. (ASID) 1314 E. 4th Street Edison 2-3148 SEATTLE 9, WASH. (ASID) 1305 Republican Street LOS ANGELES 17, CAL. (ASID) 506 Douglas Oil Bidg., 816 W. 5th St. Medison 4-3871 Main 4-4328 CHICAGO 1, ILL. (ASID) Financial 6-2531 SOUTH BEND 1, INDIANA (ASID) 402 Lafayette Building Central 3-9305 CINCINNATI 6, OHIO (ASID) 1216 E. McMillan Street Plaza 1-6262 LOUISVILLE 2, KY. (ASID) 1622 Heyburn Building Juniper 4-7109 SPRINGFIELD 3, MASS. (JJN1 121 Chestnut Street Republic 2-1878 CLEVELAND 15, OHIO (ASID) 1010 Euclid Avenue Main 1-6846 MEMPHIS 3, TENN. (ASID) 668 S. Main Street SYRACUSE 2, NEW YORK (JJN) 510 Hills Building Harrist Jackson 6-0330 COLUMBUS, OHIO (JJN) 137 E. Granville Road, Worthington, Ohio MIAMI 34, FLORIDA (ASID) 220 Miracle Mile, Suite 230 H Highland 8-2297 TAMPA 9, FLORIDA (ASID) 4302 Henderson Blvd., Suite 105 8-1316 Tuxedo 5-4202 MILWAUKEE 22, WISC. (ASID) 8531 W. Capitol Drive Hopkins 4-6550 DALLAS 2, TEXAS (ASID) 1213 Texas Bank Building Riverside 7-1879 TOLEDO 13, OHIO (ASID) Rm. 201, 2446 Sylvania Ave. MINNEAPOLIS 2, MINN. (ASID) DAYTON 19, OHIO (JJN) 2600 Far Hills Avenue Axminster 9-6717 Greenwood 9-7536 610 Longyear Bldg., 76 S. 8th St. TULSA 3, OKLAHOMA (ASID) 421 Wright Building Luther 4-3366-7 Federal 9-9181 DENVER 11, COLO. (ASID) 206 Colorado Grange Bldg. 2475 W. 26th Avenue Genesee 3-6827 MOBILE, ALA. (ASID) 2100 Grant St., Room 2 Greenwood 1-3153 WASHINGTON 14, D. C. (ASID) 7720 Wisconsin Ave. Oliver 4-5223 MOLINE, ILL. (ASID) P. O. Box 118 DES MOINES 9, IOWA (ASID) 404A Shops Building Cherry 4-2711 Moline 4-5608 WEST HARTFORD, CONN. (JJN) NASHVILLE 2, TENN. (ASID) P. O. Box 332 Alpine 5-5615 Box 2014, Bishop's Corner Branch Call Springfield ofc. DETROIT 2, MICH. (ASID) 632 Fisher Building Trinity 2-4300 WICHITA 7, KANSAS (ASID) 211 Davidson Bidg., 307½ Laura St. Am NEW ORLEANS 12, LA. (ASID) DULUTH 2, MINN. (ASID) 408 Christie Building, 120 N. 4th Avenue, W. Randolph 2-6429 305 Jahncke Bldg., Ble Howard Ave. Tulane 7105 WILMINGTON, DELAWARE (JJN) 601 Delaware Ave. Olympia E-6589 NEW YORK 7, N. Y. (JJN) 11 Park Place Barclay 7-0260-1-2 EAST ORANGE, N. J. (JJN) 589 Central Avenue Orange 5-1191 OKLAHOMA CITY 2, OKLA. (ASID) YOUNGSTOWN 7, OHIO (ASID) ERIE, PA. (JJN) 718 Commerce Building 519 Leonhardt Bldg., 222 N.W. 2nd St. GL 6-6815 Central 5-1593 Sterling 8-6525




COMFORT-CONDITIONED CLASSROOMS

MANUFACTURED AND SOLD BY JOHN J. NESBITT, INC., PHILADELPHIA 36, PA. Sold also by American-Standard Industrial Division, and American Standard Products (Canada) Ltd.

NESBITT COMFORT plus a NEW HIGH in St



Styling and Functional Utility



ting and ventilating system ndard of classroom comfort for design and instruction

Who knows what tomorrow will bring forth in the art of teaching? Educators, including teachers, administrators and educational planners, envision more flexible classrooms with versatile storage facilities as one of the indispensable aids to the pursuit of scholastic excellence. The first storage cabinets to be integrated with the unit ventilator and thus to make full use of the window wall were introduced by Nesbitt in 1938. For the soaring '60s, Nesbitt presents wholly new designs, colors and accents in the Syncretizer unit ventilator, Wind-o-line radiation, and integrated storage facilities—with more spacious fixed and mobile units—for the most rewarding combination of classroom comfort and convenience.

w 600 Line at the A.A.S.A. Convention — or send for Publication 10-1 today.



INETS: max-CUBICLE CABINETS: sectioned for project storage; open or closed; fixed or mobile; 3- or 4-ft. length; 28- or 32-in. height. ; open or ; 3- or 4-ft. eight.




TOTE TRAY CABINETS: large or amall fiber-glass trays; open or closed; fixed or mobile; 4-ft. only; 28- or 32-in. height.



MOSILE CASINETS: available with in-terchangeable tote trays, cubicles, or adjustable shelf; open or closed; 4-ft. only; 28- or 32-in. height.



SEPARATE STALLS OR MOBILES: any number of stalls, providing useful sun-board work space, many be bought initially and the mobiles added later.



SIME-BUSSLER: stainless steel top; 24- and 28-in. heights; separate bubbler if desired; 4-ft. length;





GENEVA...

brings new ease of planning and design to all school cabinet needs



York Community High School—Elmhurst, Illinois Childs & Smith, Architects and Engineers — Chicago

Greater Durability! Lower Maintenance! Permanent Beauty! Widest Cabinet Selection!

... These are the reasons more and more school officials, architects and teachers are turning to Geneva. You will find every cabinet and casework requirement more readily filled—with a greater freedom of design—by Geneva's more complete line of standard cabinets ... and advanced facilities for custom design. Geneva's functional superiority stands out by any comparison.

NEW IMPASTO . . . Geneva's exclusive textured cabinet finish in etch-line steel. New warmth in appearance with the dignity and strength of Gibraltar.

GENEVA MODERN KITCHENS

DIVISION OF ACME STEEL Geneva, Illinois



Write for complete information



Geneva's planning facilities are at your disposal.

		——————————————————————————————————————
1	7.3	
851	3 8	0

GENEVA MODERN KITCHENS
School Division—Dept. AR-2-60 * Geneva, Illinois
Please send information on Geneva School Cabinet and
Casework Line

NAME	
SCHOOL OR FIRM	
ADDRESS	
CITY	

Unlimited room

arrangements with

DORM LINE plans like these...





financing—all EASIER with Simmons Dorm Line

From start to finish, your job is simplified with Dorm Line installations—simplified even in building design. Rooms may be planned in standard shapes and sizes to save time and costs. They may be arranged in a wide variety of ways without loss of spaciousness. Then as you add Dorm Line units, you achieve efficient, colorful, homelike rooms.


Installation is quick and easy—no time-consuming custombuilt wardrobe or closet construction required. Easy maintenance—certainly. Steel construction means "student-proof" abuse-resistance and durability...ward-robe frames never warp...doors won't sag or stick...steel drawers assure smooth, quiet operation.

Money problems are easily solved. Simmons Dorm Line wardrobes, chests, desks—even beds—are built-in to qualify for *long-term* government financing. This all adds up to furniture that long outlasts the loan!



Merchandise Mart Chicago 54, Illinois

DISPLAY ROOMS: Chicago • New York • Atlanta • Dallas • Columbus • San Francisco • Los Angeles



Bust by Maivina Hoffman, from The Corcoran Gallery of Art, Washington, D.C.

Beauty and Structure Become One

Through Facing Tile The plastic power of clay, expressed in the bust of Pavlova and the structural beauty of facing tile, reflects the kinship of sculpture and architecture. To the architect, facing tile offers integrity of design—structure, finish, flexibility, color, permanence—the material means to art.



FACING TILE INSTITUTE 1520 18th Street, N.W., Washington 6, D.C.

These companies contribute to Facing Tile research and development:

ARKETEK CERAMIC CORPORATION, Brazil, Ind. • CHARLESTON CLAY PRODUCTS CO., Charleston 22, W. Va. • THE CLAYERAFT CO., Columbus 16, Ohio • HANLEY COMPANY, INC., Pittsburgh, Pa. • METROPOLITAN
BRICK, INC., Canton 2, Ohio • McNEES-KITTANNING CO., Kittanning, Pa. • NATCO CORPORATION, Pittsburgh 22, Pa. • STARK CERAMICS, INC., Canton 1, Ohio • WEST VIRGINIA BRICK CO., Charleston 24, W. Va.

Increased production assures prompt delivery.

Construction Cost Indexes

Presented by Clyde Shute, Director of Statistical Policy, Construction News Div., F. W. Dodge Corp., from data compiled by E. H. Boeckh & Assoc., Inc.

Labor and Materials: U.S. average 1926-1929=100

NEW YORK

ATLANTA

PERIOD	RESID	ENTIAL Frame	APTS., HOTELS, OFFICE BLDGS. Brick and Concrete	FACTORY Brick and Concrete		RESIDI Brick	ENTIAL	APTS., HOTELS, OFFICE BLDGS. Brick and Concrete	FACTORY Brick and Concrete	
1930	127.0	126.7	124.1	128.0	123.6	82.1	80.9	84.5	86.1	83.6
1935	93.8	91.3	104.7	108.5	105.5	72.3	67.9	84.0	87.1	85.1
1939	123.5	122.4	130.7	133.4	130.1	86.3	83.1	95.1	97.4	94.7
1947	219.3	222.0	207.6	207.5	203.8	180.4	184.0	158.1	157.1	158.0
1948	250.1	251.6	239.4	242.2	235.6	199.2	202.5	178.8	178.8	178.8
1949	243.7	240.8	242.8	246.6	240.0	189.3	189.9	180.6	180.8	177.5
1950	256.2	254.5	249.5	251.5	248.0	194.3	196.2	185.4	183.7	185.0
1951	273.2	271.3	263.7	274.9	271.8	212.8	214.6	204.2	202.8	205.0
1952	278.2	274.8	271.9	265.2	262.2	218.8	221.0	212.8	210.1	214.3
1953	281.3	277.2	281.0	286.0	282.0	223.0	224.6	221.3	221.8	223.0
1954	285.0	278.2	293.0	300.6	295.4	219.6	219.1	233.5	225.2	225.4
1955	293.1	286.0	300.0	308.3	302.4	225.3	225.1	229.0	231.5	231.8
1956	310.8	302.2	320.1	328.6	324.5	237.2	235.7	241.7	244.4	246.4
1957	318.5	308.3	333.1	345.2	339.8	241.2	239.0	248.7	252.1	254.7
1958	328.0	315.1	348.6	365.4	357.3	243.9	239.8	255.7	261.9	262.0
Sept. 1959	344.9	331.7	370.8	388.5	376.9	254.9	249.9	269.5	276.2	276.2
Oct. 1959	344.9	331.7	370.8	388.5	376.9	254.9	249.9	269.5	276.2	276.
Nov. 1959	345.6	332.6	370.9	388.6	377.0	254.9	249.9	269.5	276.2	276.2
		39		% increase over 1939)			
Nov. 1959	179.8	171.7	183.8	191.3	189.8	195.4	200.7	183.4	183.6	191.6
	ST. LOUI	S				SAN FRA	ANCISCO			
1930	108.9	108.3	112.4	115.3	111.3	90.8	86.8	100.6	104.9	100.4
1935	95.1	90.1	104.1	108.3	105.4	89.5	84.5	96.4	103.7	99.7
1939	110.2	107.0	118.7	119.8	119.0	105.6	99.3	117.4	121.9	116.5
1947	202.4	203.8	183.9	184.2	184.0	193.1	191.6	183.7	186.8	186.9
1948	227.9	231.2	207.7	210.0	208 1	219.0	214.4	209.3	2147	211 1

	ST. LOUIS	S				SAN FRA	NCISCO			
1930	108.9	108.3	112.4	115.3	111.3	90.8	86.8	100.6	104.9	100.4
1935	95.1	90.1	104.1	108.3	105.4	89.5	84.5	96.4	103.7	99.7
1939	110.2	107.0	118.7	119.8	119.0	105.6	99.3	117.4	121.9	116.5
1947	202.4	203.8	183.9	184.2	184.0	193.1	191.6	183.7	186.8	186.9
1948	227.9	231.2	207.7	210.0	208.1	218.9	216.6	208.3	214.7	211.1
1949	221.4	220.7	212.8	215.7	213.6	213.0	207.1	214.0	219.8	216.1
1950	232.8	230.7	221.9	225.3	222.8	227.0	223.1	222.4	224.5	222.6
1951	252.0	248.3	238.5	240.9	239.0	245.2	240.4	239.6	243.1	243.1
1952	259.1	253.2	249.7	255.0	249.6	250.2	245.0	245.6	248.7	249.6
1953	263.4	256.4	259.0	267.0	259.2	255.2	257.2	256.6	261.0	259.7
1954	266.6	260.2	263.7	273.3	266.2	257.4	249.2	264.1	272.5	267.2
1955	273.3	266.5	272.2	281.3	276.5	268.0	259.0	275.0	284.4	279.6
1956	288.7	280.3	287.9	299.2	293.3	279.0	270.0	288.9	298.6	295.8
1957	292.0	283.4	295.2	307.1	302.9	286.3	274.4	302.9	315.2	310.7
1958	297.0	278.9	304.9	318.4	313.8	289.8	274.9	311.5	326.7	320.8
Sept. 1959	306.9	297.5	317.0	332.0	326.0	303.3	287.8	327.7	344.2	334.3
Oct. 1959	306.9	297.5	317.0	332.0	326.0	303.3	287.8	327.7	344.2	334.3
Nov. 1959	307.3	297.9	317.6	332.8	326.8	303.3	287.8	327.7	344.2	334.3
	% increase over 1939					% increase over 1939				
Nov. 1959	178.8	178.4	167.6	177.8	174.6	187.2	189.8	179.1	182.4	186.9

Cost comparisons, as percentage differences, for any particular type of construction, are possible between localities, or periods of time within the same city, by dividing the difference between the two index numbers by one of them; i.e.:

 $\begin{array}{c} \text{index for city } A = 110 \\ \text{index for city } B = 95 \\ \text{(both indexes must be for the same} \end{array}$

type of construction).

Then: costs in A are approximately 16 per cent higher than in B.


$$\frac{110 - 95}{95} = 0.158$$

Conversely: costs in B are approximately 14 per cent lower than in A.

$$\frac{110 - 95}{110} = 0.136$$

Cost comparisons cannot be made between different types of construction because the index numbers for each type relate to a different U. S. average for 1926-29.

Material prices and wage rates used in the current indexes make no allowance for payments in excess of published list prices, thus indexes reflect minimum costs and not necessarily actual costs.



Davis, Brody and Wisniewski, Architects

New Architectural Use for Aluminum Grating

Borden pressure-locked type grating, of gold-anodized aluminum, backed by porcelain enamel panels and bolted to mullions, forms the facade of this dramatic new structure.

Installation of the grating, which was made with special spacing and in panel sizes to meet the architect's specifications, was simple and quick. The panels were supplied with lugs welded to the grating in such a way as to easily slip into pre-drilled holes in the mullions.

Gold-anodized aluminum grating never needs painting—provides a maintenance-free decorative grill for modern architecture.

Write for complete information on BORDEN All/Weld, Pressure Locked, and Riveted Floor Gratings in this FREE 16-page catalog

BORDEN METAL PRODUCTS CO.

822 GREEN LANE Elizabeth 2-6410 ELIZABETH, N. J.

Plants: Union, N. J. — Leeds, Ala. — Conros, Texas — Beston, Ontario

BORDEN METAL PRODUCTS CO.

Gentlemen:
Please send me BORDEN Catalog

NAME.

TITLE.

COMPANY NAME.

ST. AND NO...


CITY AND STATE.



Fenestra

FENLITE GALVANIZED STEEL WINDOWS

Your Single Source of Supply for DOORS · WINDOWS · BUILDING PANELS · CURTAIN WALL



Emergency Room, Alameda County Highland Hospital, Oakland, California . Arthur W. Anderson, Architect.

YOU CAN SPECIFY Lina - Lux VINYL ASBESTOS TILE WITH CONFIDENCE

because . . .

- ▲ It's an honest product skillfully made by men dedicated to quality.
- ▲ It's a vinyl flooring reinforced with asbestos fiber stable, durable and attractive.
- ▲ It's available throughout the United States through responsible outlets.
- ▲ It's made by a company earnestly trying to serve the architect with constantly improved products that solve architectural floor problems.
- ▲ Finally, Vina-Lux performance is guaranteed by its maker.



AZROCK FLOOR PRODUCTS DIVISION

UVALDE ROCK ASPHALT CO. • 511A FROST BANK BLDG. • SAN ANTONIO, TEXAS



DURACO

Required Reading

Homes for the Aged Surveyed In Comprehensive Handbook

PLANNING HOMES FOR THE AGED. Edited by Geneva Mathiasen and Edward H. Noakes. F. W. Dodge Corp., 119 W. 40th St., New York 18. 119 pp., illus. \$12.75.


BY JOSEPH DOUGLAS WEISS, A.I.A.

There are some definitely predictable trends in future building needs. Just as statistics of population growth anticipate the need for schools, the comparatively new accelerated increase of our elderly population makes the need for more homes for the aged inevitable. The number of people in the United States who reach the age of 65 is now about 2000 per day. Economic, political, and social pressures are building up for providing adequate shelter and care for these citizens. The problem has become acute, and the whole concept is emerging from the status of charity into a public function where state, Federal, and local governments will share the responsibility for it with private capital.


The philosophy on which all design of buildings for the care of the aged must be based is still in a somewhat controversial stage, complicated by social, medical, and economic circumstances. Planning Homes for the Aged, however, is a basic statement of a great many principles; the book clearly and concisely presents the result of years of intense study and experience.

Ollie A. Randall, vice chairman, National Committee on the Aging, writes a chapter on "Congregate Living for Older People." Rarely is there so much valuable background data in a book. Why people land in old-age homes and what they should find there, the attitudes of patients, and responsibility for the kind of accommodations needed are logically explained in concise but always interesting language.

Geneva Mathiasen, executive secretary, N.C.A., writes on "Community Needs and Resources." The results of years of study and well-screened experience are condensed in the few pages of this section. It contains all the general knowledge an architect or community leader needs to enable him to ask the necessary specific questions before programming a



Above: Winner of the first prize in the competition for the design of a home for the aged: three residential units in a cluster around the main building. Architects: Joe J. Jordan and Hanford Yang. Right: Plan of a suggested resident unit. Architects: Smith & Williams



building to house the aged. It covers the laws regulating this type of institution, admission policies, size required for a community, location considerations, the desirable services, cost and financing problems.

These two chapters of the book are full of the type of information which is most difficult to find. Some of it is new even to those who are generally familiar with the subject.

The nine other chapters written by other contributors are on more specific aspects of the theme. They cover "Location and Building Site," "Common Services" to be provided, "The Residence Unit and Room," "Health Needs," "Administration and Staff Facilities," "Service and Mechanical Facilities," "Construction Materials and Costs," "Design," and "The Function of the Architect." All are written by practitioners in these various fields. The chapters constitute a competent, well-organized coverage of the subject.

The second section of the volume contains the program and results of an architectural competition for the design of a home for the aged, held in 1956. A great deal of thought went into the program, and I am sure I. S. Loewenberg's contribution was important in shaping such a forward-looking list of requirements. Edward H. Noakes also did a good job. A study of the program is worthwhile, and it will help many an institution in shaping its own development program. The comments of Pie-

tro Belluschi, chairman of the jury, on the aims and results of the competition add some pertinent and valuable points of view to the book.

The competition drawings reproduced must have given insurmountable difficulties to the publishers. To bring the drawings down in size necessitated such reduction in scale that the notes on the plans are difficult to read.

This is a well-organized general survey of a timely subject. It will be a valuable practical aid to all who are interested in this acutely pressing problem of our time.

Recent Apartment Buildings

MASTERWORKS OF INTERNATIONAL APART-MENT BUILDING DESIGN. By F. R. S. Yorke and Frederick Gibberd. Frederick A. Praeger, Inc., 15 W. 47th St., New York 36. 211 pp., illus. \$12.50.

This new volume is a sequel to the authors' The Modern Flat of 1937. It is a well-produced companion to the earlier collection, with broad and diversified selections. The really major omissions would seem to be restricted to A. E. Reidy's Pedregulho project near Rio de Janeiro and Perret's Le Havre reconstruction program. Quite naturally, both volumes are addressed to an audience of architects, but this reviewer, himself an historian, cannot help but be imcontinued on page 78



Lobby, Medical Professional Bidg. Memorial Hospital, Houston, Taxas Architects: Wirtz, Calhoun, Tungate & Jackson Houston, Texas

This NEO-RAY LOUVRED CEILING with unbroken louvre pattern in all directions was chosen for the elevator lobby because of the high foot candle level and low brightness achieved over the entire lobby area. Also chosen

th because of the very attractive overall appearas ance from within, and as visible through the floor-to-ceiling glass partitions.

Various projections presented no installation

Various projections presented no installation problems because of the ease with which NEO-RAY LOUVRED CEILINGS can be trimmed to suit any job conditions.

WRITE FOR FREE SAMPLE KIT

NEW! SC MINI-CELL ALUMINUM LOUVRE

- ... 1/2" x 1/2" x 1/2" cells.
- ... exclusive CEL-LOK PROCESS.
- ... baked white enamel

appearance of a lens

, . or Ripple-Tex® low brightness. the louvre with the

See our catalog in Sweet's Architectural File Sec. 32a

IN THE SOUTH:
See our permanent display at
ARCHITECTS & ENGINEERS INSTITUTE
230 Spring St., Atlanta, Ga.

ON THE WEST COAST: GRUEN LIGHTING 8336 W. 3rd St., Los Angeles 48, Calif.

SPECIAL LOUVRE DESIGNS?

Neo Ray is recognized as the pioneer in the development and manufacture of louvred ceilings... with years of louvred ceiling experience. Let the "know-how" of our engineering department assist you. No obligation, of course.

Send for the following literature:

- New Product Bulletin N-58 (Mini-Cell)
- ... Sweet's Architectural File for 1960
- ... Louvred Ceiling Catalog No. 544

MANUFACTURERS OF LIGHTING FIXTURES INCLUDING



NEO-RAY PRODUCTS, Inc. 315 East 22nd St. • New York 10, N. Y.



There's an Armstrong floor precisely right for each particular interior. For 7 interiors at Eastman Kodak Co., these are the Armstrong FLOORS

Here's how architects Kitchen and Hunt used Armstrong floors to fit the needs of seven diversified areas. (All seven are shown at right.)

- 1. Cafeteria: Excelon (vinyl-asbestos) Tile Greaseproof, immune to spilled foods, Excelon assures fast, economical clean-up after meals. A copper coloring in Excelon echoes terra cotta tile in terrace.
- **2. Corridor: Textelle Linoleum** (See color picture at left) "Battleship" (1/8") gauge, this floor easily withstands concentrated traffic. The inherent stability of this material, plus its 6' widths, minimizes the shrinkage problem sometimes encountered with floors exposed to intense sunlight.
- 3. Executive Reception Area: Custom Corlon (solid vinyl) Tile Elegant, flecked design. Very rugged material. Light color of floor and ceiling provides low brightness contrast, accents furnishings.
- **4. Assembly Hall: Excelon Tile** Very good resistance to scuff marks from chairs and foot traffic. Long wearing, too. Low initial cost.
- **5. General Offices: Linotile** No ill effects from heavy office furniture (Linotile withstands loads up to 200 lbs. psi!). Non-directional graining of the tile creates an over-all background design that isn't affected when movable partitions are rearranged.
- 6. Camera Service Area: Textelle Linoleum This material provides a heavy-duty floor in an almost seamless installation. Moderate cost, too.
- **7. Studio: Linotile** Remarkable strength and abrasion resistance prevent scratching and marring from heavy, mobile photographic equipment. Gray matte surface provides excellent studio background.

When you, like Kitchen and Hunt, specify flooring according to the precise demands of each interior, your building receives the full value it deserves from the floors. So does your client. And there's an Armstrong floor that will meet each demand, no matter how extraordinary. Only Armstrong makes every kind of resilient floor, so your Armstrong Archi-

tectural-Builder Consultant can make unbiased recommendations. And he can provide you with the services of the Armstrong Research and Development Center and installation specialists. Call him at your Armstrong District Office. Or write to Armstrong, 1602 Rock Street, Lancaster, Pennsylvania.

a C.

Armstrong floors price list

Approximate installed prices per sq. ft.

Over concrete, minimum area 1000 sq. ft.

15¢ - 25¢	30¢ - 45¢	50∉ - 65∉		
Linoleum Tile .0625" Asphalt Tile ½" (A, B, C, D and greaseproof) Asphalt Tile $\frac{1}{16}$ " (A, B)	Linoleum Tile .090" Asphalt Tile ¾6" (C, D) Excelon Tile .0625" (vinyl-asbestos) Linoleum .090"	Excelon Tile 1/2" (vinyl-asbestos) Excelon 3/2" Linoleum .125" Battleship Vinyl Corlon .070" Cork Tile 1/2"		
80¢ - 95¢ "Futuresq" Vinyl Corlon .070" "Futuresq Supreme" Vinyl Corlon .070" Cork Tile ¾6" Rubber Tile ¼" "Tessera" Vinyl Corlon .090" Linotile ½" Custom Corlon Tile ¾2"	\$1.00 and over "Imperial" Custom Corlon Tile ½" Custom Corlon Tile ½" Cork Tile ¾"	\$1.00 and over Rubber Tile %" Custom Vinyl Cork Tile %' Opalesq Vinyl Tile %"		


1860-1960 Beginning our second century of progress

Eastman Kodak Co., Pacific Northern Sales Division, San Francisco architects: Kitchen and Hunt, A.I.A., San Francisco Roors: Armstrong Excelon Tile, Custom Corlon Tile, Linotile, Textelle Linoleum



For Economy Minded School Boards

who want LONG-LASTING CONSTRUCTION



LASTS 3 to 5 TIMES LONGER **Than Ordinary Lumber**

With OSMOSE Pressure Treated Wood, you can take full advantage of the workability and beauty of wood...for only pennies more per board foot. The exclusive OSMOSE method gives positive protection against decay, termites and mold. OSMOSE treated wood lasts 3 to 5 times longer than ordinary lumber. It acts as a prime coat and holds paint better...with resultant savings usually enough to pay for the original treatment. Years of field experience prove it keeps maintenance to a minimum, is clean to handle, is non-corrosive, and results in satisfied customers. Conforms to all Federal and State specifications. More and more, OSMOSE is being specified by leading Architects. Industry sales records prove it. See our Catalog in Sweets.

All sills within 18" of the

Typical areas requiring

protection of OSMOSE

Pressure Treated Wood

reather-exposed rel finished or p

All sleepers or nailing pie

All roof and overhang area

All structural members

Pressure Treating Plants from Coast to Coast. Write for name of nearest Supplier.

OSMOSE WOOD PRESERVING CO. OF AMERICA, INC. 983 Ellicott Street . Buffalo 9, New York

Required Reading

pressed with their value as historical documents.

If the present notice should ideally be concerned with the more recent of the two publications, which is devoted exclusively to post-war designs, comparison with the earlier collection remains irresistible. This impulse does not reflect upon the editors or their publishers, but upon the character of their chosen subjects. The representative apartment architecture of the 1930's simply has a greater stylistic impact than the earnest, yet often platitudinous, works of the 1940's and '50's. The reader can verify this situation by examining the early works of the Tecton group, such as Highpoint I. Highgate, of 1933-35, and comparing these to some of their more recent efforts, which are illustrated in the newer volume. Thus one discovers how the well-conceived clarity and directness of style, possessing a logical elegance and exactness of form, has, today, regrettably deteriorated into a fuzzy, ineptly intricate series of design clichés, motivated in part by a genuine if misplaced effort to be different and new. Unfortunately, the results tend to be unnecessarily evasive and stilted assemblages of forms which are all too frequently devoid of real architectural vitality. In this tame context the recent work of the 20th century's old masters possesses a restless pioneering quality which, in truth, ought now to be borne by the more resourceful of the newer generation.


> -JOHN M. JACOBUS, JR. Princeton University

Plastics in Building

BAUEN MIT KUNSTSTOFFEN. By Amtor Schwabe and Hansjürgen Saechtling. Ullstein Fachverlag, Berlin West, Germany. Available from Wittenborn & Co., 1018 Madison Ave., New York 21. 452 pp., illus. \$14.75.

In this well-organized book plastics are first defined for the reader unfamiliar with these materials, their properties, and their types and variations. Fully synthetic materials, continued on page 378

The *finest* you can specify for any home



Your clients will thank you for specifying these two attractive fixtures by Case: the industry's first concave lavatory plus the one-piece water closet famous for its whispering flush.

The Case Wellington* Three Hundred Concave Lavatory is the most wanted because it's the first really comfortable lavatory ever made for men and women. Gracefully curved for comfort and unusual beauty. Extra-spacious, wide, flat deck. Shown with art designed black and gold *Patent Pending **Patented*

rustproofed wrought iron legs and non-slip towel bars all in one piece. (Chrome legs also available).

Contractors know the Famous Case Non-Overflow (Safety Feature) One-Piece** Water Closet and its winning features: non-overflow bowl; safeguarding anti-syphon ball cock; pressurized cleansing rim flush; large water area; healthful seat height; time tested, with streamlined design in 49 colors and black and white. Write for illustrated catalog.

CASE MANUFACTURING CORPORATION


247 Delaware Avenue, Buffalo 2, New York





The newest fashion in a complete line of architectural hardware. Protect your clients, specify high style locksets, exit devices, rectangular door closers and miscellaneous hardware from one manufacturer—Sargent—

a single source of quality and responsibility for almost 100 years. An integrated line of



surface applied door closer and Mortise Lock

surface applied parallel arm door closer and Rim Exit Device

matched designs and finishes. Advanced engineering and construction. Features most wanted by America's leading architects. Call your Sargent supplier now. Or write Sargent & Company, New Haven 9, Connecticut.



SARGENT

Over 160 Hillyard-Trained FLOOR TREATMENT SPECIALISTS

"On Your Staff, Not Your Payroll"

Typically, a HILLYARD "MAINTAINEER*" has more than 10 years of experience working directly with architects, and with institutional administrators, to choose the one best treatment for a given floor or floor problem. This field experience is supplemented by a continuing program of inservice refresher training, where the architect's problems are thoroughly dealt with. Photo shows Maintaineers gathered at one such Hillyard Seminar at the Home Office.



Let the Hillyard Maintaineer in your area:

- Recommend treatment for each floor on your boards.
- Give you specifications covering treatment, and detailed instructions you can give your contractor.
- Serve as your Job Captain during floor clean-up and initial treatment.
- Draw up a maintenance program you can recommend to your client, to keep beautiful floors beautiful.

Write for Free Hillyard A.I.A. Numbered Files Practical treatment guides with specifications, product information, detailed step-bystep treating instructions.



This service is one more reason why, in specifying treatments for

WOOD, TERRAZZO, CONCRETE, CERAMIC TILE or RESILIENT FLOORS




H I L L Y A R D
Passaic N. J. ST. JOSEPH, MO. San Jase, Calif.



You'll Finish Ahead with

HILLYARD


Branches and Warehouse Stocks in Principal Cities
Dept. A-2



for the better use of



Reynolds freely offers its specialized engineering and design assistance to architects, builders and fabricators of aluminum building products. Reynolds own extensive fabricating and anodizing facilities can also help solve problems of production and product development. New file folder on Reynolds Aluminum Commercial Building Products now available...send for your copy. And if your office library does not have Reynolds authoritative four-volume "Aluminum in Modern Architecture" please write for your copy ... Reynolds Metals Company, Dept. AM 6, Richmond 18, Va.





ARCHITECT:
Emery Roth & Sons, New York, N. Y.
GENERAL CONTRACTOR:
Diesel Construction Co., New York, N. Y.

THE BANKERS TRUST BUILDING, FIFTH AVENUE AT 44th STREET, NEW YORK, N. Y.

This building was stripped to the framework and new curtain walls of Reynolds Aluminum erected. Spandrels are interlocking extrusions, anodized black using Reynolds exclusive inorganic black process. Mullions are Reynoldsfabricated and the windows are Reynolds Aluminum Series 100 Vertically Pivoted.



REYNOLDS ALUMINUM ACOUSTICAL SYSTEM IN THE DEERFIELD TERRACE ELEMENTARY SCHOOL, LINDEN, N. J.

Architect-Engineers Finne-Lyman-Finne of Elizabeth, N.J., report excellent sound-absorption from this ceiling installation, together with ease of access to spaces above and excellent though inexpensive lighting. Ceiling panels are perforated corrugated stucco-embossed aluminum. They are used throughout the building.

REYNOLDS SALUMINUM

See these Reynolds shows on ABC-TV Network: "BOURBON STREET BEAT" and James Michener's "ADVENTURES IN PARADISE" Monday Nights, "ALL STAR GOLF" Saturdays.

Another new development using

B.F.Goodrich Chemical raw materials



Bury Geon-insulated cable by taping to reinforcing wire in concrete

Snow shoveling won't be a problem for these shopping center sidewalks. Heating cable insulated with Geon vinyl is buried in the concrete. 190-foot lengths of cable are taped to the reinforcing wire rolled out between pourings. After the top 34" layer of concrete is poured, the installation will be a permanent, load-building work saver.

Insulation made from Geon is especially useful for a buried-in-

concrete installation because of its unusual resistance to abrasion, aging and most causes of corrosion. Other materials that were tried got brittle with heat—not Geon: it retains its excellent dielectric properties and flexibility.


Here's another way new applications are being developed through use of Geon vinyl. For more information, write Dept. GF-1, B.F.Goodrich Chemical Company, 3135 Euclid Avenue, Cleveland 15, Ohio. Cable address: Goodchemco. In Canada: Kitchener, Ontario.



B.F.Goodrich Chemical Company a division of The B.F.Goodrich Company



GEON vinyls . HYCAR rubber and latex . GOOD-RITE chemicals and plasticizers



How architectural design and planned lighting create an image of strength and friendliness in a bank

Somewhere between the coldness of Greek temple design and the casualness of the ranch house prototype, there should be an architectural concept for banks that inspires confidence, reflects stability, yet is not formidable. So reasoned Harry Weese, architect. Out of that came the new home of State Bank of Clearing, Chicago. Meaningfully shaped and purposefully illuminated, an image is created at State Bank which speaks of progressiveness, strength and friendliness.

Lighting is planned to create an inviting effect and at the same time is highly functional. Patrons move through an entrance of restful subdued light into a lower lobby of slightly higher light intensity, then into the main, high ceiling banking area. There a combination of indirect light and spot lighting presents a dramatic effect. A suspended ceiling achieves a peripheral clerestory so walls of brick are texture-lighted day and night.


On one side of the main high room is the officer area and on the

other, the teller area—both flooded with functional, non-glare, high intensity light which tends to direct customers to the areas. Curtis-AllBrite visioneers worked hand in hand with architect, illuminating engineer and contractor to accomplish this illumination innovation. Curtis-AllBrite Lighting, Inc., AllBrite Lighting Division, 352 Shaw Road, So. San Francisco, California; Curtis Lighting Division, 6135 West 65th Street, Chicago 38, Illinois.






Banking is serious business, so high visual acuity is necessary in the areas where close work is done. Here the officer area is bathed in a high level of soft, shadowless, glare-free illumination that is accomplished by a Curtis Strato-Lux Luminous Ceiling. Exclusive Curticell Louver-Diffuser panels combine diffusion of light source with proper shielding of the diffusing medium.



◆ State Bank of Clearing, Chicago, Illinois, where an architectural concept and planned lighting bring something new and different in bank design and function. Illumination, both day and night, heightens an atmosphere of friendliness.





The main banking area where walls are texture-lighted by a wash of indirect lighting achieved with Curtistrip. Spotlights in the suspended ceiling add an atmosphere of action and provide high function, too.


Architect: Harry Weese & Associates.

Electrical Engineer: Sam R. Lewis.

Electrical Contractor: Crescent Engineering.

Wash Windows From The **OUTSIDE**Without Disturbing People INSIDE

..... And SLASH Your Cleaning Costs



More than 200 windows like this can be washed sparkling clean in an 8-hour day by one man in the motor-driven Cleveland Tramrail traveling unit.

It is usually inconvenient and disturbing to have men with water buckets shuffle through busy offices when cleaning windows. It is even more annoying to have the windows opened. In the winter this allows freezing winds to come in. In the summer it upsets operation of air-conditioning equipment.

Cleveland Tramrail equipment enables washing windows on the outside without opening them. And the work can be done much faster at far lower cost. It makes the work easier for the workman and provides him with real safety. It eliminates the need of safety belts and associated dangers. It does away with heavy cumbersome ladders that must be carried, set up, climbed and taken down.

The equipment makes it simple and fast to reach any part of a wall for maintenance of any sort. Painting, pointing, caulking can be done quickly. When installed early on a new building under construction, the equipment can be so helpful with window installation and other erection work that its cost can be partly or completely absorbed in this way alone.

Cleveland Tramrail window washing and building maintenance equipment operates on a track that may be attached in various ways at the top of building walls. A carrier that rides on the track supports the worker's cage. The unit may be traveled vertically, lengthwise, and around corners, enabling the worker to reach any window or part of a wall. He requires no additional help, as he can move the unit while in the cage either by manual effort or motor drive.

Whether your building is old or new, you will discover that Cleveland Tramrail equipment offers tremendous advantages. If you are planning to build, for greatest gains, check into the equipment at once.


Write for free illustrated booklet No. 2022



CLEVELAND TRAMRAIL DIVISION . THE CLEVELAND CRANE & ENGINEERING CO. . 2552 E. 290 ST. . WICKLIFFE, OHIO

Great new things are shaping up in concrete block







Atlas Masonry Cement measures up to the new masonry

whose range of patterns, shapes and textures is suggested in this block grouping by Architects D. Wallace Benton and Donald G. Park of Los Angeles. To lay up these striking new concrete block, Atlas Masonry Cement continues to be the preferred cementing material for mortar. It provides a smooth, workable mortar, assures a stronger bond, gives weathertight joints that are uniform in color. And Atlas Masonry Cement complies fully with ASTM and Federal Specifications. For information write: Universal Atlas Cement, Dept. M, 100 Park Avenue, New York 17, N. Y.



Universal Atlas Cement Division of United States Steel

M-79

"USS" and "Atlas" are registered trademarks

OFFICES: Albany · Birmingham · Boston · Chicago · Dayton · Kansas City · Milwaukee · Minneapolis · New York · Philadelphia · Pittsburgh · St. Louis · Waco

Mahon M-FLOOR construction



Serving the Construction Industry Through Fabrication of Structural Steel, Steel Plate Components, and Building Products

Safeguards Modern City-County Building Against Electrical Obsolescence!

M-Floor Cel-Beam Sections Provide Adequate Raceways Under Every Square Foot of Floor Surface

MAHON M-FLOOR SECTIONS SECTION M2-1.5 CEL-BEAM DEPTH 11/2 SECTION M2-3 CEL-BEAM DEPTH 3" SECTION M2-4.5 CEL-BEAM DEPTH 41/2 SECTION M2-6 CEL-BEAM DEPTH 6" SECTION M2-7.5 CEL-BEAM DEPTH 71/2"

☆ OTHER MAHON BUILDING PRODUCTS and SERVICES:

- Insulated Metal Curtain Walls
- Underwriters' Rated Metalclad Fire Walls
- Rolling Steel Doors (Standard or Underwriters' Labeled)
- Steel Roof Deck
- Long Span M-Decks (Cellular or Open Beam)
- Permanent Concrete Floor Forms
- Acoustical and Troffer Forms
- Acoustical Metal Walls and Partitions
- Acoustical Metal Ceilings
- Structural Steel—Fabrication and Erection
- Steel Plate Components—Riveted or Welded

☆ For INFORMATION See SWEET'S FILES or Write for Catalogues

THE R. C. MAHON COMPANY . Detroit 34, Michigan Sales-Engineering Offices in Detroit, New York, Chicago, Los Angeles and

San Francisco • Sales Representatives in all other Principal Cities

of Steel and Aluminum

and "linen" luxury with Continuous Cotton Towels



New First American National Bank Building, Duluth, Minn. Architect Thomas J. Shefchik, A.I.A., Duluth. Contractor: Fowler-Veranth Construction Company and Klippen-Holm

Recessed continuous towel cabinets with base storage units. Recessed continuous tower causes with base storage units. End clutter of waste receptacles. Integrate with the modern design of the wash room. (This installation serviced by: American Linen Supply Company, Duluth.)

You provide the finest in hand drying facilities AND MORE when you specify continuous towel cabinets.

Low cost installation and service by a linen supplier . . . Reduced maintenance and janitorial costs . . . Elimination of litter, storage and disposal problems . . . Limits fire hazard and plumbing repairs.

Add to this, the fact that you do not

obligate the owner to any particular service, even when you specify recessed cabinets like the ones pictured above. (Recesses are designed to accept any of a wide variety of cabinets.)

So, why not make sure your clients get the best? Specify the luxury and quality of cotton toweling . . . include continuous towel cabinets in your design.


* Send for this free Planning-for-Cloth kit

Association of America

and National Cotton Council • 22 West Monroe Street, Chicago, III.

Illustrated, includes specifications for recessed unit and con-tinuous cloth towel cabinets. Write—to Linen Supply Association on your letterhead.





NO TROUBLE CALLS WITH PUSHMATIC

coil protection is standard in every breaker

Protect branch circuits against high overloads and "flash-shorts" with Pushmatic magnetic coil action! BullDog, the first to offer this protection in 15-amp and 20-amp ratings seven years ago, builds this safeguard into every Pushmatic® breaker. The solenoid (coil)—coupled with the thermal element—provides double circuit safety. Makes trouble calls a thing of the past.

As you can see in the above picture the Pushmatic uses a *multi-turn coil*. High overloads or "flash-shorts" instantly set up a magnetic field in the coil—causing the metal plunger to trip the latch and break the circuit. BullDog Pushmatics

provide not only maximum branch circuit protection, but protect lamp and appliance cords, too!

Small overloads are taken care of by the thermal-bimetal latch. An overloaded circuit will heat the bimetal which curves, releasing the latch. A built-in time delay prevents nuisance tripping in case of harmless overloads.


Protect your branch circuits with proved Pushmatic coil action! Each and every Pushmatic is rigidly tested to assure precision operation. You'll find Pushmatic double protection pays off! Multi-turn coils are standard in all Pushmatics — 15 amperes through 50 amperes.



BULLDOG ELECTRIC PRODUCTS DIVISION I-T-E CIRCUIT BREAKER COMPANY

BOX 177 . DETROIT 32, MICHIGAN

In Canada: 80 Clayson Rd., Toronto 15, Ont. Export Division: 13 East 40th St., New York 16, N.Y.



For acoustical


Owner: National Properties, Inc.

Building Architects: A. Epstein and Sons, Inc., Chicago, Ill. Architects and Engineers.

Consultant: William Lescaze, F. A. I. A.

Tenant Architects for Borg-Warner Corp.: Cone and Dornbusch, Architects, Chicago, Ill.





ceilings of classic beauty:

versatileTravacoustic

No other acoustical ceiling tile blends so beautifully with all styles of architectural design. Whether you're working on a new steel-and-glass office building or a red brick college library, the classic beauty of a Travacoustic ceiling fits right in. See, for instance, how Travacoustic's true, random fissuring lends warmth and serenity to these strikingly modern offices in Chicago's new Borg-Warner Building.

With all its beauty, Gold Bond Travacoustic is a very practical ceiling. Its mineral fibre tiles absorb up to 85% of the sound striking them. They're rated Class A noncombustible. And they can be repainted easily without loss of acoustical value.

Ask your Gold Bond® Representative for a sample of Travacoustic. Or write direct to Dept. AR-260 for free samples and technical bulletin.


NATIONAL GYPSUM COMPANY, BUFFALO 13, NEW YORK

a step ahead of tomorrow Go









First National Bank, Allentown, Pa.

DEVOE PAINTS

SELECTED FOR INTERIOR OF THE NEW FIRST NATIONAL BANK OF ALLENTOWN

In this harmoniously-colored interior, Devoe paints were specified—five different Devoe paints selected for their beautiful colors and special qualities. Devoe paints in a specification *mean* quality . . . colors that stay good-looking for years and years.

You can call in Devoe's color consultants and architectural representatives . . . free and without obligation. Whether it's industrial plants, office and apartment buildings, hotels, institutions, or tracts . . . they'll work side-by-side with your specification writer or color specialist. Or, if you wish, they'll draw up the complete color-plan.


They'll carefully analyze your design theme and functional arrangement . . . keeping in mind such vital factors as costs, climate, traffic and maintenance. They'll save you time, costs and details. Make your color presentations to show clients. Build you a color reference library. All free and without obligation.

Devoe's consultants are located in major cities throughout the country. Just write:
Devoe Color Consultation
Service, Devoe & Raynolds
Company, Inc., Louisville, Ky.



FREE!

A paint reference guide for every job. Plus special color guides for practically every type of building. Write today for your copies.



Painting and Decorating Contractor: Harry Wruble



205 years of paint leadership

DEVOE & RAYNOLDS CO., Inc.
A Subsidiary of Merritt-Chapman & Scott Corp.
Atlanta • Boston • Chicago • Cincinnati •
Dallas • Denver • Los Angeles • Louisville
• New York • Philadelphia

CANVAS AWNINGS




Casual good looks or an air of elegance ... you can strike any mood with colorful, versatile canvas. And thanks to amazing new advances in textile chemistry, you can

But the smart decorative effect of canvas Lasual good looks or an air of elegance... you can strike any mood with colorful, versatile canvas. And thanks to amazing new advances in textile chemistry, you can be sure your choice of gay stripes or handsome solids will have a richness, color fastness, and durability never before possible.

But the smart decorative effect of canvas is only half the story. Use it to shade poolside areas, to keep sun heat off window glass, to give weather protection for entrances and walkways. You'll find canvas awnings and canopies soon pay for themselves in the savings, comfort, protection, and beauty they provide.

See our catalog 19e/Ca in Sweet's Architectural Catalog or write for a free copy. It cantains original and practical ideas plus helpful information for wastifying com-



P. O. Box 9907 / Memphis 12, Tenn.



What structural material...



costs less per pound than a loaf of bread?



goes up fast—in almost any kind of weather?

Structural steel (the material you know so well), of course. All these advantages hold true whether you're designing a plant or office building, a bridge, a school, a church, a house—well, you name it. Remember, too, that both steel producers and steel fabricators have expanded facilities. That means you can get all the fabricated structural shapes you need—when you need them.



stays super-strong through a ripe old age? adapts itself to almost any architectural form?

BETHLEHEM STEEL COMPANY, BETHLEHEM, PA., Export Distributor: Bethlehem Steel Export Corporation

BETHLEHEM STEEL



THE BURGESS-MANNING 3-WAY FUNCTIONAL

UNIFORM RADIANT HEATING UNIFORM RADIANT COOLING UNIFORM SOUND ABSORPTION

has the THAT MAKE IT YOUR BEST

- STRUCTURAL SIMPLICITY
- MAINTENANCE ECONOMY
- ACOUSTICAL EFFICIENCY
- THERMAL PERFORMANCE
- VISUAL SATISFACTION
- FLEXIBILITY



If you would have the ultimate in indoor comfort . specify the installation of a Burgess-Manning Ceiling. In addition to its superb comfort producing functions, financial benefits will accrue through economical fuel consumption and the very low maintenance costs throughout the lifetime of your building.

With heating, cooling and acoustical functions all located in the ceiling, every square foot of floor space becomes usable . . . there are no extra accommodation costs such as specially designed walls to carry service lines or ducts . . . no specially built wall recesses or protrusions to house heating or cooling devices.

No other ceiling installation can provide heating, cooling and sound absorption with equal advantages of structural simplicity . . . minimum maintenance requirements . . . mechanical and decorative design flexibility . . . and, operational

efficiency.

Learn why in a few short years the Burgessthan 8 million square feet of building space. For a complete description functionally and mechanically, write for a copy of "The Story of the Burgess-Manning Ceiling.




BURGESS-MANNING COMPANY

Architectural Products Division 719 East Park Ave., Libertyville, Illinois

MAINLINER by MILLS



For details write to The MILLS Company, manufacturers of movable walls since 1921. The address is 962 Wayside Road, Cleveland 10, Ohio. If you must design efficient, comfortable work areas, you will find the Mills Planning Kit excellent help in visualizing arrangements; a request on your letterhead will bring you one.



No. 2400 Series—Exciting new No. 2400 Series—Exciting new FILUMA", made of Fiberglass and Aluminum. The translucent door that "lets light in" and weighs one-third as much as comparable wood doors.

Accent



 The garage door is the most important door in the modern home of today. It must operate as easily as an entrance door, and should achieve complete architectural harmony. In the augmented Frantz line of Overhead Doors, there is a wealth of modern styles to blend with and accent the beauty of any home design. Frantz doors not only add more to home beauty but also provide more in home convenience. Their ease of opening,


their mechanical excellence in either torsion spring or extension spring types, and their many exclusive features, are the talk of the industry. Frantz quality is topmost! Virtually every part of every door-from the steel ball bearings in the rollers, to the door sections and zinc plated hardware-is made in our own plants! When you feature Frantz Doors you feature the greatest combination in beauty, quality and engineering. See Your Lumber Dealer.



No. C527-Carved Door



No. 250-5-section horizontal panel, popular for ranch homes




F227-Flush Door with

FRANTZ MANUFACTURING COMPANY

Sterling, Illinois





Califone Language Laboratory installed at Redondo Union High School, Redondo Beach, California


With additional funds now available through the National Defense Education Act in providing urgently needed


VV Defense Education Act in providing urgently needed new school and government structures (including alterations on existing public buildings), school architects are now being called on to adapt building designs to the newest language teaching method—THE LANGUAGE LABORATORY.

Careful study of CALIFONE LANGUAGE LABORATORY EQUIPMENT, its operations and applications, its adaptability to growth and expansion, will aid in coordinated and pre-planned design to provide proper lighting, room layout, soundproofing, projector and screen area, recording

and pre-planned design to provide proper lighting, room layout, soundproofing, projector and screen area, recording studios, aisle widths, electrical distribution systems, etc. Perfection in performance of CALIFONE LANGUAGE LABORATORY EQUIPMENT may be greatly enhanced by the designs of thoughtful architects. Consult with us for full information on this superior equipment by writing Dept. AR.1 Dept. AR-1...







View of the modern Ivanhoe Elementary School in Gary, Indiana, showing its walls of Natco Uniwall. The buff colored vertical walls show Uniwall's exterior rugg-tex finish. The light green panels under windows show a unique use of Uniwall's interior face installed in reverse. Architect: Jos. P. Martin & Assoc.

Inside <u>and</u> outside walls of this modern school were built with <u>one</u> unit in <u>one</u> operation

. . . with "double-duty" Natco Uniwall

The Ivanhoe Elementary School in Gary, Indiana, is one of the forerunners of a new and functional type of building construction. Its walls are completely built of Natco Uniwall.

Uniwall is a single structural clay tile unit with two faces. Its *exterior* face has an unglazed rugg-tex finish that gives the appearance of high-quality brick. Its *interior* face has a durable ceramic glazed finish and is available in a variety of attractive colors.

"Laying up" both inside and outside walls in a single operation not only saves time, but also saves labor costs . . . when compared with other building methods.

Uniwall has excellent insulating qualities, is completely fireproof, is easily maintained and is durable. Consider modern, functional Natco Uniwall for your next building job. Write for catalog UW100-5.



Nominal Uniwall face size: 3%" x 11%"
Thickness: 7%"

Today's idea becomes tomorrow's showplace...when Natco structural clay products are in the picture

natco corporation

GENERAL OFFICES: 327 Fifth Avenue, Pittsburgh 22, Pennsylvania . . . Branch Offices: Boston • Chicago • Detroit • Houston • New York • Philadelphia • Pittsburgh • Syracuse Birmingham, Alabama • Brazil, Indiana . . . IN CANADA: Natco Clay Products Limited, Toronto

OZALID NEWSLETTER

NEWS AND IDEAS TO HELP YOU WITH ENGINEERING REPRODUCTION AND DRAFTING



Repro room at I-T-E, showing processing of Information Sheets and standard engineering drawings on Ozalid machines. Simple system saves hours of drafting time for the company.

Short-cut system for custom orders

To help turn out "job shop" work at assembly line speed, the I-T-E Circuit Breaker Company of Philadelphia has devised a simple "Information Sheet" that does away with considerable retracing and revising of engineering prints.

More than 70% of I-T-E orders are for custom-designed equipment using standard components. Revising standard drawings to meet customer specs on each order would saddle I-T-E's engineering department with a nearly impossible work load.

So the Information Sheet is used instead. It's an $8\frac{1}{2}$ " x 11" tracing form—with printed title blocks—quickly reproduced on the company's Ozalid whiteprinters. Here's how it works:

An order comes in—for 5KV metalclad switchgear, for instance. A fast freehand sketch of the switchgear is drawn on the Information Sheet. Drawing numbers of standard components and quantity of prints needed are noted on the Sheet.

Then, copies of the Sheet and the required standard drawings are run in the I-T-E repro room. These, with the shop order, go to Manufacturing. When the order is completed, the Information Sheet is returned to the customer file for reference.

This simple short cut with Ozalid whiteprinting saves untold hours of engineering time and gives I-T-E customers faster, more efficient service.

Colors speak louder than words

A simple way to make your security personnel's job a lot easier is to colorcode all classified material by using Ozalid sensitized color-copy papers. Colors don't have to be read. Guards can spot restricted or top-secret prints at a glance. Clerks can't make routing mistakes.

To help you devise your own colorcoding systems, Ozalid offers papers with eleven image-and-stock color combinations. For example, use black image on yellow stock (instead of traditional blue on white) to code prints of preliminary drawings. Potential uses for color-coding in engineering paper work are virtually unlimited: shop orders, bills of material, spec sheets, change notices, cost estimates, etc., etc.

Like a copy of our new Color-Coding Booklet? It tells how a truly versatile, full-range color-coding system can be yours with as little effort as it takes to run prints that are black on white.

Just write to Ozalid, Johnson City, New York. Booklet No. B-2



New blue-tint Ozacloth cuts glare, saves eyes

It's bad enough to have people glare at you. When your drafting materials glare too, one should take steps. Our research people have-by building a delicate blue tint into our new black-line Ozacloth 101 CZB. It provides excellent contrast between background and dye image-cuts glare, reduces eye strain, makes duplicate originals that are easy to read and work with. Other features? Highest printing speed of any cloth intermediate . . . and a plastic matte surface on both sides which accepts pencil, ink or typewriter . . . and keeps sheets from sticking together in files. Write Ozalid at Johnson City, New York, for free descriptive literature on blue tint Ozacloth.

New from American-Standard Industrial Division

Air-Lift[†] for modern buildings


Air-Lift is a new concept of coordinated products and services from American-Standard Industrial Division. Its purpose is to help you lift the efficiency of modern buildings through better control of indoor climate. Air-Lift offers you one-source, responsibility for air conditioning, heating, and ventilating equipment that is designed, engineered, and manufactured to a uniform standard of quality and performance.

To see how Air-Lift can benefit your building . . .



†Service-mark of American-Standard






An indoor climate as modern as to with systems or component



COPYRIGHT 1989, AMERICAN RADIATOR & STANDARD SANITARY CORPORATION



the building itself, ats from a single source



Because new ideas in building design win acceptance by working better, providing more in comfort and convenience...air-conditioning systems must be as modern as the buildings they serve. This is the reason for Air-Lift.

With thousands of installations in all manner of structures—towering office buildings, sprawling shopping centers, hotels, motels, auditoriums—American-Standard Industrial Division has a comprehensive knowledge of airconditioning problems. And, with a complete line of coordinated products for air conditioning, heating, and ventilating—American-Standard Industrial Division offers all the equipment for efficient climate control in any building.

Air-Lift can work for you. Call on us.

Select by the piece buy by the package



Centrifugal refrigerating machines for central-station air conditioning.



Firebox, scotch-type steel boilers and package units for heat, steam.



Central-station air conditioning units for public buildings, plants.



Centrifugal fans for high-pressure air conditioning, ventilating.



Self-contained air conditioners, air- and water-cooled types.

One-source responsibility



The heart of American-Standard Industrial Division's Air-Lift Service

Now . . . with the combined American Blower, Ross Heat Exchanger, and Kewanee Boiler product lines . . . American-Standard* Industrial Division offers *all* the major components for complete, integrated air-conditioning systems.

You benefit by getting heating, cooling, refrigerating, and ventilating equipment designed, engineered, and manufactured to work together. And—most important—you have one-source responsibility for its quality and performance.

Offices in all principal cities are staffed by product specialists whose practical knowledge of the selection and application of air-conditioning equipment may prove most helpful to you. May we serve you? AMERICAN-STANDARD INDUSTRIAL DIVISION, DETROIT 32, MICHIGAN. IN CANADA: AMERICAN-STANDARD PRODUCTS (CANADA) LIMITED, TORONTO, ONTARIO. EXPORT DIVISION, AMERICAN-STANDARD, NEW YORK CITY.

Products designed, engineered, and manufactured to work together

AIR CONDITIONING

Centrifugal Refrigerating Machines • Central-Station Air Conditioners • Package Water Chillers Room Fancoil Units • Induction Units • Multi-Zone Air Conditioners • Sprayed Coil Dehumidifiers • Air Washers • Cooling Coils • Self-Contained Air Conditioners • Cooling Towers • High-Pressure Fans

VENTILATION

Centrifugal Fans • Propeller Fans • Axial Fans Power Roof Ventilators • Utility Sets • Specialized Fans and Blowers

HEATING

Firebox, Scotch-Type, and Package Boilers Steam, Hot-Water, and Gas-Fired Unit Heaters Heating and Ventilating Units • Heating Coils Cabinet Heaters • Industrial Heaters

SERVICE-WATER HEATING AND FLOW CONTROL

Instantaneous Water Heaters for service-water, booster, or convertor duty • $G\acute{y}rol_{\it{B}}$ Fluid Drives to drive water-service pumps—eliminate compressed-air system or roof tank

*American-Standard and Standard are trademarks of American Radiator & Standard Sanitary Corporation.



AMERICAN BLOWER PRODUCTS . ROSS PRODUCTS . KEWANEE PRODUCTS

LASTING QUALITY for your CLIENTS!



munera/L SFEEDOMATIC TRUTTERS


Light-conditioning by Smitheraft-America's finest fluorescent lighting

Smitheraft

CHELSEA 50, MASSACHUSETTS

Appeal is a most important function of any commercial ertrance. These Herculite®, Tubelite® and West Tension Doors, available from Pittsburgh, have unique architectural appeal, and each door promises long, trouble-free service. All can be mat- or handle-operated by Pittcomatic®...a simple hydraulic-driven automatic door opener.

Get complete details on Pittsburgh Doors from Sweet's Architectural File, Sections 16a and 16d. For additional information, contact your nearest Pittsburgh branch or distributor. Pittsburgh Plate Glass Co., Room 9231, 632 Fort Duquesne Blvd., Pittsburgh 22, Pa.



The Leavenworth National Bank in Leavenworth, Kansas, is the oldest bank in the state but takes a modern view of customer convenience. Its open-vision front makes full use of West Tension Doors, set in Tubelite Frames and handle-operated by the Pittcomatic Automatic Door Opener.

Arch.: Fullerton & McCamis, A.I.A., Kansas City, Mo.; Contractor: Julius Kaaz, Leavenworth, Kan.



TUBELITE Doors blend well into this entrance to Emil's Steer Inn in Columbus, Ohio. Clean and simple, both doors and frames are fabricated of heavy extruded, aluminum tubes, with no exposed seams. A unique interlocking feature makes them hold their true shape through long and continued use.

Architect: Loren J. Staker, A.I.A., Columbus, Ohio; Contractor: Emil Windmiller, Columbus, Ohio.



These HERCULITE Doors have you inside the Simco Shoe Store, New York City, while you're still outside. Crystal-clear and distortion-free, HERCULITE Doors can be had in a variety of sizes for almost any open-vision application.

Architect: Simon B. Zelnik, A.I.A., New York, New York; Contractor: Medoff Construction Company, New York, New York.



Pittsburgh Plate Glass Company

Paints • Glass • Chemicals • Brushes • Plastics • Fiber Glass In Canada: Canadian Pittsburgh Industries Limited



Albert Kahn Associated Architects & Engineers, Inc.
Bryant & Detwiler, Gen'l Contractor

Workship and Contractor

Workshi

and served by HAUGHTON OPERATORLESS ELEVATORS ... new concept in elevatoring inspired by *Elevanics**

A dramatic combination of architectural beauty and functional design, the new National Bank of Detroit has the most advanced system of electronically controlled elevators, keyed to the age of automation!

Seventeen Haughton Operatorless Elevators speed traffic from floor-to-floor, in regal comfort, and with uncanny speed and smoothness. They are motivated by an amazing "electronic brain" that anticipates service needs at every moment, and dispatches cars at proper times and in proper sequence to meet traffic needs exactly!

Such is the magic of Haughton Elevonics*, key to new advancements in elevator technology . . . and new standards of elevator performance, economy and comfort for multi-floor buildings of all types.

We are proud that Haughton Elevators have a part in maintaining the functional integrity of the new National Bank of Detroit. Their complete reliability is thoroughly recognized by building professionals. We will be glad to furnish you with complete information on Haughton design, modernization and maintenance capabilities.

EMBLEM OF EXCELLENCE IN VERTICAL TRANSPORTATION

HAUGHTON ELEVATOR COMPANY *Haughton's advanced program in elevator systems research and engineering, with specific emphasis on the creative application of electronic devices and instrumentation for betterment of systems design and performance.

DIVISION OF TOLEDO SCALE CORPORATION
Executive Offices and Plant • Toledo 9, Ohio


FACTORY BRANCHES TO SERVE YOU COAST TO COAST

Grade Wise is Profit Wise

SAVE...with

For framing quality and economy, there's no greater bargain than "Utility" grade-stamped West Coast lumber. "Utility" meets FHA standards for One-and-Two-Living Units in many framing and sheathing applications. (See FHA Bulletin No. 300 for spans and other application data.)

Discover the many home construction economies made possible by wise use of "Utility" grade West Coast framing lumber. You'll agree it adds up to important profits.



RAFTERS FOR LIGHT ROOFING (Roof slope over 3 in 12)

(Weighing less than 4 lbs. per sq. ft. in place)

Douglas Fir	West Co	oast Hemlock
Size	Spacing	Maximum Span
2×6	16" o.c.	9'-8"
2×8	16" o.c.	14'-4"
2×10	16" o.c.	19'-8"

FLAT ROOF JOISTS supporting finished ceiling (Roof slope 3 in 12 or less)

2×6	16" o.c.	7'-8"
2×8	16" o.c.	11'-6"
2×10	16" o.c.	15'-8"
2×12	16" o.c.	18'-2"


CEILING JOISTS (no attic storage)

	2×6	16" o.c.	11'-8"	
	2×8	16" 0.c.	17'-6"	
LOOR JOISTS			30 lb. live load*	40 lb. live load
	2×6	16" o.c.	7'-2"	6'-4"
	2×8	16" o.c.	10'-8"	9'-6"
	2×10	16" o.c.	14'-8"	13'-0"
	2×12	16" o.c.	17'-0"	15'-4"
	Valoratina	rooms only	tother then ele	oning rooms

BOARDS. Ample strength and satisfactory coverage make "Utility" boards a primary material for sub-floors, wall sheathing and solid roof boarding in permanent construction. This grade is widely used for light concrete forms.

FULL INFORMATION

Just off the press. Detailed information on the way Utility grade West Coast framing lumber can serve you economically. Write us for your copy today!







SLABFORM cuts concrete forming costs by one-third

At the Cole Steel Equipment Co. warehouse in York, Pa., 87 tons of Slabform were used directly over the Bethlehem structural shapes. Architect: Buchart Associates; general contractor: I. Reindollar & Son, Inc., York.

At Cole Steel Equipment's new warehouse in York, Pa., some 87 tons of Bethlehem Slabform were welded directly to steel beams to support a 4½-in., pouredin-place slab.

By using Slabform in place of the usual forming material over steel beams, it is estimated that forming costs were cut by one-third. Here's why:

- 1. Slabform covered the floor area quicker, at less labor cost.
- 2. Slabform is a permanent form, saving the entire cost of stripping.

The fasteners used with Slabform project into the slab and effectively tie the slab to the steel beams—helping to insure composite action.

Reinforcing bar high chairs, specially designed for use with Slabform, are provided at no additional cost over standard accessories.

Slabform Ideal as a Concrete Form

Bethlehem Slabform is a high-strength, formed steel sheet which is used both as a permanent steel form for poured concrete, and in roofs as the permanent supporting member for lightweight insulating concrete fills. In the latter case Slabform is always used galvanized. When used as a form only, Slabform is generally furnished black (uncoated) for reasons of economy.

Longitudinal Ribs for Strength

Bethlehem Slabform is manufactured from steel having a yield point over 90,000 psi. Longitudinal ribs give it exceptional strength.

Three Weights and Patterns

Slabform is available in three weights and patterns —Standard, Heavy-Duty and Extra Heavy-Duty—to satisfy the requirements of various spans and loads.


All three weights are available in black (uncoated) and galvanized finish.

Design load capacities, suggested specifications, and other information appear in Sweet's Architectural File. The nearest Bethlehem sales office would be glad to send you our Slabform folder, or talk with you about your job. No obligation, of course.

BETHLEHEM STEEL COMPANY, BETHLEHEM, PA.

Export Distributor: Bethlehem Steel Export Corporation

The table shows the load capacities for structural reinforced concrete slabs over Slabform. It shows various depth slabs reinforced with minimum welded wire fabric as required by code. This table also shows the type of Slabform recommended as a form.



LOAD CAPACITIES OF STRUCTURAL REINFORCED CONCRETE SLABS

(INCLUDING REQUIRED TYPE OF SLABFORM)

Slab Thickness	Slab Weight	Slab Reinf. (Welded		LOADS IN LB PER SQ FT FOR SPANS SHOWN										
(Inches)	(Lb/Ft ²)	Wire Fabric)	1'-6	2'-0	2'-6	3'-0	3'-6	4'-0	4'-6	5'-0	5'-6	6'-0	6'-6	7'-0
21/2	27	6 x 6-10/10	366	194	114									
21/2	27	6 x 6-6/6				169	117	83						
3	32	6 x 6-10/10		279	167									
3	32	6 x 6-5/5				287	181	131						
31/2	36	6 x 6-4/4					300	221	167	128	85	66	51	39
4	42	6 x 6-4/4						277	209	146	113	88	68	53
41/2	48	4 x 4-6/6							279	199	156	123	98	78
5	52	4 x 4-4/4								348	278	225	185	
TY	PE OF SL	ABFORM		STAN	DARD		HE	AVY-D	UTY		EXTRA	HEAV'	Y-DUTY	4

NOTES:

1. Above table gives superimposed loads which various depth slabs will carry when reinforced as shown. The type of black (uncoated) Slabform to be used is also shown. When galvanized material is used add the slab weight to capacities shown to determine allowable superimposed loads. This is boasd on the galvanized material carrying the dead weight of the concrete. Loads shown are for interior spans only.

2. The recommended Slabform shown in each instance will not deflect more than 1/240 span under weight of concrete only.

3. Superimposed loads were determined as follows:


a. Bending moment (2 or 2500 psi, fs (welded fabric) = 28,000 psi (50% min. yield point per ACI 306(b)).

b. Reinforcing for 2 ½ in, and 3 in, slabs on spans up to 30 in, based on minimum allowable for temperature reinforcing per Steel Joist Institute "Code of Standard Practice" Section 3.7.


c. Reinforcing for $3\ /\!\!\!/_2$ in, and deeper slabs based on minimum allowable reinforcing per ACI building code 702(e) 2.

d. Effective slab depths determined as follows


e. For end spans reduce capacities shown in table by 16%. f. For simple spans reduce capacities shown in table by 33%.



STANDARD SLABFORM Standard Lengths: 6'-3", 8'-3", 10'-3" and 12'-3".



HEAVY-DUTY SLABFORM Lengths: 6'-0" to 18'-6" in 6"



EXTRA HEAVY-DUTY SLABFORM ford Lengths: 6'-0" to 21'-6" in 6" Incre

NOTE ALL DIMENSIONS NOMINAL

After installation, the appearance from below is neat and clean



BETHLEHEM STE



BASE BID

SPECIFICATIONS a report by Architect William Rowe

A base bid specification is a system of planning, specifying and bidding in which the various items of materials and equipment are predetermined by the owner and the architect; therefore, they can be completely detailed and concisely described. Their performance is defined and the manufacturer's name and catalog designation clearly set

All contractors bidding the work are bidding upon exactly the same articles.

The system in common use is the socalled "open" specification in which minimum standards of quality and performance are set forth, and any piece of equipment or material which complies with these minimum standards is acceptable.

The underlying difference in the two types of specifications is in the application and interpretation of the word "equal". It is common knowledge that it is virtually impossible to determine with impartiality and fairness to all parties that one material is "equal" to anything else.

Advantages of the Base Bid Specification: 1. The architect can select, specify and completely detail a system or design in its entirety. 2. The contractor knows exactly what he is bidding on and must furnish. He also knows that his competitors must furnish exactly the same items. 3. The owner and architect know exactly what will be received for a given cost. 4. Any

National Sales Conference held at Palo Alto, Calif. Information for this report was based on experience in using base bid specifications for three senior high schools in Utah's Alpine School District. supplier who feels that his product

Smith, AIA, given on Sept. 4, 1959, at the Day-Brite

can do the job, whether it is called for or not, can submit a price as an alternate to the base bid materials. 5. The selection of exactly the kind or brand of equipment to be used is not within the province of the contractor, but rests jointly in the hands of the architect and owner, where it rightfully belongs. 6. This is the only system of bidding which gives reputable suppliers of quality products any protection whatsoever. Of equal importance is the fact that it provides competitive cost protection to the purchaser or owner. 7. While base bid specifications may take longer to prepare, time is actually saved because the confusion resulting from attempts by bidders to make substitutions under the "or equal" option is minimized.

Well Worth the Extra Effort. The base bid specification is the outgrowth, nationally, of great concern over the abuses of the "or equal" clause in standard specifications. It is the beginning of a trend that must come if the interests of the taxpayer, the owner, the architect, the contractor and the supplier are to be respected.

We have not found a single case of serious objection to the system from

a reputable supplier or contractor once it is explained in detail and understood.


In using the base bid specification on these three schools, we spent considerably more time in their preparation, in the preparation of the accompanying drawings, and in bidding the jobs than under the old "or equal" system. We feel, however, that the system will be more than worth all this extra effort in simpler inspection control and in a better final product.

As manufacturers of lighting equipment recognized for outstanding quality, Day-Brite is happy to help bring information about base bid specifications to the attention of architects and engineers. For a copy of Mr. Smith's complete report, call your Day-Brite representative. Or write Day-Brite Lighting, Inc., 6260 N. Broadway, St. Louis 15, Mo.



Day-Brite Lighting, Inc. St. Louis, Mo. . Santa Clara, Calif.

NATION'S LARGEST MANUFACTURER OF COMMERCIAL AND INDUSTRIAL LIGHTING EQUIPMENT




Universally adaptable, infinitely variable, thin shell concrete offers unlimited scope for the designer's imagination. Forming these imaginative shapes, with Tectum form plank, furthers their utility lending warmth and texture to a variety of surfaces.

Tectum form plank, serving first as a forming material, remains in place conforming to curvatures of exciting new roof shapes. The Tectum bonds firmly to thin shell concrete as a permanent exposed surface. Tectum insulates, absorbs sound, eliminates cost of temporary

materials, stripping charges and finishing. Contemporary in appearance, economical to use, Tectum form plank is gaining popular acceptance for all concrete form plank applications.

New Facts About Tectum Form Plank—an informative data sheet, just released, shows how Tectum compliments thin shell concrete construction, provides worthwhile economies in a variety of ways. Ask for Data Sheet CF150 covering the construction details of the Holiday Lanes illustrated above.





The Weyerhaeuser 4-SQUARE trademark is your assurance of scientifically KILN-DRIED lumber

Kiln-drying adds strength to lumber by reducing the natural moisture content of wood* to pre-selected levels. Lumber for framing is kiln-dried to 19% moisture content, finish lumber is kiln-dried to a 12% moisture content. These moisture levels are in contrast to a tree's natural fiber saturation point of about 25% moisture content, and actual moisture content of 115% or more, according to species, locale, etc. The principles of kilndrying are to reduce moisture content below this natural 25% fiber saturation point so that the wood cells and fibers will shrink and become more compact (with the result that the lumber becomes more stable) ... and to remove the moisture evenly from each piece of lumber so that the center is as dry as the surface. In order to do this, both heat and live steam are used in the kiln-drying ovens.

*Note: Moisture content is the weight of wate contained in wood expressed as a percentage of the weight of the oven-dry wood. Weyerhaeuser 4-Square kiln-dried framing lumber is dried to an average moisture content of 19%, well below the 25% fiber saturation point. Finish lumber is kiln-dried to an average of 12%.


The illustration below shows how wood cells change as water is removed.

Kiln-drying not only reduces the natural moisture content of lumber: it also makes lumber less absorbent, less subject to changes in humidity. And as the "patterning" of the cells and fibers becomes more stable, lumber will grip and hold nails better. Pound for pound kiln-dried lumber is one of the strongest materials available to the builder!

Kiln-drying minimizes the effects of humidity

One of the characteristics of wood is that it shrinks or swells in proportion to the amount of moisture it contains. Scientifically controlled kiln-drying brings all framing, and all finish lumber to predetermined moisture levels. The result is that all framing members in a home built of kiln-dried lumber will shrink or swell equally with changes in humidity. The same is true of all finish lumber in a house. The result is that each piece of lumber works like a component part with every other piece. The house built of kiln-dried lumber offers exceptional resistance to the changes due to humidity variance, and thus to such problems as windows or doors that stick...cracked ceilings (generally caused by uneven shrinkage of floor joists) ... popped nails, and the like.


The following chart shows the relation of shrinkage to the moisture content of wood. Several facts should be noted. (1) Shrinkage starts only after free water is gone—at about 25% moisture content. (2) The Western softwoods shrink in width and depth, not in length. (3) Moisture content of lumber in use is governed by temperature and relative humidity. This varies according to locality, use within buildings, and so on.



Weyerhaeuser adds these extra advantages to scientific kiln-drying:

- Manufactured to size and cut to accurate length after kiln-drying.
- 2. Ends cut "4-Square" to give each piece a full load-bearing surface.
- 3. Edges eased for safer, easier handling.
- Surfacing after kiln-drying to assure full dimension.
- Accurate grading and correct identification after kiln-drying. (Kiln-drying tends to bring out otherwise hidden defects, and this step culls out pieces containing such defects.)
- Trademarked and grade stamped to assure your receiving exactly what you ordered.

Weyerhaeuser 4-Square kiln-dried lumber is available in 11 species in finish, board, and dimension lumber—and in a variety of manufactured lumber products. For additional information, write: Weyerhaeuser Company, Lumber and Plywood Division, First National Bank Building, St. Paul 1, Minnesota.



KILN-DRIED stands for greater freedom of design

Whether your planning calls for bold textural masses . . . sweeping planes . . . or delicate detailing . . . you'll find kiln-dried lumber successfully creates the effects you want, combining as it does natural beauty, strength, and high insulating value.

Weyerhaeuser's scientifically controlled kilndrying process increases lumber's stability and nail-holding power, makes it easy to work. Moisture content is equalized so that each piece in the framing or the siding, in a wall or built-

up moulding, works like a component part with every other piece and is equally resistant to dimensional change.

Many of the other structural and in-use advantages of kiln-dried lumber are outlined on the facing page. It's worth remembering, too, that its quality is an added assurance of your client's satisfaction. For further information, write: Weyerhaeuser Company, Lumber and Plywood Division, First National Bank Bldg., St. Paul 1, Minnesota.



WHAT'S ON YOUR BOARDS NOW?



HOMES CHURCHES MOTELS

SCHOOLS

FARM STRUCTURES INDUSTRIAL PLANTS

COMMERCIAL BLDGS.

Now You Can Specify the

FIRST INSULATION

that satisfies all requirements for

BLOCK and CAVITY WALLS!



Workman filling cores of blocks at new motel mear Chicago's O'Hare Field International Airport. Also used in cavity walls between rooms. Arch.: Arthur Swanson, Gen. Contr.: John Theodosakis, NEW PROCESSOR STORY

Rendered water-repellent by a special patented process, Zonolite Masonry Fill meets an age-old need for an insulation that will remain permanently dry and efficient in block and cavity walls. By actually doubling the insulating value of such walls, it often eliminates the cost, labor and delay of installing interior wall treatment...saves up to 50% on heating costs...25% on air conditioning. Low in cost, 100% fire safe, fast and easy to install, Zonolite Masonry Fill gives you free use of the exciting new versatility of this type of construction. Mail coupon now for full details.

ZONOLITE MASONRY FILL INSULATION

i	For Free Data
ļ	Booklet
	mOun
	[essage
i	Car control
i	(37

MAIL COUPON ZONOLITE COMPANY, Dept. AR-20 135 South LaSalle Street, Chicago 3, Illinois Send me booklet MF-2 giving complete data on Zonolite Masonry Fill Insulation.

Name	
Firm	
Address	
City & Zone	State

SARANSPUN

fabrics are converted by: THE GEORGIA COMPANY, 276 Fifth Av., New York 1 MEAD & MONTAGUE, Inc., 245 Fifth Av., New York 16 and distributed through:

CALIFORNIA:

GEFFMAN FABRICS, 950 Santee St., Los Angeles PEERLESS CTN. MFG. CO., 1047 Santee St., Los Angeles PEERLESS CTN. MFG. CO., 575 Mission St., San Francisco JACK H. PERLE CO., 2414 S. Broadway, Los Angeles

COLUMBINE MFG. CO., 1250 Broadway, Denver THE PAWLEY CO., 26th & Walnut Sts., Denver GEORGIA:

CAROLE TEXTILES, 906 Ellis St., Augusta

ILLINOIS:

CLARK LINEN & EQUIP. CO., 303 W. Monroe St., Chicago DAZIANS, 125 N. Wabash, Chicago LUSSKY, WHITE & COOLIDGE, 214 W. Monroe, Chicago HAAG BROTHERS, Box 272, Skokie

LOUISIANA:

C. BEL FOR AWNINGS, 3139 Tchoupitoulas, New Orleans MARYLAND:

C. E. BRIDDELL CO., 2800 Hampden Ave., Baltimore

MASSACHUSETTS: DUGGAN SIMMONS CO., 131 Portland St., Boston ANDREW DUTTON CO., 60 Canal St., bullon SEAVEYS INC., 38 Emerson St., Haverhill

MICHIGAN-

DECORATIVE MILLS, 14217 Fenkell, Detroit MORGANROTH FABRICS, INC., 7329 W. McNichols Rd., Detroit

B. H. RITTERHOFF, 600 First Ave., N., Minneapolis

MISSISSIPPI: WOOLLEY BROS., 411 S. State St., P.O. Box 1245, Jackson MISSOURI:

PRAIRIE PRODUCTS CO., 617 Wyandotte, Kansas City

NEW JERSEY: KRUPNICK BROS., INC., 386 Broad St., Newark

S. RADIN & SONS, 209 Straight St., Paterson

NEW YORK:

A. & J. SHADE CO., 37 Franklin St., Buffalo FRANK NIERING & CO., INC., 33 S. Robinson Ave., Newburgh CREA-TEX CORP., 387 Fourth Ave., New York 16 LAZIANS, 142 W. 44th St., New York JOFA INC., 45 E. 53rd St., New York GREEFF FABRICS, 4 E. 53rd St., New York KRAVET FABRICS, 104 E. 25th St., New York MELCO FABRICS, 7 W. 29th St., New York ERBUN FABRICS, 19 E. 21st St., New York MAHARAM FABRICS, 130 W. 46th St., New York NACO, 291 Grand St., New York ROLAY FABRICS, 118 E. 28th St., New York F. SCHUMACHER & CO., 60 W. 40th St., New York STROHEIM & ROMANN, INC., 35 E. 53rd St., New York J. H. THORP, P.O. Box 409, Grand Central Sta., New York JUD WILLIAMS, INC., 18 E. 55th St., New York

S. M. HEXTER CO., 2810 Superior Ave., Cleveland PAYNE & CO., 3500 Kettering Ave., Dayton

OKLAHOMA: FABRICUT, 1506 S. Utica, Box 3566, Tulsa

PENNSYLVANIA: BASSETT McNAB COMPANY, 1032 Arch St., Phila. CROYDON FABRICS, 1926 Arch St., Phila. LEEDES FABRIC, 1318 Arch St., Phila.

DECORATORS INDUSTRIES, 2106 Penn Ave., Pittsburgh

A. F. SCHMALZRIED & CO., 2650 Main St., Dallas CARL E. WILLIAMS, 4304 La Branch, Houston WASHINGTON:

PHIL YOUDENE CO., 919 Olive Way, Seattle CANADA:

A. B. CAYA, Kitchener, Ont. CAVERS FABRICS LTD., 60 Front St., West, Toronto ARTHUR SANDERSON & SONS, 31 Teraulay St., Toronto THE DRAPERY FABRIC THAT COMBINES GLAMOROUS BEAUTY WITH AMAZING LONG LIFE AND RUGGED RESISTANCE TO WEAR

SARANSPUN



PHOTO RESEARCH AND DEVELOPMENT BLDG NATIONAL STEEL CORP. WEIRTON, W. VA

SARANSPUN affers long life and maintenance economy to hotels, haspitals, schools ... every type of commercial or industrial installation. Never fragile, never brittle, SARANSPUN will take no end of "beating" without cracking, flaking or even showing signs of abuse. SARANSPUN fabrics are made of 80% solution dyed saran fibers and, 20% solution-dyed viscose—a blend that assures greater fade-resistance. In a wealth of decorative prints and a host of striking solid colors, SARANSPUN represents a revolutionary advance in the development of carefree dropery fabrics.

SARANSPUN WOVEN BY: J. P. STEVENS & CO., INC.


SARAN FIBERS PRODUCED BY THE FILENENT AND YARNS DIVISION OF

THE NATIONAL PLASTIC PRODUCTS COMPANY


ODENTON, MARYLAND

MANUFACTURERS OF NEVAMAR DECORATIVE LAMINATE

SARANSPUN



DESIGN WITH TRUSCON predictable, dependable, certified "O-T" OPEN TRUSS" STEEL JOIST



Specify Truscon "O-T" Series "S" (Shortspan) Steel Joist and get predictable, dependable, certified load-bearing—at no extra cost!

Predictable, designed and engineered to 20,000 psi working stress. Balanced design—in balance with all other structural elements.

Dependable, carefully produced in the industry's newest fabricating plant, backed by 50 years of building products manufacturing experience.

Certified, exceeding the rigid standards of the Steel Joist Institute, Quality Verification Program, your assurance of predictable, dependable, load-bearing.

Straight bottom chord carries to spandrels and columns. Economically extended ends. Good stability in both directions. Available in the longer 40- to 48-foot range. Sizes increased from 17 to 25.

Include Truscon "O-T" Steel Joist in your next set of plans. Send coupon for specifications and data.

TRUSCON VISION-VENT® Window Walls with Truscon Intermediate Projected Type Windows and Screens were used in the construction of the West Hartford Incinerator, West Hartford, Conn. Architects: Aetalf & Eddy, Boston, Mass. Contractors: Associated Construction Company, Hartford, Conn.



TRUSCON "O-T" STEEL JOIST was used in this construction, Attle W. Wampler & Sons Furniture Store, Baltimore, Md. E. S. Armacost & Son were the builders and designers. Truscon Wire Fabric, Bars, Structural Steel, Steeldeck, Series 57 Doors, Commercial Projected and Security Steel Windows, are other Truscon products that have been specified for the job.

TRUSCON 24" FERROBORD® ROOFDECK provided fast coverage, full protection in the construction of the General Electric Company, warehouse and office building, King of Prussia, Montgomery County, Pa. Architect: George M. Ewing, Philadelphia, Pa. Contractors: Nason & Cullen, Inc., Philadelphia, Pr





DEPENDABLE, PREDICTABLE, REPUBLIC MECHANICAL TUBING, in rounds, squares, and rectangles, solves many architectural and construction problems. Here, railing for a bridge overpass was constructed of Republic's 4 x 4'' Square Tubing, 1'1/2'' Square Tubing was used for the spindles. To learn more about the advantages of Republic Tubing for structural use, send coupon below.




REPUBLIC STEEL

World's Widest, Range of Standard, Steels and Steel Products

REPUBLIC STEEL CORPO	PRATION
DEPT.AR-8926	
1441 REPUBLIC BUILDING	· CLEVELAND 1. OHIO

1441 REPUBLIC BUILDING .	tititians i, onio
Please send additional inform	nation on the following products:
☐ Truscon "O-T" Steel Joist	☐ Vision-Vent Window Walls
☐ Ferrobord Roofdeck	☐ Republic Structural Tubing
Name	Title
Firm	
Address	
City	Zone State

NEW concept in food service cold storage doors: Jamison JAMOLITE*-Lightweight Plastic Doors




better appearance • improved performance • lower cost

• IT'S HERE TODAY—a revolutionary new concept in cold storage door design and construction—a door as easy to install as a household door. For the Food Service Industry, JAMOLITE Lightweight Plastic Doors now bring new, practical advantages:

smooth, easy-to-clean surface rigid, one piece construction will not warp superior insulating efficiency in both door and frame Investigate this brand new Jamison development for either replacement or new construction. Write today for all the facts on new JAMOLITE Lightweight Plastic Doors to Jamison Cold Storage Door Co., Hagerstown, Md.

*Jamison trademark





New Iridescence reflects modern design

A rainbow-like galaxy of color glimmers and glows in this attractive new pattern from Panelyte[®]. Once again, America's style leader in decorative laminates makes a splendid new addition to its rich, colorful line. And it can be a new addition to your storehouse of imaginative ideas for interiors. For "IRIDESCENCE" is designed to brighten almost any interior surface . . . durably designed to stay lastingly new over the years. That's something to reflect on, too.

May we send you free samples of color-coordinated Panelyte? Write Panelyte Division, St. Regis Paper Company, 150 East 42nd Street, New York 17, N. Y.




for a Detailed Pittsburgh COLOR DYNAMICS® Program Tailored to Fit Your Plans! IT'S FREE!

Why not include a detailed program of color to make your plans even more acceptable to your clients?

- We'll be glad to provide you with a detailed color plan—based upon Pittsburgh's painting system of COLOR DYNAMICS—to accompany your blueprints and specifications.
- This system of painting has demonstrated successfully its ability to improve efficiency, comfort, morale and safety in many fields of business and industry.
- The detailed study we'll send you without cost or obligation includes color recommendations, complete with samples, bound in book form. Also included are the correct types of coatings for every kind of material and construction—also proper surface preparation for painting.
- Mail coupon above or call your nearest Pittsburgh Plate Glass Company branch and arrange to have one of our color consultants see you at your convenience.

Watch the Garry Moore Show—CBS-TV—Tuesday evenings.





NOW AVAILABLE IN MAJOR
BUILDING AREAS FROM
YOUR KAISER ALUMINUM
DISTRIBUTOR


A COMPLETE NEW LINE OF STANDARD ARCHITECTURAL EXTRUSIONS



HERE IS THE COMPLETE LINE


Please see next page for the name of the distributor serving your area, and for information on how to get your set of the new architects' information series covering dimensions and full details of all items.

FACING SYSTEMS






GRAVEL STOPS . FASCIA EXPANDERS - COPINGS




THRESHOLDS




WINDOW SILLS

ARCHITECTURAL AND STRUCTURAL SHAPES



HANDRAILS




KAISER

KAISER ALUMINUM & CHEMICAL SALES, INC. 1924 BROADWAY, OAKLAND 12, CALIF.

*T.M. KAISER ALUMINUM & CHEMICAL CORP.

SEE "MAYERICK" . SUNDAY EVENINGS, ABC-TY NETWORK . CONSULT YOUR LOCAL TY LISTING

ROD . BAR . PIPE . TUBE



THESE DISTRIBUTORS CARRY KAISER ALUMINUM ARCHITECTURAL EXTRUSIONS

ATLANTA, GEORGIA Chase Brass & Copper Co.

BALTIMORE, MARYLAND Chase Brass & Copper Co. Hill-Chase Steel Co. of Maryland

BEAUMONT, TEXAS Standard Brass & Mfg. Co.

BIRMINGHAM, ALABAMA U. S. Steel Supply Div.

BOSTON, MASSACHUSETTS Chase Brass & Copper Co. Hawkridge Brothers Co.

BUFFALO, NEW YORK **Ernst Iron Works**

CHICAGO, ILLINOIS Chase Brass & Copper Co. Fullerton Steel & Wire Co. U. S. Steel Supply Div.

CINCINNATI, OHIO Chase Brass & Copper Co. Morrison-Drabner Steel Co.

CLEVELAND, OHIO Chase Brass & Copper Co. Copper & Brass Sales, Inc. Osco Steel Co. U. S. Steel Supply Div.

DALLAS, TEXAS Delta Metals, Inc. Earle M. Jorgensen Co.

DAYTON, OHIO Alloy Steel, Inc.

DENVER, COLORADO ABC Metals Corp. Earle M. Jorgensen Co.

ARCHITECTURAL

JOBBERS

DETROIT, MICHIGAN Alloy Steels, Inc. Chase Brass & Copper Co. Copper & Brass Sales, Inc. Osco Steel Co.

ELKHART, INDIANA Consolidated Metal Products Inc.

EVANSTON, ILLINOIS Korhumel Steel & Aluminum Corp.

GRAND RAPIDS, MICHIGAN Copper & Brass Sales, Inc.

HIALEAH, FLORIDA **Fullerton Metals Co.**

HOUSTON, TEXAS Chase Brass & Copper Co. Earle M. Jorgensen Co. Standard Brass & Mfg. Co.

INDIANAPOLIS, INDIANA Chase Brass & Copper Co. F. H. Langsenkamp Company **Hubbell Metals Inc.**

KANSAS CITY, MISSOURI **Hubbell Metals Inc.**

LITTLE ROCK, ARKANSAS Delta Metals, Inc.

LOS ANGELES, CALIFORNIA Earle M. Jorgensen Co. Eureka Metals Supply Co. Reliance Steel & Aluminum Co. U. S. Steel Supply Div.

LOUISVILLE, KENTUCKY **Hubbell Metals Inc.**

LYNDHURST, NEW JERSEY A. R. Purdy Co., Inc.

ATLANTA, GEORGIA **American Art Metals Company** Southern Aluminum Finishing Co., Inc.

CINCINNATI, OHIO Architectural Products Co., Inc. MARIETTA, GEORGIA **Hubbell Metals Inc.**

MASPETH, NEW YORK Chase Brass & Copper Co.

MEMPHIS, TENNESSEE **Hubbell Metals Inc.**

MILWAUKEE, WISCONSIN Chase Brass & Copper Co. Fullerton Metals of Wis. Inc. Lewis Steel and Aluminum Co.

MINNEAPOLIS, MINNESOTA Chase Brass & Copper Co. Fullerton Metal Co. Korhumel Steel & Aluminum Corp.

NEWARK, NEW JERSEY U. S. Steel Supply Div.

NEW ORLEANS, LOUISIANA Standard Brass & Mfg. Co.

NEW YORK, NEW YORK T. E. Conklin Brass & Copper Co., Inc.

OAKLAND, CALIFORNIA American Brass & Copper Co. Earle M. Jorgensen Co.

PHILADELPHIA, PENN. Chase Brass & Copper Co. Hill-Chase & Company, Inc. U. S. Steel Supply Div.

PITTSBURGH, PENN. William M. Orr Co., Inc.

PORT ARTHUR, TEXAS Standard Brass & Mfg. Co.

PORTLAND, OREGON Eagle Metals, Inc. of Oregon U. S. Steel Supply Div.

MILWAUKEE, WISCONSIN Milwaukee Bridge Co.

MT. MORRIS, MICHIGAN Mt. Morris Building Products Inc. PROVIDENCE, R. I. Chase Brass & Copper Co.

ROCHESTER, NEW YORK Chase Brass & Copper Co.

SAN FRANCISCO, CALIF. Gilmore Steel & Supply Co. U. S. Steel Supply Div.

SEATTLE, WASHINGTON Eagle Metals Co. Earle M. Jorgensen Co. U. S. Steel Supply Div.

SHREVEPORT, LOUISIANA Standard Brass & Mfg. Co.

SOMERVILLE, MASS. **Zurbach Aluminum Company**

SOUTHINGTON, CONN. **Zurbach Aluminum Company**

SPOKANE, WASHINGTON Eagle Metals Co.

ST. LOUIS, MISSOURI Chase Brass & Copper Co. Hubbell Metals Inc. U. S. Steel Supply Div.

ST. PAUL, MINNESOTA U. S. Steel Supply Div.

TAMPA, FLORIDA Fullerton Metals Co. of Tampa

TULSA, OKLAHOMA Earle M. Jorgensen Co.

WATERBURY, CONNECTICUT Chase Brass & Copper Co. Hawkridge Brothers Co.

WICHITA, KANSAS General Metals, Inc.

NASHVILLE, TENNESSEE Whittemore Products Co. of Tennessee

PATERSON, NEW JERSEY Paterson Roofing and Metal Supply Co.

NEW ARCHITECT'S INFORMATION SERIES

Kaiser Aluminum & Chemical Sales, Inc. Architect's Service, Dept. D-69-A 1924 Broadway, Oakland 12, California

GENTLEMEN: Please send me technical brochures for the Kaiser Aluminum Standard Architectural Extrusions checked below:

- ☐ COPINGS AND GRAVEL STOPS (Including fascia expanders)☐ WINDOW SILLS
- THRESHOLDS
- T FACING SYSTEM
- ARCHITECTURAL AND STRUCTURAL SHAPES
- ROD, BAR, FIFE AND TUBE

NAME

ADDRESS

Complete Technical Literature on Kaiser Aluminum Architectural

Seven new brochures are now ready with detailed information on the full line of standard architectural shapes! These brochures are designed and organized to give you quick access to such information as:

SECTION DRAWINGS and typical detail drawings with selection tables for each shape, brief descriptions, drawings of accessories.

INSTALLATION PROCEDURES—describe, step by step, the complete sequence of assembly and installation.

SUGGESTED ARCHITECT SPECIFICATIONS—both long and short form. Send in this coupon now for your set—free!

Climate by Chrysler



Livestock Exchange Building, Omaha, Neb., was built in 1926. Air conditioning system, using Chrysler 15-ton packaged units, was designed and installed by the Sidles Company, Omaha.

Chrysler Packaged Air Conditioners cool 34-year-old office building for 63¢ per sq. ft.

One of the largest buildings ever completely cooled by packaged air conditioners is Omaha's 34-year-old Livestock Exchange Building. But what really makes this installation unusual is that not one foot of the 254,000 sq. ft. of rental space is taken by the air conditioners.

Chrysler Packaged Air Conditioners—two for each of nine floors—are located in a vacant elevator shaft. These compact units provide flexible two-zone control at an amazingly low installed cost of 63¢ per sq. ft. In total cost, this is \$39,000 less than a four-zone chilled water system and \$65,000 less than a chilled water room unit system.

The building was air conditioned in three stages, so that after the first third of the Chrysler packaged units were in, the engineers could test the system for operating efficiency and economy. Floor-by-floor installation also means less inconvenience to tenants while work is going on.

To give your clients the most dependable, low-cost air conditioning for any building, new or old, check into the many exclusive advantages of Climate by Chrysler—from the company that pioneered packaged air conditioning. For facts and figures on Chrysler Packaged Air Conditioning, or engineering cooperation, write today.



Airtemp Division, Chrysler Corporation, Dept. M-20, Dayton 1, Ohio; Canadian Distributor: Therm-O-Rite Products, Ltd., Toronto, Ontario



No wonder I get ulcers.



18 experts on the school board.



And they all want something different.



Take the floors.



Something resilient . . .



easy to maintain . .



long lasting . . .



colorful . . .



quiet . . .



and on that budget.



What they need . . .



THAT'S IT!

WRIGHT RUBBER TILE

Wright Rubber Tile has been helping architects solve knotty problems for more than thirty years. And today Wright quality is at its finest. If you haven't seen samples of Wright's new Contemporary Colors, drop us a note on your letterhead today. They're the freshest, colors you've seen in years.

WRIGHT a product of MASTIC TILE DIVISION The RUBEROID Co.
Houston, Tex. - Joliet, III. - Long Beach, Calif. - Newburgh, N. Y.
Rubber and Vinyl Tile

SINKO

designed by SINKO
engineered by SINKO
molded by SINKO
sold by SINKO

ASSURES YOU OF THE FINE LOUVERED LIGHT DIFFUSERS
BECAUSE OF ... QUALITY CONTROL COLOR STABILITY
FLEXIBLE JOB APPLICATION PRODUCT AVAILABILITY

These facts are the reasons why Sinko THIN-CELL Louvers are being specified by leading architects, lighting manufacturers, interior decorators and builders for all types of lighting installations where a practical and artistic approach to their lighting problem is required.

Since all phases of louver production, from start to finish, are handled within the Sinko plant, you are assured of the finest plastic louvers through Sinko continuous supervision.

For complete job satisfaction specify Sinko's THIN-CELL Louvers in white or pastel colors on your next project.

We invite you to write for Bulletin 32A which gives you pertinent facts on Sinko THIN-CELL Louvers.




produced and sold by

SINKO MANUFACTURING AND TOOL CO., 7310 W. WILSON AVE., CHICAGO 31, ILLINOIS



Since HOPE'S 1818

STEEL WINDOWS HAVE THE STRENGTH AND RIGIDITY THAT NO OTHER WINDOW CAN MATCH



CHAUTAUQUA NATIONAL BANK & TRUST CO., Branch Bank Building, Jamestown, N. Y.

Architects, Beck & Tinkham

General Contractors, Warren Construction Co., Inc.

HOPE'S STEEL WINDOWS AND CUSTOM-BUILT SUBFRAMES

In this branch bank the architects were successful in creating a building of distinction while coping with many complications demanded by the automotive age: outdoors, a teller's wicket accessible from the driver's seat of a customer's car yet protected from the weather, adjacent parking space for other customers; indoors, light and ventilation, quiet atmosphere and pleasant surroundings on a busy commercial site.

For this building Hope's Pressed Steel Subframes


were fabricated to the architects' designs. The windows installed in them were Hope's Heavy Intermediate Casements. Their flexibility and the freedom given by them in layout is of great help in the building's success. The owner's satisfaction with its charm and convenience is enhanced by the assurance that Hope's Window operation is dependable for the life of the building.

Hope's engineering and planning assistance is always available to you without obligation.

Write for Catalog No. 161

HOPE'S WINDOWS, INC., Jamestown, N.Y.

THE FINEST BUILDINGS THROUGHOUT THE WORLD ARE FITTED WITH HOPE'S WINDOWS



This heavy-duty cylindrical lock line has earned a schoolwide reputation for being rough-resistant...a point to consider when specifying doorware for any type of institutional or commercial building.

A close check of Stilemaker construction will reveal the advantages of such features as...a full %" throw permanently lubricated latch bolt; concealed knob retainers; long knob shank bearing for knob rigidity and many others. All the facts are available in concise form. Consult your Russwin Specialist or write Russell & Erwin Division, The American Hardware Corporation, New Britain, Conn.



as well as attractively-Styled

in cast brass,

proposed in the contractive of the contra







FLARE DESIGN
in cast brass,
bronze or aluminum
COSMIC* DESIGN
in wrought brass,
bronze or aluminum



BRISTOL DESIGN
in cast brass,
bronze or aluminum
HADDAM * DESIGN
in wrought brass,
bronze or aluminum

MONO DESIGN in cast brass, bronze or aluminum


Can be furnished in stainless steel



NOW you can design an air-conditioned building for much less money with



Q-AIR FLOOR INSTALLATIONS INCLUDE: 1. Tennesses Eastman Company Industrial Relations Building, Kingsport, Tennesses. Owner-designed and built. 2. Police Headquarters Bidg., Freeno, California. Walter Wagner & Partners, Architects and Engineers; Lewis C. Nelson, Contractor. 3. MD Corporation, Pittsburgh, Pa. Gerard & McDonald, Architects and Engineers; Ragnar Benson, Contractor. 4. First National Bank Building, Fort Worth, Texas. Skidmors, Owings and Merrill and Preston M. Geren, Architects; Childs Construction Co.—W. S. Bellows Construction Cerp., Contractors. & Morristown Headquarters Bidg., Jersey Central Power and Light Co. and New Jersey Power and Light Co., Morristown, N. J. Bernard Kellenyl, Architects; Blanchard Const. Co., Contr. 6. Tarrant County Savings & Loan Asan., Fort Worth, Tex. Hedrick & Stanley, Architects and Engineers; Thorsas S. Byrne, Inc., Contr.



Robertson Q AIR FLOOR

the three-way construction system that cuts costs three ways It is now more than a quarter of a century since H. H. Robertson Company developed and introduced Q-Floor, the strong, weight-saving cellular steel subflooring system that provides quick, efficient construction and continuous raceways for all types of wiring. This type of floor system has become the standard for commercial buildings. Now, something completely new and revolutionary has been added. Q-AIR FLOOR not only carries telephone and power lines, but provides hot and cold air for air conditioning as well. Occasional pairs of extra-wide structural cells fit in with the normal Q-Floor system (with no change in the two-foot module) and carry the air to mixing units for discharge into the room. This new system saves your client capital and operating dollars in three distinct ways:

Initial capital investment cut 5%


Since Q-Air Floor permits an average saving of a foot of space between each suspended ceiling and the floor surface above, a twenty-story building can be built at the same height as a nineteen-story structure built by older methods. This results in a substantial saving in structural steel, walls, piping . . . in fact every building material that is installed from floor to floor.

Reduced building height cuts BTU requirements 4% to 11%

In normal high-rise buildings, the BTU requirements for heating and cooling are based primarily on exterior wall exposure. Therefore, a saving of 6'' to 16'' per floor can easily reduce BTU needs by 4% to 11%. This reduction permits the use of lower capacity, lower cost equipment, effecting a saving on capital investment as well as in yearly operating cost.


3 Yearly power costs cut 30%

The Q-Air Floor system includes the Robertson Aerator, a mixing device with an exclusive seasonal changeover feature. Full blower power is used only for peak summer cooling. The rest of the year the system operates at about 65% of capacity. Older methods require a constant 100% volume of air all year. With Q-Air Floor yearly power cost can be reduced as much as 30%.





Simplified cross sections of ceiling-to-floor-above areas show old way left and Q-Air Floor right. Average compaction is one foot.



During the winter, Robertson Aerators satisfy heating requirements at 65% of peak For peak summer cooling, aerators deliver 100% volume and system runs at full

STATE

As cold weather approaches, changeoverdevice adjusts system back to 65% of peak



Use coupon to send for complete details on Q-Air Floor construction.


H. H. Robertson Company

2404 Farmers Bank Building, Pittsburgh 22, Pa.
In England—Robertson Thain Ltd., Ellesmere Port, Cheshire
In Canada—Robertson-Irwin Ltd., Hamilton, Ontario • Edmonton, Alberta

NAME TITLE

COMPANY

ADDRESS



a complete line of eating, seating, staging facilities

EQUIPMENT THAT DOES WHAT IT'S SUPPOSED TO DO

A room's equipment determines how well the room serves its prescribed functions. And, of course, the criteria for selecting such equipment must be the functions that will take place in the room. How is the room to be used? Will it serve as a multi-purpose room . . . some combination of lunchroom-auditorium-gymnasium? Will it be used as a lunchroom only? How much weight should be assigned to factors such as ratio of seating capacity to space? . . . conversion time? . . . ease and safety of handling? . . . construction limitations imposed by the equipment? . . . maintenance-custodial time and costs?

In answer to just such questions, SICO engineers

have devised a formal system for analyzing a room's equipment requirements. And they have designed equipment to fit those needs exactly. These people are at your disposal. They will be happy to make a free engineering analysis for you—help you plan the layout of a specific area—help you decide which equipment is right according to your needs. If such an analysis can benefit you, feel free to write or call

0000

MANUFACTURING COMPANY, INC.

5215 Eden Avenue South, Minneapolis 24, Minnesota, Dept. 903



PLEXIGLAS dome skylights at East Grand Rapids Jr. High School, Michigan. Architects: Perkins and Will and J. & G. Daverman Co.

PLEXIGLAS

One name stands out when you consider dome skylights for buildings of every type. PLEXIGLAS* acrylic plastic is the original... and still the best... material for domes. This superiority has been demonstrated conclusively in the Rohm & Haas Daylighting Laboratory, using standard IES tests and special procedures developed with the American Society of Heating and Air Conditioning Engineers.



Only Plexiglas gives you completely successful performance on each of these counts:

- · LIGHT TRANSMITTANCE
 - · DAYLIGHT CONTROL
 - . HEAT-LIGHT RATIO
- . SURFACE BRIGHTNESS
- · OUTDOOR STABILITY

Don't take chances with other materials. Insist on PLEXIGLAS...the time-proved plastic for domes ...made only by Rohm & Haas.



Chemicals for Industry

ROHM & HAAS COMPANY

WASHINGTON SQUARE, PHILADELPHIA 5, PA.

In Canada: Rohm & Haas Company of Canada, Ltd., West Hill, Ontaria

PLEXIGLAS DOME SKYLIGHT MANUFACTURERS • BOSTON, Mass., E. Van Noorden Co., 100 Magazine St. • COLUMBIA, S. C., Mid-South Industries, Inc., 6000 Main St. • DALLAS, Texas, Plastics Products of Texas, 5115 E. Grand Ave. • DENVER, Colo., Plasticrafts, Inc., 2800 No. Speer Bivd. • HOUSTON, Texas, Plasteco, Inc., 2102 69th St. • Southwestern Plastics Co., Live Oak and Jefferson Sts. • PHILADELPHIA, Pa., Bohem Mfg. Co., Inc., 12 Water Street, Bryn Mawr, Pa. • PORTLAND, Oregon, The Pam Co., 1951 N.W. Wilson St. • TULSA, Oklahoma, Plastic Engineering Co. of Tules, 3128 E. Admiral Pl.

Made for Each Ther

Photo courtesy of Frost Bros., San Antonio

FRAT . FIRST IN QUALITY SINCE 1922 . . . FACKACED SHOWERS . FLOORS . DOORS TOILET ROOM ENCLOSURES

Monterey

FIAT

shower enclosure


and floor

Now you can custom-build a luxury shower at a cost you never dreamed possible.

The Fiat Monterey Shower Enclosure and floor were designed to help you do just that.

Made for each other. And like the ideal couple who live happily ever after, these perfect companions insure a permanently trouble-free installation.

Construction time is cut to a fraction. The pre-packed, pre-hung, pre-assembled Monterey enclosure saves hours of costly cut-and-try. 32" and 36" models each allow a full 1½" adjustment—34" on each side of the frame—to compensate for out of plumb openings. Adjustment is instant—and accurate! The one-piece PreCast Terrazzo Floor does away with old-fashioned sub-pan, mortar, and tiling construction—slides into place in one simple operation.





strategically located plants for fast delivery at lower cost! Plainview, Long Island, New York; Franklin Park, Illinois; Los Angeles, Calif. Albany, Georgia; Get the facts about these new time and cost cutting products —send today for



FIAT

FIAT METAL MANUFACTURING CO. 9301 Belmont Avenue, Franklin Park, Illinois

Please send me data about the Monterey Shower Enclosure and PreCast Terrazzo Floor.

Name_____Title____

Address_____

City______State_____



Better handling quality is one reason Perma-Bak cuts costs. Sheets go into place quickly, easily.



With Perma-Bak, the tile setter can see what he is doing. Chance of error is greatly reduced.

NEW **PERMA-BAK***

MESH-MOUNTED TILE

for Ceramic Mosaics

Reduces Installation Costs

American Olean Perma-Bak tile is a development of special interest to architects—offering as it does substantial savings on unglazed tile installations, especially on long corridors and in large areas. In some instances, tile contractors have reported labor savings of more than 50% on such jobs. Perma-Bak can be used to advantage with any accepted setting method—conventional mortar, mastic or the new thin-set mortars. It is available in full-size sheets in both the 1%6"-34" and the 236"-11/6" series. Plan to use it on your next job.


- 1. It goes up fast! Tile contractors report very substantial labor savings in large areas.
- 2. It goes up clean! No paper or paste to remove. Adhesive doesn't bleed through joints. Grouting is easier.
- 3. It goes up right! Pattern is visible all the time—reduces chances of error on the job.
- 4. It goes up smoother! When set with adhesives, Perma-Bak cushions underbed irregularities—results in smoother surfaces.



*Trademark Licensed under U.S. Pat. No. 2,887,867

AMERICAN OLEAN TILE COMPANY . UNGLAZED TILE FACTORY AT OLEAN, N.Y. . EXECUTIVE OFFICES AT LANSDALE, PENNA. . A SUBSIDIARY OF NATIONAL GYPSUM COMPANY

WEATHER-RESISTANT BUTYRATE LACQUERS PRESERVE THE NATURAL BEAUTY OF ALUMINUM



The finest lacquers for aluminum are made with

Eastman BUTYRATE

SALES OFFICES: Eastman Chemical Products, Inc., Kingsport, Tenn.; Atlanta; Chicago; Cincinnati; Cleveland; Detroit; Framingham, Mass.; Greensboro, N. C.; Houston; New York City; Philadelphia; St. Louis. West Coast: Wilson Meyer Co., San Francisco; Los Angeles; Portland; Salt Lake City; Seattle.

Here's welcome news for architects and engineers.

Clear, colorless Butyrate lacquer—a new type of coating—provides lasting weather protection for aluminum.

Butyrate lacquers form tough, tenacious coatings that won't turn yellow, even under prolonged exposure to sunlight. They withstand oxidation and discoloring...have excellent flexibility and strength...and are little affected by salt spray, water immersion or temperature change.

Cleaning and maintenance costs are reduced to a minimum, too, when outdoor aluminum products are coated with Butyrate lacquers. Apart from an occasional hosing in areas of extreme contamination, rain alone will keep the aluminum surface gleaming.

This combination of features makes Butyrate lacquers particularly advantageous for use on aluminum curtain walls, siding, spandrels, louvers, solar canopies and architectural trim and hardware.

Butyrate lacquers are easy and economical to use...afford excellent protection with a single coat. They are available from lacquer manufacturers in all parts of the country.

An informative 15-minute, 16mm. sound color film has been produced especially for viewing by those who design in or specify aluminum in an outdoor application.

North Central High School, Indianapolis, controls sunlight and reduces summertime heat transmission with aluminum sun cornices made by O. O. McKinley Co., Inc., of Indianapolis, Indiana. The satin finish of the aluminum surface is protected from weathering by a clear, colorless Butyrate lacquer.

ARCHITECTS! ENGINEERS!

Take these 4 steps to get the complete story on this new method of preserving exterior aluminum.

(1) Send for Eastman's catalog on Butyrate lacquer. It tells you where this new protective coating has proved particularly successful and why these lacquers are so effective in preserving aluminum surfaces.


(2) Check Sweet's Industrial Construction File, Sweet's Architectural File, and 15-M of the A.I.A. Alphabetical Filing System for specification details.

(3) Send for sound color film. Please indicate the date you plan to show the film and an alternate date.

(4) Write for names of manufacturers of Butyrate lacquer.



Builder: Sugar Brothers . Designer: Matthew J. Rosenstock and Associates . Consulting Architect: Eugene F. Peddle, A. I. A.



Akron's 7-story Carlton House to be cooled with individual Arkla-Servel units



Harry Sugar (left), one of the builders, and designer Matthew J. Rosenstock

Individual GAS units to cool and heat new \$2 million apartment house

Akron's luxurious Carlton House will mark the largest use of individual gas air conditioning units in a single apartment

Summer cooling and winter heating will be provided for the suites by 58 three-and-a-half and five ton Arkla-Servel Sun Valley gas air conditioners.

The Arkla-Servel gas air conditioning units were chosen after serious consideration of all types available. The designer insisted that each apartment have individual thermostat control as well as individual installations to eliminate the need for large compressors and any possible vibration. Because gas is also used for cooking as well as heating and cooling, there was no need for installing heavy cable, either.

The Arkla units will be installed in the utility rooms of each suite. Four small water towers, located on the roof, will provide condensing water for the system. The water will be constantly recirculated, thus keeping its cost at a minimum.

Check the facts and you too will see that modern Gas air conditioning out-performs all others. For specific details call your local Gas Company's air conditioning specialist, or write to the Arkla Air Conditioning Corporation, General Sales Office, 812 Main Street, Little Rock, Ark. American Gas Association

for Cooling, GAS is Good Business



concealed floor type door closers

4 basic styles in a variety of sizes and types to meet every installation requirement

nos. 18·20·25 offset hung single acting

Allow full unobstructed door opening space and wide door swing to 180°. Has arm locking device for vertical adjustment of door. nos. 18½·21·26 center hung single acting

Hanging hardware completely concealed. Ideal for batteries of doors. Require no mullions allowing greatest open entrance area. nos. 318½·321·326 butt hung single acting

For installations where it is desirable to have door hung independently from closer. RIXSON ball hinges with vertical adjustment recommended.

nos. 30·40 center hung double acting

For doors that swing both in and out. Each swing separately adjustable to local wind and draft conditions. Completely concealed.

write for complete information and templates

9100 w. belmont ave. · franklin park, ill.

originators of the checking floor hinge

CANADIAN PLANT: 43 racine road • rexdale, enterio



WHERE THERE'S BUSINESS ACTION THERE'S A BUSINESSPAPER

In any kind of racing—man, beast, or automotive—the "inside track" is the favored position.

Same holds true in the business race. But here the "inside track" means having more information—sounder information, more complete information, more timely information. The astute businessman—the man on top and the man on the way up—gets that information from the businesspaper he subscribes to in his particular field. He reads for profit, not for pleasure. He searches for facts he needs to make decisions. For fresh ideas. For new methods. For new products he can put to work. He reads, in short, to

get the "inside track" against competition.

And he finds much of what he wants and needs in the advertisements in his businesspaper. So, logically, he reads the advertising with the same scrutinizing care he devotes to the editorial pages.

Take a tip from the man on the move who wants to keep his job and his business moving—on the "inside track." Subscribe to your businesspaper. Read every issue. Carefully. Thoroughly. Searchingly.

One of a series of advertisements prepared by THE ASSOCIATED BUSINESS PUBLICATIONS



STEELDEK



Penmetal STEELDEK is supplied in standard sheet sizes, each $24\,V_2^{\prime\prime}$ wide and in lengths of 8'2'', 10'2'' and 12'2''. Sheets are available in three different gages—22, 24 and 26.

both handsome and practical for side walls and roof decking

Because of its adaptability...and its many unique properties... Penmetal STEELDEK has proved itself an outstanding material for roofs and side walls of industrial and commercial buildings. Strong, yet light in weight, STEELDEK is easy to apply and economical to maintain. It can be insulated to exact requirements—holds dead loads to a minimum and permits economy in the design of supporting structures.

STEELDEK was developed for nailing to Penmetal Structural Framing, and is designed to accommodate the usual stud spacing employed in this system. It can, however, be easily attached to purlins and girts in other types of construction.

Write for catalog which gives physical and structural properties, safe uniform loads, dimensional and erection details.

PENN METAL COMPANY, INC.

Structural Framing Sales Office: P.O. Box 1460, Parkersburg, W. Va., AXminster 5-4521

Executive Offices: 40 Central Street, Boston 9, Mass.

Plant: Parkersburg, W. Va.

District Sales Offices: Boston, New York, Philadelphia, Pittsburgh, Chicago, Detroit, Dallas, Little Rock, Seattle, San Francisco, Los Angeles, Parkersburg

PM-233



ARCHITECTURAL RECORD FEBRUARY 1960

A Church and a School by Yamasaki


Art School, Society of Arts & Crafts, Detroit The Warren Methodist Church, Warren, Mich. Minoru Yamasaki and Associates, Architects

At first glance, these two by Yamasaki may not appear as exuberant as several others of his recent buildings; but they are in every respect as creatively conceived and as convincing in execution. There is a quiet air of competence about this school and church that speaks eloquently of a growing architectural maturity.

Although these are two different kinds of buildings designed for different purposes and located in diverse situations, they possess one important quality in common; a controlled outlook. Both buildings seek to avoid the distractions and unattractiveness of their surroundings, and to create their own environment. As we shall see, this common aim has been achieved in two different ways.

We were interested in the comment of a layman who visited these two buildings with us when he said, "I might find it difficult to explain why—although I think I could—but it is obvious that these buildings are superior architecture." We agreed.





Glass School In A Walled Garden

Art School of The Society of Arts & Crafts
Detroit, Michigan

Minoru Yamasaki & Associates, Architects Ammann & Whitney, Structural Engineers Eichstedt-Johnson Associates, Landscape Architects The heart of the tradition of the school of the Detroit Society of Arts and Crafts—which dates from 1906—consisted of a series of studios grouped about a central landscaped garden, which served as a place for gossip, exchange of ideas, and exhibits. The new school carries on that tradition, but in reverse. The site lies on the edge of a blighted heavily trafficked area, so to screen out the confusion and unattractiveness of the surroundings, the property was shielded by a two-story-high, perforated brick wall, broken only for one entrance gate. The school, set in this compound, looks outward to a controlled garden which becames an oasis in a slum. The school's tradition remains intact.

The skin of the two-story, concrete-framed building is an aluminum and glass curtain wall with spandrel panels of gray porcelain enamel. Gray tinted glass and aluminum solar-screening control sunlight and sky-glare for the studios, workshops, and offices.




ARCHITECTURAL RECORD February 1960




Arts & Crafts Society School

Working closely with the staff—all professional artists—the architect devised a compact, economical plan consisting of studio and workshops symmetrically flanking a central, two-story exhibition gallery which features an open stair, and is topped by a 26-ft-high skylight of aluminum tubing and heat-absorbing glass. Additional exhibit area, auditorium, and library are located in the basement. The flanking groups of studios are each clustered about a mechanical core, allowing the central area to become free space







Protected Sanctuary


The Warren Methodist Church Warren, Michigan

Yamasaki, Leinweber & Associates, Architects R. H. McClurg Associates, Structural Engineers Trowell Construction Co., General Contractors Bolt, Beranek & Newman, Acoustical Consultants Three principal means were used to carry out the architect's idea that this should be a place of serenity, dedicated to worship and meditation; protected from the everyday distractions on all sides. The white plaster nave was made lofty and simple in form; windows were set low (4-ft-6-in. heads) to eliminate disquieting light; and a pierced, decorative brick wall was placed to limit the view from the entire nave and to surround a quietly landscaped area outside the glass. The theory works well in execution, and this space has truly become a peaceful sanctuary removed from the bustling suburb.

The small budget exerted great weight in design and execution. The congregation built choir platform, altar, and podium; gutters were omitted; the roof was temporarily covered by white asphalt shingles but designed for standing-seam copper and finials; trusses were redesigned for wood instead of steel. Rapid congregation growth makes it likely that these economies will soon be corrected in accordance with the original design.










Warren Methodist Church

On the theory that a fine place of worship would generate maximum interest and cause the congregation to grow most rapidly, it was decided to build the sanctuary and a minimum of related spaces first. The wisdom of this decision has been proven by the rapid increase in membership, with the result that educational and other facilities will be added soon.

The suspended lighting for the nave, designed by the architect, consists of stainless steel cables and conduits with marine hardware fittings, arranged to support the glass globes, which were imported from Venice. A similar suspension system is used to support the chrome-plated cross that hangs over the altar. Recessed speakers for the organ are located behind the choir (see plan) and covered by a white plastic grillecloth, flush with the plaster











Arts & Crafts Society School Warren Methodist Church

These photographs illustrate the controlled outlook characteristic of both the art school and the church, and show both the exterior and interior aspects of that control. Each of the studios and workshops in the art school looks out upon a garden, which varies in depth as one moves about the building. For the church, the sanctuary seating is visually separated from the surrounding environment by the decorative brick wall that encompasses the garden just outside the glass. The latter scheme provides the desired degree of privacy for those within the church, and at the same time eliminates any possibility of a "hemmed-in" feeling





ARCHITECTURAL RECORD February 1960



"POLYGONAL" ARCHITECTURE

A Many-angled, Several-faceted

Expression in Stonework for the

Samuel F. B. Morse and Ezra Stiles Colleges

Yale University, New Haven, Connecticut

Eero Saarinen & Associates, Architects



Two New Colleges at Yale


The design of these residential colleges posed unusual problems due to the shape and nature of the site, the style and scale of neighboring buildings, and the special qualities of diversity and individuality the architect wanted to achieve in the new group. Saarinen's answer is an architecture of faceted, many-angled planes of rough stone, described by the architect as "polygonal." It will be built of a material most easily described as monolithic concrete with exposed, large-scale aggregate.

Plans have been approved, and university officials have announced an early beginning of construction. Each of the two colleges will accommodate 250 undergraduates, provide offices and quarters for master and fellows, will include a library, dining room, lounge and snack bar, plus facilities for activities, games, and informal music.

The architect's emphasis on individuality and diversity—the effort to give rooms a random quality as in an old inn, of varying sizes, shapes, and arrangements—has resulted in an architectural idiom both novel and traditional; modern architecture with a medieval twist. Architect Eero Saarinen explains it thus:

As we studied the dual challenges of site and meaning, we realized that these special problems could not be solved within the current vocabulary of modern architecture. The systems, the elements, the materials usually associated with modern architecture-regularity, uniformity, standardizationwere at odds with the diversity and individuality we wanted. Flatness, lightness, glistening metal and glasssmoothness instead of rough texture and chiaroscuro-all these likewise failed to express the spirit we were seeking. Rectangles and cubes seemed ill-suited to the irregular site, bounded by buildings placed at a variety of angles.

Thus, we made the buildings polygonal; their shapes calculated to provide




The sketch above (by Eero Saarinen) depicts the Morse College tower as seen from the library. Since the existing colleges at Yale each have a belfry or tower as visual landmark in the silhouette of the university, each of the new colleges will likewise have towers as parts of the composition.

The picture below shows the stone texture achieved by the unusual process described in the text, and is a photograph of a sample panel that was erected for study and approval



ARCHITECTURAL RECORD February 1960



The irregular site lies between the pseudo-Gothic Graduate School, of ordinary scale, and the pseudo-Gothic Whitney Gymnasium, large and formidable in scale. The architect's solution forms a great creecent-shaped plaza across the street from and facing the gymnasium, and divides the two colleges by means of a narrow walkway—reminiscent of an Italian hilltown street—which changes level up and down as it nears the gymnasium, and offers an interesting series of large and small spaces as it unfolds. The common kitchen for both of the two new colleges lies beneath this pedestrian way.

colleges lies beneath this pedestrian way.

The program required commercial buildings, in the form of shops, against Broadway (to the left) and this block is designed so it roughly defines one edge of the Stiles College court

Two New Colleges at Yale

Saarinen:

diverse student rooms, to answer the needs of the site, and to give a variety of spatial experiences in the courts. A large-scale bending of walls back and forth will give these buildings a scale appropriate to surrounding buildings. Most significantly, we conceived these colleges as citadels of earthy, monolithic masonry—buildings in which masonry would be dominant, and whose interiors of stone, oak and plaster would further the spirit of strength and simplicity.

Conventional masonry walls require anachronistic handicraft methods, so we devised an entirely new technology for the stonework. Forms will be built as for concrete; then crushed stone ranging from 3 to 8 in. will be dumped into the mold; then high-strength grout cement mortar will be pumped through hoses inserted in the form wall. After the wall has set and the outer form is removed, the wall will be washed with water under 100 lb of air pressure to remove some of the surface mortar and expose the stone. In character and texture, these walls will resemble the walls of old Pennsylvania houses, where worn plaster reveals the face of the stonework.


In evolving a new architectural vocabulary, idea, site, plan, and structural system have to be pulled together into one expression. Many months of trial and error were involved. Each decision altered every aspect. For instance, there were dozens of studies of windows —their placement, proportion, framing, the way they looked in plan, their appearance in elevation—because placing windows in this kind of monolithic masonry architecture, polygonal in plan, was in every way a completely new problem.

I look upon this architecture as one which answers certain needs of our era that are more widespread than this one-time use would indicate. I believe there are potentials for development in this polygonal masonry architecture.




The model photograph above shows the walkway that separates the two colleges and leads to the gymnasium. Its variety of widths, levels, and changing directions should offer a series of interesting spatial experiences to passersby.

The stone walls will be carried through into the dining halls, below, and used with dark wood. The wood floor can upon occasion be used for dancing, and a raised platform for dramatic performances.







Two New Colleges at Yale

The libraries, top sketch, are given favored positions on the courts, and will feature small alcoves for private study. Next above, the butteries will be rathskeller-type rooms with stone floors and round oak tables, serving snacks and soft drinks during off-hours. The block of shops facing Broadway is shown below. Its rear façade defines the Stiles court






Image of the Architect IN PRACTICE

The earnest little man with the beret and the brush is really a pretty facetious "image of the architect." Now that he has been taking his measurements in these pages for nearly a year, it seems time to move on to more serious consideration of the architect and his functions. If, as F. W. Dodge economists promise, we shall "build a second U.S.A." in the next 40 years, architects will be faced with fabulous assignments. Volume of work will be extremely heavy, and probably quite varied, with architects and engineers called on to meet the fast-changing needs of technological advance. Surely while we are building a physical plant as large as that we already have, we shall expect to find it vastly different. We don't need science fiction to tell us that architects will be designing things not yet invented.

The architects' share in the total design function in all of this, we have kept pointing out, will be whatever they make it, depending on the "image" the architect has of himself—and, of course, the image other people have of him and his services.

Time now to stop questioning the image and move into the reporting stage of our program. On the positive side it is clear that many architectural firms have established aggregations of talent equal to a wide variety of design services, and to real leadership in any of the design complications involved. Far from scorning the clients' interest in the workaday functioning of buildings, or their preoccupation with costs, the architects have shouldered all of the responsibilities of the design task. They have added personnel as required—specialists, technicians, engineers, consultants. And they have undertaken research projects in building types and techniques to keep the basic fund of knowledge adequate to the assignments.

So we start in this issue a new series of reports on what individual firms have done, while Harold Burson rounds out the questioning of the image of the architect with his sharp observations on public relations of architects.

The reports that follow are the first resulting from the RECORD's study of activities of architect firms. With these we inaugurate what amounts to a new RECORD series on the *practice* of architecture.

The Architect and Public Relations

by Harold Burson

President, Burson-Marsteller Associates, Inc., Public Relations Consultants

Rather often in the past decade, architects across the land have debated the image of the architect as it applies to the faceless mass of society referred to as "the public." There has been a plea for a public relations program and there has been not only a desire, but an expectation, that these magic words, "public relations program," could transform the architect, not quite overnight but certainly in a year or two at the most, from the unknown to the known, from the misunderstood to the understood, from the man on the outside of certain categories of design activity to the man on the inside. In effect, many architects have felt that their calling could lend itself (with ease) to an image-building program, and all the project needed was the skill of an artful public relations practitioner to get the story across to the public.

In a sense, this kind of attitude has a strong parallel in architecture itself. The basic thinking is no different from that of the Main Street department store owner who knows his store must present a modern décor; his own answer to the problem is to erect a windowless store front of a not-too-expensive panel material and, ergo, he has a modern new store. The architect is not convinced this is the proper solution, but more important from the merchant's standpoint: his customers are not convinced either, and they do their shopping elsewhere.

And so it is with public relations. The problem is too broad to be solved with the curtain-wall type of approach of a few articles in mass circulation magazines, a novel or movie where the architect portrayed is neither the "heavy" nor the dreamer, and (happy day!) credit lines appear under all renderings published in the nation's newspapers. Not that these techniques don't have a place in a public relations program; they do, but they are the superficial manifestations that are seen by all but

may have little permanent value in terms of building a positive image.


In any discussion of the public relations of a profession or a company or an individual, it must be recognized that each and everyone of them has a public "image" at any given moment. The image can be good or bad, positive or negative, or any shading in between. There can even be a good as well as a bad image that's being projected simultaneously to the same person—a double exposure, so to speak. And the image can even be *no image*.

Again, this is not unlike architecture itself. Every structure on the face of the earth does in fact incorporate architecture. It may be good architecture or bad architecture or indifferent architecture. No matter whether or not an architect participated in its design, the structure itself embodies and reflects an architectural expression.

So it is that architecture and the architect do have a public image in today's society. The fact that it is far different from the architect's own image of his profession is immaterial. So is the fact that the image held by the public might be without foundation. The problem is no less.

But twenty years of working with various parties to the design-construction function—including architects, engineers, builders and materials and construction equipment manufacturers—give me the impression that the public image of the architect is no more diffuse than the sum total of all the images of their calling that might be expounded by architects themselves. The lack of image clarity in the public mind is essentially a reflection of a lack of clarity of what the image should be among architects themselves. This is a public relations problem—but it is a problem that will not be solved by more or better press releases.

It would be imprudent on my part to try to paint



"The public generally knows there is such a profession as architecture . . ."

Illustrations by Alan Dunn

in detail the public image of the architect even on the basis of impressions over an extended period. As all know, techniques do exist whereby a picture based on more scientific sampling and evaluation can be obtained. But I do believe I can say-without too much contradiction from architects themselves -that, by and large, the public fails, or at best, finds it difficult, to identify the architect or architecture in terms of the individual's own needs or interests. The public generally knows there is such a profession as architecture and that its practitioners call themselves architects; but they are unable, in the main, to associate the architect or architecture with their own day-to-day living. To most, it seems to me, he is as remote as the anthropologist or the archaeologist, although perhaps more numerous.

This is a rather paradoxical situation in a nation where close to 60 per cent of all families own their homes—each of them an expression architectural, good, bad or indifferent. It is paradoxical indeed that a nation of homeowners—the home being the greatest investment most families make in their lifetimes—cannot associate the architect in terms of his own interests and requirements.

Even though the situation is paradoxical, it is not without explanation. In simple words, most people buying a home in the United States never encounter an architect. They may be dimly aware of the participation of an architect in the building process, but they are apt to regard the few lines he draws on a few sheets of paper as pretty much of a routine function as compared to the really substantial work performed by others. He can see the stonework, the roof, the electrical outlets and the plumbing—he knows the roof is good if it doesn't leak or that the plumbing job is satisfactory if there is abundant hot water. He is, unfortunately, unable to visualize that those lines on a few sheets of paper could have

made living more enjoyable with less effort if some lines had gone in other directions.

It is difficult to trace the specific cause and effect sequence that has made the architectural function so little appreciated in the average American household—the household of the man who agreed to pay \$16,999 for his home, and there are literally millions of them. But I believe it is important to have some understanding of some of the transitions in architectural practice in order to appreciate the public relations problems of the profession. Merely opining that the architect has lost the low-cost residential market to the speculative builder is an over-simplification. The real need is for the architect to examine what has happened in some areas in the past and decide his future on that basis and while deciding, lay the foundation for the image he will project in the future to the public.

On the other hand, many architects would argue by asking if it's really necessary for him to project an image that reaches the \$16,999 homeowner—or, more bluntly, who cares what this segment of the public thinks? But these same architects are not at all happy that a startling percentage of the potential commissions from \$16,999 houses multiplied by a factor reaching almost a million units a year are passing by them and their professional architectural colleagues.

The reasons the low-cost residential business bypasses the architect in today's economy may offer a clue to some of the factors that underlie the development of an image—whether it be for the corporation, a profession or an individual. In the simplest words, it is that the image depends more on what one does than on what one thinks or believes should be done.

The architect is not associated in the public mind with the low-cost house because, rightly or wrong-



"Their first hospital led to a second hospital and to a third and fourth. By that time the firm was a specialist in hospital design . . ."

ly, he has not made himself a part of the process that has provided new homes to millions of families within our generation. The one essential character in this process has been the speculative builder (often, in architectural circles a term of derision). It is charged that he has usurped the traditional function of the architect and even worse, has shown almost total disregard of architecture itself in his end product. But going back to the once prevalent concept of the architect as the "master builder," it might be argued that the architect has abdicated his traditional role. Regardless of who did what, a need for housing existed: the need was recognized by those willing to take the financial risks of bringing to market a product (this time a house) for a price. Little matter that some of these speculative builder entrepreneurs did in fact engage competent architects on their staffs, or that they were able and willing to take risks outside the bounds of what is today considered professional practice, or that they did fulfill a need of society at a time when that need was desperate. All of these factors aside, the architect feels he has been wronged and many feel their "image" is at fault. Would, however, the image have been the same as regards low-cost residential developments if in the immediate postwar period architects themselves had shown leadership in forming business enterprises that would have provided our people with houses they wanted on terms they were able to meet? In blunt commercial language: if this was a market the architects wanted to keep, architects could have—and, for a better society should have—responded to the challenge taken up by the speculative builder.

This may seem far afield from the image of the architect as viewed by the public relations man. Again, I make the point that the image is a reflection of the actual rather than the hope or the promise.

Take another area in which architects believe their image has been faulty—with the result that the professional architectural firm is now a smaller factor than it should be in one of the more lucrative fields of building construction. I refer to the industrial building, a type of structure that has developed the bad word "package builders."

Package builders have become a recognized part of the economy because they had the ingenuity to devise a method of designing and erecting industrial facilities on a basis that made sense to the industrial manager. Too many companies have used the package contract for too many plants over too many years to dismiss the practice by saying it's not in the owner's interest to buy his buildings in this manner. On the contrary, there is probably no other group in modern society in a better position to evaluate value received for dollars spent. Yet, the package firms grow and prosper—and keep their clients.

Once more, this is a problem of the image—this time as projected to the industrialist. It is not enough to deprecate the package building concept or to extol the benefits of doing business with an architect. The basic problem is that the industrial customer seems to have developed the feeling he is better off when he does business with a single firm that fixes responsibility for whatever goes wrong in his plant. (Admittedly, this could lead to a layout that costs him hundreds of thousands of dollars a year in extra handling costs, which is quite a price to pay for having only one party to deal with when the roof leaks.) Another factor, rightly or wrongly, is that the industrial owner has leaned to a greater dependence on the engineering-oriented as opposed to the architecturally-oriented. The concept that the building is at most a protection against the elements for people and machines is probably at the root of this attitude, coupled with the fact that the architectural ele-



"In specialization the architect has identified and has, at the same time, limited his audience . . ."

ments of an industrial structure represent a minor part of the total cost. It is not enough, insofar as the industrialist client is concerned, to be told that the architect's "professional viewpoint" is the safeguard of the client's dollar. I suspect that most package builders will testify that owners have shown exceptional talent at safeguarding their dollars without outside assistance. The desirable image, to have substance, needs both the "safeguarding of the client's dollar" and the willingness of the performer (in this case the architect) to accept responsibility in the event of building shortcomings.

In building an image, it seems to me that the architectural profession has two separate and distinct problems. On the one hand, there is the problem of the architect as a member of a profession; on the other hand, there is the problem of the architectural firm as a commercial enterprise which happens to market the output of architects. It is my conviction that no public relations program for the architect can ever be successful (other than superficially so) unless these two separate, and sometimes divergent, problems are taken into account.

Let us examine some of the fields where the image of the architect is favorable—at both the level of the individual architect as a member of a profession and the architectural firm as a good place to do business—in schools, hospitals, monumental and institutional buildings, religious buildings, the more expensive homes to name some of the more obvious categories.


If you investigate why Architectural Firm A is regarded as a specialist in school design or why Architectural Firm B has a thriving business in hospitals or why Architectural Firm C designs more churches than any other firm in its area, the chances are that you will find evidences that these firms have (consciously or unconsciously) gone through certain

steps that have enabled them to project an image along certain specific lines. Their first hospital, for one reason or another, led to a second hospital and to a third and to a fourth. By that time, the firm was either a specialist in hospital design through experience or more likely, they began thinking in terms of specialization by acquiring personnel whose background was in the hospital field. After some indefinite period, the firm's reputation grew.

It was, of course, possible to condense the getting known period through public relations techniques. Speeches before hospital and medical groups, articles in hospital trade journals, the presence of the firm name on a hospital under construction—all of these contribute to building an image. But it would hardly have been possible to build this kind of reputation unless the firm had, in one way or another, qualified itself for this kind of work.

This course of action is by no means confined to the fields mentioned above. In the industrial field, for example, several architectural firms including some of the largest in the profession have been extremely successful in building an image as industrial plant specialists, even against the most spirited competition from package builders. But their image is based on what they are and what they are doing rather than on the abstract hope of what they'd like to be.

The public relations problem of the specialist is simple when compared to the public relations problem of the architect in general practice. In his specialization, the hospital or the school or the church architect has automatically solved one extremely important problem: he has identified, and at the same time, limited his audience. At the same time, he has limited the range of themes he should project. In effect, he is able to tell a well-defined story to a known audience and his problem becomes one of maintaining his effort on a continuing basis.



"The reputation of all large and successful firms is grounded as much on sound business principles as that of the successful soap manufacturer."

Life is not so easy for the architect in general practice. If he practices on a national basis, he must not only reach some 25,000 school administrators who form the total audience of the school architect and the 7,000 hospital administrators who form the total audience for the hospital architect, but he must attempt to reach hundreds of thousands of others responsible for churches, industrial facilities, office buildings, government buildings and anything else which may require the services of an architect.

Some architectural firms have done a most effective job in projecting an image, even though their practice has been general. In most of these cases, the firm has taken inventory of its assets and then capitalized, for purposes of public relations, on a single theme that has been played over and over again. Thus it is that one of our major architectural firms has gained a reputation for its clean modern design over a range of facilities that includes factories, banks, hospitals and Park Avenue office buildings. Another firm has been able to make good use of the distinguished industrial career of its head as a symbol that differentiates it from other firms. The one theme that appears to be common in the images of all the large and successful firms is that their reputation is grounded as much in sound business principles as that of the successful soap manufacturer or television manufacturer. Essentially, they are businessmen whose business is architecture and their major clients and prospects are never allowed to forget this.

This is not always true of well-known and highly respected architects. The late Frank Lloyd Wright offers a case in point. As the world's best known architectural name, he stood as a symbol for the architectural profession. Ask ten people whom they think of when they think of architecture: a good percentage of them will come back with Frank Lloyd

Wright. Mr. Wright was never accused of being a practical businessman; undoubtedly he would have scorned the association. As a result, a good many of his potential clients took cognizance of Wright's abilities and bemoaned their inability to afford not only his kind of architecture but architecture in general.

To a lesser degree, there are literally hundreds of other architects who inspire this kind of reaction from the general populace. They are the architects who look on themselves as the artist rather than the businessman; the public in turn looks at the artist with suspicion, certainly when it comes to entrusting his pocketbook to one. For better or worse, we come down to the fact that, from the standpoint of public relations, an architect does more to advance his profession by delivering a building below budget than by creating an architectural masterpiece. This may be a regrettable circumstance of the age in which we live, but it is one which the architect must recognize as he goes about the task of image-building in his daily work.

This, I believe, is at the nub of building the image of the architect as a member of a profession. Undoubtedly, there would be a great many answers to any mass sampling among architects themselves on their own image of what an architect is. They would range from the artist to the businessman and all combinations in between. The architect's own ideas on their role in society would be similarly diverse. Yet, these are matters about which a degree of unanimity must be achieved before any effective public relations program can be launched. What the public says about the architect will, in large measures, reflect not only what the architect himself says and how often he says it, but more so the part he is playing in serving the needs of an increasingly complex society.

In these fast-moving times, with their increasing opportunities, what is happening to architectural practice? In order to obtain a broad view of current changes, improvements, and diversification, ARCHITECTURAL RECORD asked a large number of practitioners to comment on developments within their firms. From their response, it would appear that no single answer holds for all firms; they are coping with their problems in a variety of ways. In the following pages, the comments are reported almost in full, with only a minimum amount of routine editing.

Office Organization And Procedures for Present-Day Practice

The architects were asked-

Please describe your own concept of architectural services, along these specific lines:

- 1. Have you extended or diversified your own services or added new specialties? Are you offering services for new building types, making specialized studies, or doing out-of-the-ordinary consulting work?
- 2. What innovations have you made in your office organization and procedures, to accomplish these objectives?

Special Services Personally Conducted

I am a great believer in the potential value of the architect in many related fields because of his training in analytical thinking and long range conception and his general breadth of interests and values. These he must always keep in their proper perspective. This is in contradistinction to the engineer, real estate man, banker, etc.

As chairman of last year's Public Relations Committee and current member of the Executive Committee of the local A.I.A., I have been trying to promote this broadening of the scope of the architect's services, together with the closely related items of proper practical training for the architects and a proper public relations campaign to implant the architect's broad capabilities and economic value in the minds of the public.

As for my office in particular, I have broadened our services, but have not set up any *special* organization to do so, as all such diverse work is done under my personal direction. These extra fields of service fall into the following categories:

- Economics—Development of maximum return on investment and future values.
- 2. Site selection—Suitability, economics, and future values.
- 3. Land planning—Types of use and methods of development.
- 4. Programming-Development of space criteria, etc.
- 5. Merchandising—Development of maximum sales potentials for shopping centers, etc.
- 6. Standardization of program, details, and construction for maximum economy.
- Sociological problems—such as in oil company housing.

Some of the fields of service that are possibly beyond the normal work of architects, in which we have operated are:

U.S. Atomic Energy Commission—Member of committee of seven (architects, engineers and builders) called on to review design criteria, space allocation, details and site planning for all office buildings, shops, laboratories, cafeterias, clinics and other non-process structures of recent \$2 billion program.

Report was to insure "Minimum cost and maximum simplicity, uniformity and utility." Also recommendations on AEC procedure and the feasibility of standardized space and design criteria in planning AEC facilities.

Svenska Esso—Site selection, space analysis requirements and planning criteria review for proposed office building, Stockholm, Sweden.

International Petroleum Corp., Coral Gables, Fla.— Site selection, space analysis requirements, and planning criteria for office building, Bogota, Colombia.

Esso Standard Oil Co. (Belgium). Economic and planning studies and report to determine whether to retain existing space, purchase additional adjacent space, or construct new building in suburbs, Antwerp, Belgium.

Colombiana de Seguros—Review of preliminary plans for \$5,000,000 office building, Bogota, Colombia, with emphasis on real estate considerations, tenant facilities, standardization of design and mechanical equipment.

Electchester—Market analysis and report on economics and planning for proposed site of Shopping Center, Queens, N. Y. (for Paul Tishman Co.)

Creole Petroleum Corp.—Economic and sociological study with extensive report and recommendations on oil company and native housing and community facilities throughout Venezuela with the intent of reducing social unrest in camps. In collaboration with others.

Henry Hudson Hotel—Economic analysis, report and studies for replanning of public areas to increase their revenue.

Vincent Astor Estate—Economic analyses and plans to explore the possibilities of various apartment and commercial properties and land use as a guide to retention or sale of property.

Humble Oil Co.—Survey of housing requirements, Baytown, Texas.

Shopping Centers—Consulting work on site selection, programming, merchandising, traffic, general economics (for 15 regional centers in various parts of U. S., Canada, Puerto Rico).

Office Buildings—Consulting work on selection of furnishings for various projects (in addition to services indicated above).

Perhaps all this is not of great enough scope or volume for your purposes, but I would like to say I heartily endorse your program.

Lathrop Douglass Architect

Volume, Organization, Engineers Required

As you probably know our firm has carried on a general practice of architecture and engineering in its broad aspects for many years and, with a staff of over 225 architects and engineers, we are in a position to provide a comprehensive service on any size or type of architectural and engineering project.

We are of the opinion now, and have had this opinion for many years, that an architectural firm should have on its staff a comparable group of engineers. Many building projects such as hospitals, research laboratories, etc. involve engineering problems to such an extent that the cost of engineering items as such involves fifty per cent of the cost of the project. An architect, therefore, without an engineering staff is not in a position to render as comprehensive a service as those firms with an engineering staff within the organization.

It takes a tremendous volume of work to sustain an organization with a full staff of architects and engineers. Smaller architectural organizations are not capable of

developing such an organization unless they have a tremendous volume of work or will take the way we did of developing slowly over a period of forty years.

Jesse M. Shelton Robert and Company Associates Architects and Engineers

Opportunity in Related Design Fields

Our office is perhaps an extreme example of what you are talking about. For legal reasons we have two organizations, George Nelson and Company, Inc. and the architectural partnership. In fact, however, we might be said to be an architectural office which has expanded into so many other areas that we are scarcely regarded as architects. Most of our design work relates to building in some way and we prefer jobs which lend themselves to an architectural approach but we often do industrial design for architectural clients and vice versa. All of this develops naturally out of "corporate identity" and "company image" programs.

We have "departments" for interior design, industrial design and graphics, but some of our designers are reasonably flexible and work in different departments as occasion demands. Design supervision and administration for the different categories of work is generally fixed but may overlap, as for instance when what is primarily an interior job involves graphics or specially designed fixtures. This emphasizes the basic similarity of all design problems which we feel is a good thing for all of us.

Our belief that building will become more industrialized has been the biggest factor in making us the kind of office we are. We think that our kind of service will be increasingly in demand. Right now we often find ourselves in the position of having what seems to be a great thought for new building components or types and then having to partially work it out in order to convince a possible sponsor. It is clear that, not only should architects expand their services, but industry must learn to go to these architects for solutions to their design problems.

Gordon Chadwick George Nelson & Gordon Chadwick Architects

Need For System and Business Knowledge

Except to say we have a system, and use it, the only specialty that I am aware of as being added to our normal architectural service is the fact that we understand an amortization sheet, can advise our clients on (1) bond issues for construction capital account, and (2) the sale-lease back device that allows certain classes of clients to build to suit their needs, and sell the completed property to an insurance company coincidental with execution of a long-term lease for client occupancy.

Through the years (since 1934) we have successfully initiated dormitory and food service bond issues repeatedly for 3 different colleges, always making them work financially with something to spare. Presently we are adding to our big University Medical Center considerable housing in efficiency, one-, two- and three-bedroom apart-

ments for students, technicians and faculty, using rents to amortize bonds (and all the walls and ceilings are plastered and painted). A year ago we completed a large operating center for a public utility, and were involved with the sale-lease back idea on that project.

C. E. Silling
C. E. Silling & Associates,
Architects

Architecture and Engineering Integrated

I have read "The Image of the Architect" articles and although I appreciate your purpose, I feel that they have thus far been somewhat vague, theoretical and even pretentious. Also, I question whether they were effective for an audience composed primarily of architects.

As far as we are concerned, I can list the following points:


1. First and foremost we believe in an integrated architectural and engineering office. We maintain large structural, mechanical and electrical departments which we think make it possible for us to secure better coordinated

plans, cheaper bids, and more efficient buildings. It also facilitates the awarding of separate contracts for various phases of the work. This is not only a talking point for us in seeking new business but is something which is being requested by clients more and more in our initial conversations with them.

2. We now maintain a small interior decorating and contract furniture section which, in addition to preparing color schedules and material selections for construction, purchases approximately one-quarter million dollars of furniture and furnishings annually. We consider this primarily a courtesy service but find it to be appreciated.

3. We find it necessary and desirable to provide complete on-the-site supervision—not by a clerk of the works but by one of our own permanent staff of outside superintendents.

4. Site selection has become a more significant item with us. We do not yet make complete economic and political surveys of locations all over the country but we do find ourselves looking at property in every state. Subsoil conditions, adequacy of utilities and nature of the terrain are, of course, major concerns but we spend a good deal of time on zoning (including appearances before local boards), railroad considerations, insurance un-



173


derwriters' requirements and even some study of the available labor force, local transportation, and the like.

5. We find it necessary to do a lot more programming for our clients than years ago. Particularly in fields where we have performed an unusual amount of work—as for example grocery warehouses—we become very involved in materials handling, the establishment of palletizing methods and similar operational factors. In hospital work


we usually poll the entire medical staff for basic requirements.

6. The rash of large office buildings has helped to foster firms which specialize in pure layout. To stave off such competition we have developed a section of our own for this purpose.

7. Similarly, many contracts, particularly those with the Government, require quantity surveys of the draw-



Floor Plans, A. Epstein and Sons, Inc. Offices—Below: Main floor, Above: Second floor



ings before the bid period. Again, for the sake of keeping all the work in our own office and partially from some lack of confidence in the services being offered by others, we started making our own detailed take-offs.

8. We have been associated with industrial districts since the inception of our office. There is much of this activity today and we continue to offer a specialized service in this field.

9. Many internal changes have accompanied the expansion of our activities, for example, constant additions to our building, microfilming of drawings, the use of payroll and accounting machines, cost accounting and production budgeting (this really helps with negotiated fees as must be done with the Government, etc.). There has been a constant growth of so-called employe benefits including hospitalization insurance, life insurance, a profit sharing plan, and many other personnel inducements including such things normally associated with large business corporations as a bowling league, suggestion boxes, and a house news publication.

I enclose herewith our latest organization chart and the plan of our office building which was initially erected in 1947 and to which the third addition is now being completed. This letter has been pretty sketchy but I hope some of it serves your purpose. I have skipped many things such as the man who spends more than half his time doing nothing but debating permit problems with code enforcement officials and our process piping division which deals solely with owner's equipment, piping, and connections for a diversity of manufacturing equipment.

Raymond Epstein, President A. Epstein and Sons, Inc. Architects-Engineers

Improved Services Strictly Architectural

I'm afraid that we don't have any "hot" developments to describe for you in answer to your specific questions about added services or specialities. However, the reasons why we don't might have some relevance to your point, so I'll take the time to set them down here.

Our controlling aim as an office is to provide the best architectural service available. We understand this aim to limit sharply the kinds of things we are prepared to undertake, and at the same time to present us with, in your words, a "challenge of these fast-moving times." The limit is that we refuse all temptation to try to apply our design and organizing skills to fields that are not a part of architecture, attractive as those temptations sometimes are. The challenge is to be continually alert for any aspects of the practice of architecture which we must include and master in order to be able to offer, with confidence, a complete and superior architectural service.

What this has meant in practice is roughly this: as our office has grown we have found it advisable to include a number of additional services, and we have made considerable and steady effort to see that existing services stay at peak effectiveness. The additions have included expansion of our design department to enable us to spend the necessary time for thorough study of every project, a full time estimator who runs complete estimates on almost every job, a complete mechanical and electrical engineer-

ing department, and an interior design group. Senior men in the office are experienced in master planning and landscape design, and we put great emphasis on good programming.

The result is that we are able to provide a top quality service starting from the vaguest outlines of a project in a client's mind, helping him to organize it and get it soundly programmed and then following through with direct supervision of interior decoration and furnishings. We feel that this is what architecture really is. Not just the competent design of an individual building, but an understanding of that building in relation to what came before and will come after it, to its immediate and remote environment, and to the whole complex of requirements it should be intended to meet.

The basic problem, we find, is one of control. If we are to practice the kind of architecture I have described, we need to have control over every phase, at each step of the way. This means two things: first, we must have the client's cooperation and, second, we must have effective controls on our own operation. Both of these are hard to achieve. Sometimes circumstances prevent the client, even with the best will in the world, from giving us the kind of control we need. And in our own office, with a large and active shop working at close to capacity much of the time, keeping a close check on every last detail can be an overwhelming job.

These things refer to what might be called "quality control" and are essential. We also use a quite elaborate system of internal cost control (external, i.e. project, costs are controlled through the estimating set-up) which we also believe to be an essential of a successful operation. So this matter of control has many aspects, and we like to think that we have had some real success in achieving them. To do it we have built an organization we are proud of, and we watch over it like anxious parents of an only child.

The purpose of all this, of course, is to perfect a thoroughly hardheaded, cost conscious, business operation in order to make available the creative abilities of outstanding architects to our clients. All the good business practice in the world would be of no value if it produced second-rate architecture as the end product. Conversely, all the imaginative design ability in the world would be pretty useless if it couldn't be put to work in an orderly, reliable, and economical way.

If we can do this, if we can practice this kind of architecture with a reasonable degree of success, that is meeting the challenge to architecture pretty well, it seems to me. It is also keeping us both busy and rewarded enough so that we aren't looking around for any new trouble to get into.

George F. Hellmuth Hellmuth, Obata, & Kassabaum, Inc. Architects

Development of Additional Specialties

We are very much interested in the theme you are developing in "The Image of the Architect." We have felt for some time that there are many fields of service that we must enter in order to be not only of more value to our clients, but also to be more competitive. Several years ago we felt the need of an addition to our Engineering Department because of the tremendous road building program going on. Our staff in this department soon grew to about 30 persons and we found that by the use of an electronic computer we were able to extend our activities and our consulting services in this field. Due to various changes in the Michigan Highway Department we have reduced our staff in this department considerably. We do, however, still have work in this field both in Washington and Ohio, as well as locally.

The computer programs which we developed ourselves and received from other sources for this were most interesting and useful. For example, we found that a project we were developing in Mexico using structural members based on Mexican fabrication suddenly had to be changed to United States steel sections. In just a few hours we reestablished the structural system for this rather large building by the use of the computer. We continue to use the electronic computer and also offer its service, including the development of programs to expedite and reduce costs, to other engineering firms. We feel that as time goes on we will be able to use electronic computers in solving many problems in the mechanical work of buildings, as well.

For many years our firm has carried on complete survey services for brewery buildings. In these, we analyze the existing plants in all departments and diagram and calculate loads and capacities throughout. From these highly detailed surveys we make recommendations for the expansion or construction of various sections of the operations and present the owner with a master plan projection for his entire program. This results in numerous building commissions.

We have also developed a specialty of community mausoleums. We have been engaged in this field for the last 30 years. Here we develop the necessary preliminary planning documents necessary for preparing sales plans and illustrations which form the basis of sales brochures. We guide and counsel the owner on the preparation of these brochures and the establishing of pricing schedules, but we do not actually carry on any of the sales programs. These efforts have brought into the office projects of considerable size.

We have become increasingly aware of the problem of space utilization of office buildings, particularly municipal ones. We have extended our services to cover this field and the proper development of building programs based on the requirements for work space and facilities. We find that this additional service has been of great assistance to our owners and makes our architectural development much more direct and logical.

As a means of serving our clients better we have reorganized our staff so that we have a vice president in charge of the separate divisions of our work. Each of them is a specialist in his own division. The fields of activities are generally as follows, although other divisions can be added or each division expanded as the need becomes apparent.

- 1. Architectural Projects Division which handles work primarily of an architectural nature, namely, commercial, governmental, recreation, etc., including mausoleums and cemeteries.
- 2. Educational Projects Division which handles educational and research work, including institutional and religious projects.

- 3. Processing Engineering Division which handles industrial work where the process is fundamental to the design, such as storage and distribution of food stuffs, including breweries, beverage, chemical, dairy projects.
- 4. Engineering Projects Division which handles work primarily of an engineering nature, military engineering projects and includes airports, highways, railroads and harbor facilities.

One of the discoveries we have made is that each new service added to our field opens opportunities for still others and we are presently very vitally interested in urban renewal because all of the services which architects can offer are essential to proper rehabilitation of our cities.

> Malcolm R. Stirton Harley, Ellington and Day, Inc. Architects and Engineers

Design for Industry and Building Groups

I believe one of the widest-open fields for architectural services is in design for industry. More and more of our buildings are being manufactured in the factory and only occasionally are well trained designers influential in their creation. In fact, most architects are apt to be bored with the idea of product design.

An equally important area for architects is in site and neighborhood planning. We are building more of our new work in larger and larger projects. As architects we should be more familiar with and concern ourselves more with groups of buildings rather than single ones. We are all too apt, with the best of intentions, to contribute to the chaos and disorganization so apparent all around us by failing to relate our work to the buildings and areas which surround it.


As for the contribution of this office to such work, we are at present working on a research house for the Ferro Corporation. We have done several urban renewal proposals and are just now entering the second phase of an interesting example in Pittsburgh. We are just beginning work with a steel company on the development of components and a multiple-family housing system.

Regarding innovations in our office organization and procedure, we are very much aware of the desirability of change, but at the present time are just talking about it. My own feeling is that in technical innovation for product design, as architects, we can contribute only a part of the necessary skills and knowledge. We are exploring ways and means of acting as a catalytic agent in this field and in the meantime our work loosely falls on a one-job-at-atime basis.


Carl Koch Carl Koch & Associates, Inc. Architects

Programming and Master Planning Important

No matter if a new project is small or large we write a program which has the owner's approval before we get too involved. Next, we champion master planning. We stress that an owner must look at the big picture instead



Carl Koch & Assoc., Inc.: Research House for Ferro Corporation



of only at the present need. This has resulted in many a project growing to something bigger and better.

After the two above ideas have taken a pretty tight hold, we encourage the owner to research with us and have other owners tell him what they feel is good and what is not so good in the plants they are using. We may not always be successful, but we try to produce an environment rather than just a pleasant building. It is important to help the owner buy the right land. By so advising him, an important architectural service is rendered. We also advise on the purchase of existing structures, for a fee based on time.

The architect must show leadership in his community. For years we have worked to do something about city planning. Austin finally did employ a planning group.


Arthur Fehr Office of Fehr and Granger Architects and Planning Consultants

Regional Offices with Central Production

1. On extended services. . . . Over the past three years we have extended, or rather expanded, our services by adding city planning, mechanical and electrical engineering sections to our firm. At the present time, our M-E section works full time on architectural projects. We have not expanded into pure engineering projects although we may find this desirable within the next few years. We have just recently completed a contract with Convair for the design of a nuclear reactor facility.

Our city planning section was started mainly to assist us with site work, parking, drives, etc. as related to building design. It has now grown to the point where we are doing urban renewal and comprehensive planning in nine Texas cities. It is our hope that this section will also help us bridge the gray area between architecture and planning. In our recent campus planning project at Ohio State

Caudill, Rowlett and Scott: Diagram of Relationships for Building Projects



University, this section played a major role along with our architectural programming section. This section is also providing planning feasibility studies to certain clients for speculative projects.

We have also extended our services into other areas such as research by using staff members from existing sections of the firm. In looking ahead we feel that a research section would be a logical step in our plan for a comprehensive organization.

2. On organization. . . . As our clients have always been the long distance type (active ones now cover fifteen states) we have tried to shape our organization and procedures in such a way as to provide the best in service as well as design.

We now have an organization of three regional offices and one central production office. The regional offices perform client-project service and are staffed with generalists, comprehensive architects. Our production office in Houston produces all of our work and is staffed with experienced production specialists as well as providing operational-management control for all offices.

In the past we had more than one production office, but it became a problem of assuring our clients of consistent architectural quality. So about six months ago we combined the talent of the three production offices into our present central-regional office setup. We have found that there has been no objection on the part of a client in New York or Oklahoma to having his project produced in Houston—that is, as long as he is properly serviced.

Actually we have very little on paper about our way of doing business. We certainly need more. I'll bet you are finding that there are many different ways to run an architectural business. For example, at the time I am writing this, Bill is in Saginaw, Michigan, with five of our key designers and production men spending the week arriving at a concept of a new high school. This will be a period of concentrated effort at the beginning of the design phase, taking place in the client's backyard. The purpose is to return to Houston with concept approval, not preliminary approval. Preliminary design as well as the rest of the production will be done in Houston.

Tom A. Bullock Caudill, Rowlett, and Scott Architects Planners Engineers

Materials Research and Special Studies

Some significant activities are now in effect at Giffels and Rossetti, which extend our services beyond those normally provided by an integrated architect-engineer firm, and some innovations have been made in our organization and procedures to accomplish these objectives.

Material research is at the top. The chief of our specifications group, a former college president, has inaugurated a material research program which has been of immeasurable benefit to our clients, without added cost to them. He also has made a scientific study of specifications with respect to their improvement and types, followed by recommendations to meet varied client requirements. Further, we have centralized our specifications group under his complete direction, resulting in a meeting of the minds of the writers with resultant economies and improvements.

Studies and surveys have been extended, and their nature and extent, I would say, are comparable to the efforts of the firms who make a specialty in this field. Not only have we put them in the professional service category from the standpoint of coverage, but we have improved their format and appearance to make them highly competitive in this regard. And they do reap many benefits to us. A good share of them turn into complete jobs.

Our fully equipped model shop I consider a much needed extension of our service. Located in a separate room, it adjoins our architectural design department and is serviced by all required power tools. It also serves as an interesting show case.

I believe, too, that the physical reorganization of our departmental functions can be considered as an indirect extension of our services. Here we have organized our groups on the basis of production flow, eliminating to a large degree the costly to-and-fro realized when these functions are not tightly coordinated. This reorganization of our departments is the result of a \$750,000 modernization program completed in 1958. All of the areas we occupy on the top four floors of the Marquette Building, totaling some 75,000 sq ft, are geared for a smooth operation. We consider ourselves a very tight ship.

Louis Rossetti Giffels and Rossetti Architects-Engineers

No Specific Examples at the Present Time

Your project on broadened fields for architects' services in these rapidly changing times sounds very interesting. Unfortunately we do not have any specific examples to describe for you.

J. C. Sherrick
Holabird & Root
Architects-Engineers

Attention to Economics of Architecture

We have limited our services to those that may be fairly strictly classified as architectural or engineering. I sometimes think, however, that our "architectural services" may be broader than the generally accepted definition. For example, we feel an obligation to give at least some consideration, when it's needed or desired by the client, to the economic feasibility of a proposed commercial project. We have accordingly found ourselves, in many cases, making preliminary cost and operating studies and advising our clients on the "business" aspects of ventures. Our work is, of course, not so detailed as specialists in these fields. It is generally confined to such preliminary analysis as is necessary to form an intelligent opinion as to the probable economic soundness of a proposed venture, with the thought that specialists will be called upon by the client for more detailed studies should they appear warranted.

Our studies have resulted in some of our clients abandoning unsound projects before they are started thereby, perhaps, resulting in our loss of some jobs. On the other hand, however, being able to take a "businessman's" view

and speak a "businessman's" language has, in my opinion, been a tremendous asset to our firm. I am confident it has resulted in our receiving commissions that would not have been forthcoming without this "know how." And, after all, I think it's to everyone's advantage to avoid unsound projects and concentrate on those most beneficial to our clients and our community, insofar as is practicable.

T. J. Bissett Lyles, Bissett, Carlisle & Wolff Architects-Engineers

Consideration of Future Development

We have always endeavored to maintain a flexible organization to handle the many problems of an architectural practice. We have always believed in an open program philosophy so that through research and constant contact with the client we can produce a result that will not only take care of known requirements but take into consideration future development.

We have frequently done special consulting work for clients in the development of their materials as applicable to modern construction. In addition, we engage many top special consultants over and above the normal standard services of consulting engineers to obtain, in collaboration with ourselves and the client, the best results for the numerous problems involved.

Max Abramovitz Harrison & Abramovitz Architects

Diversification Through Variety of Means

We have extended and diversified our services and included new specialties during recent years, to accomplish our concept that an architectural office should provide complete services. Some of the services which we offer in this connection are:

- 1. Complete engineering design for the normal structural, mechanical, and electrical engineering required for buildings.
 - 2. Cost studies-cost estimates.
 - 3. Studies on the most economical use of materials.

- 4. Comparative studies for types of construction.
- 5. Space requirement surveys.
- 6. Master planning.
- 7. Site planning.
- 8. Color consulting services.
- 9. Interior design consulting.
- 10. Emphasis on supervision of construction.

At present we are executing a contract with the Second Air Force (as a joint venture with an engineering firm) covering 66 projects at 9 air bases in Nebraska, Indiana, Missouri, Arkansas, Mississippi, Louisiana, and Texas. This work is primarily M. & O. (Maintenance and Operation) and represents the first time, as far as we know, that the Strategic Air Command has entered into a contract such as this with one firm.

During the past few years, we have had a varied practice covering practically all types of buildings. During this time we have done architectural work in Louisiana, Mississippi, West Virginia, Texas, Ohio, and South Carolina.

The following innovations have been made in our office organization and procedure to accomplish the above objectives:


We employed highly trained engineers to set up the engineering departments shown on our organization chart. We have our own office building, and our mechanical department was set up in a separate smaller building on the same property.

b. One of our partners is a pilot, and the firm has its own plane for complete mobility.

- c. We organized a joint venture corporation with a large firm of consulting engineers (located next door to our office), for the purpose of furnishing *complete* services, over and above what we can furnish in our own organization (i.e., architectural, structural, mechanical, electrical, civil, utilities, etc.) to governmental agencies, industries, etc.
- d. We retain nationally known consultants on new projects where we do not feel our experience is adequate, such as on a large university library, a shopping center, a complex hospital, etc.
- 3. We encourage our principals and employes to take active parts in activities of the A.I.A. and other organizations, both civic and professional. Two of our partners are past presidents of the Louisiana Architects Association.


Ralph Bodman Bodman & Murrell & Smith Architects & Engineers

Bodman & Murrell & Smith: Office Organization Chart



180

HOUSES



Dearborn-Massar photos

SMALL-HOUSE PRIVACY IN LARGE-HOUSE SPACE

Spaciousness was the theme around which this house was designed: the owners, a couple with a young daughter, placed it at the top of their list of requirements. That list, drawn up by the mother, a talented artist and former decorator, was unusually specific: a studio where she could paint in privacy without being cut off from family activities; a well-equipped kitchen and laundry with an adjoining breakfast area; a gallery and generous other wall space for the hanging of paintings; a bedroom, dressing room and bath for each member of the family; good storage facilities; an isolated guest room, complete with bath and kitchenette, which could double as a recreation room.

From these varied requirements a simple and imaginative plan (see next page) was developed. The sloping site—part of an old estate purchased by the owner and sub-divided with the view-commanding part reserved for his own home—was used to good advantage to separate guest and maid quarters from the main part of the house. A patio inserted between the living-dining area and the master bedroom suite effectively enhanced the sense of spaciousness where it was most desired.

OWNERS: Mr. and Mrs. I. B. Adelman LOCATION: Beverly Hills, Calif.


ARCHITECTS: Thornton M. Abell;

O'Neill Ford & Associates
LANDSCAPE ARCHITECT: Bettler Baldwin

CONTRACTOR: H. E. Marks




ARCHITECTURAL RECORD February 1960





Adelman House

Cater-cornered positioning of house on lot saved surrounding pine trees, increased outdoor living area, and brought direct north light to studio. Main entrance is through a landscaped court into gallery. On opposite side is a sheltered patio (right) to which both living room and gallery open. Colors are closely integrated with the surroundings and with each other: cedar exterior walls are stained an olive beige; bricks have a vinyl coating of deep earth tone; exposed concrete beams and balcony are pale oyster; wood beams, posts, steel windows and doors are painted a dull slate; wood plank ceilings and overhangs are light jade. The main floor level is a radiant heated concrete slab with dark Danish cork covering throughout except for kitchen, where vinyl tile is used









Adelman House

Both master bedrooms overlook and open to swimming pool at rear of house; the larger of the two (above) also opens to a covered side terrace. All glass doors and windows are sliding steel units, bathroom walls and counters are ceramic tile. Some rooms, such as breakfast (right) have furred drywall ceilings with acoustic tile finish. The house has many special features: a flower-arranging sink, fruit and vegetable drawers and a mixer shelf in the kitchen, disappearing towel racks, and provision for the future installation of an elevator as well as a cooling system in case one should prove desirable





Julius Shulman photos

A HOUSE WELL-MATCHED TO ITS WOODED SITE

A heavily wooded site was the major consideration in the design and planning of this small house for a retired couple with no children. "The basic design conception," the architect explains, "was to create within this wooded property a podium retained by a concrete wall upon which the house would sit with its cultivated gardens and landscaping; the remainder of the site was to be left in native plant material and trees so that the upkeep and maintenance would be kept to a minimum. A shingled roof seemed to be most applicable under the tall fir trees and, because of the woodland setting, a clerestory permitting south light to enter into the center of the house seemed most advisable. Gutters were extended over the edge of the podium to permit water to drain into rock areas beyond the limits of the garden proper."

Materials and colors were chosen carefully to blend with the site. Exterior walls are red cedar stained a warm weathered gray; stone, ranging from white to beige, is used on both exterior and interior to heighten the rustic effect. The long, low lines of the house, and its complete simplicity, are additional valid links to the site. OWNERS: Mr. and Mrs. Frank L. Gilbert


LOCATION: Seattle, Wash.


ARCHITECT: Paul Hayden Kirk & Associates LANDSCAPE ARCHITECT: William G. Taufel

CONTRACTOR: Charles R. Tuttle



ARCHITECTURAL RECORD February 1960











Gilbert House

Both the owners of this house are very much interested in hunting, hence the unusual inclusion of a gun room in the plan. Small though the house is, it has a wonderful feeling of space because of the entrance treatment and the clerestory. "One decision that was made during the design," the architect says, "was to have the ceiling area directly opposite the clerestory off-white to accentuate the play of sunshine and shadow from the windows, with the ceiling under the clerestory being of natural hemlock. This has proved to be most interesting and adds a great deal of interest and drama to the living area." Photo right above shows how gutters were extended over edge of podium for drainage beyond gardens














Gilbert House

Top: main entrance looking toward carport; door is solid laminated Idaho white pine core sculptured on outside by Mignonne Keller. Center: fireplace in family room has built-in barbecue pit. Bottom: wall between kitchen and dining area has convenient pass-through and counter, drawers for storage of linens, silver, etc. Storage space throughout the house is generous



Fixed glass beneath entrance floor helps give a distinctive proportion to the building and a higher rental value to the lower story

A Two Level Office Building

NAME: P. F. Pfeister Building

LOCATION: Detroit, Michigan

ARCHITECTS: Krebs & Fader

STRUCTURAL ENGINEER: R. H. McClurg

MECHANICAL AND ELECTRICAL ENGINEERS: Migdal & Layne

LANDSCAPE ARCHITECT: Milton Baron

INTERIOR CONSULTANT: Lillian Pierce

GENERAL CONTRACTOR: Taubman Company

Right top: reception area of P. F. Pfeister. Beyond door is vestibule off main entrance with access to offices of separate tenant on lower level. Right bottom: A retail sales area also used for large conferences, coffee breaks and a lunch area





The client required an additional 2,000 sq ft of rental space in addition to his own needs. A two story solution was decided upon to allow sufficient land to remain for parking 25 cars. By raising the first floor 4 ft above grade it was possible to create a pleasant rental area on the lower floor surrounded by a glass area 3 ft deep.

The building's owners are food brokers who distribute the products of their customers to local groceries, delicatessens and supermarkets. A large open work area was called for, instead of private cubicles, because of the importance in this business of rapid communication among the salesmen. Secretaries share the same general space but are separated from the salesmen by a low storage wall. A food sample storage room and a separate area for store display material has been provided.


The structure is of 4- by 4-in. steel tube columns, steel beams, open web joists and concrete slab floors with a gypsum deck roof. Walls are of brick and glass. The building is fully air conditioned permitting all glass to be fixed. The cost of the building and site development excluding the landscape work was \$15.80 per sq ft.





Salesmen's area. Small conference room beyond





enyer-Kaufman

Clay Tile Screens Shade Offices


NAME: The Caribe Building


LOCATION: New Orleans, Louisiana

ARCHITECTS: Curtis and Davis and Associated Architects and Engineers


MECHANICAL ENGINEERS: Cary B. Gamble and Associates
ELECTRICAL ENGINEERS: Mario Zervigon and Associates
GENERAL CONTRACTOR: R. P. Farnsworth and Company


The architects have endeavored to design this two unit structure in harmony with the climate and tradition of New Orleans. A sun screen made of decorative clay tile units is used on all window walls as protection against the hot Louisiana sun, sky glare and tropical rainstorms. The building shown at the right side of the plot plan is the larger. It is four stories high and consists of three office floors raised on stilts above a parking area at ground level. Additional parking for tenants is provided behind the two story smaller building with visitor parking in front. The structures are joined by a canopy at street level. The two story unit which hugs the ground in contrast to its neighbor was designed for a major tenant who required ground floor space with a separate and distinct main entrance. The clay tile screen covers the window walls at the front and back.







Office floor plan in four-story unit








Small Office Buildings: Caribe Building





Architects have kept sun screen delicate in scale in sympathy with New Orleans wrought iron ornament. Columns and beams are of reinforced concrete with pan and joist floor slabs

SCHOOLS

The interest which everyone seems to have today in any and all forms of educational and school-planning controversy has, at least, forced a healthy airing of what is being—and perhaps what should be—done.

BUILDING TYPES


®
STUDY 279

One of the most interesting developments in this area was last fall's school planning conference sponsored by the Ford Foundation's Educational Facilities Laboratories, Inc., at Ann Arbor, Michigan. The meeting invited a number of architects to present their views and planning schemes for buildings to house the educational programs proposed in the much talked-about "Trump report."

Among the major highlights of the conference was the presentation made by John Lyon Reid, who analyzed two of his schools and demonstrated how they could be adapted to the new theories. One school, Mills, is built and in use. The other is an active project for Andrews, Texas. They are both "loft" schools, with partitions which can be revised in layout with considerable ease.

Since no one can predict with any certainty just what turn in direction educational theories might take in the next few years—the Trump ideas are very newsworthy now, but there will surely be others cropping up with equal, or perhaps more, validity—schools such as these of Reid's, which are capable of total revision, are worth some serious study. With this in view, we have asked John Lyon Reid to recreate his Ann Arbor presentation for this study.

In addition, we have included a new school by Musick and Musick which gains flexibility by glass walls and sound equipment (permitting larger groupings of classes), and several which reflect a continued concern with more pleasant teaching environment, low maintenance, and the like.



Andrews Senior High School, Andrews, Texas; John Lyon Reid & Partners, Architects

195


Two Loft Schools: New Instruments of

by John Lyon Reid

The recently published study of secondary education by the National Association of Secondary School Principals makes a proposal for teaching high school students which holds much interest for both educator and architect. This is "Images of the Future," written under a grant from the Ford Foundation by Dr. J. Lloyd Trump of the N.A.S.S.P.'s Commission on the Experimental Study of the Utilization of the Staff in the Secondary School. Many ideas calculated to improve our educational program have been offered in the last few years, and this one in particular, coming from a body of experienced, professional teachers, deserves a thoughtful second look.

It proposes far-reaching changes in educational method which suggest to both architect and educator an opportunity to consider the kind of school building needed to house the resulting curriculum. At a recent conference of educators and architects, held last October at Ann Arbor, Mich., under the sponsorship of the Educational Facilities Laboratory and the University of Michigan's School of Architecture, this opportunity was offered to several architects, who were invited by the conference to present their ideas for school building designs which would implement these educational proposals. Our firm was one of those invited to take part in the conference. However, instead of preparing a new design to meet the requirements of the program as stated in "Images of the Future," we decided to see whether or not several of the schools that we had recently designed would be adaptable to the requirements of this kind of educational program.

Our years of working with educators have resulted in the belief that a school building must not stand in the way of program changes and educational progress, that the building must be ready to adapt itself not only to minor but to major program changes. We believe that total flexibility—or as close to that as possible—is a necessary attribute of the secondary school building of today, facing, as it does, the problem of a growing, changing, improving educational philosophy. Many of the school buildings designed by our office are flexible, and this flexibility is provided in anticipation of just such




Andrews Senior High School, Andrews, Texas. Reid, Rockwell, Bamwell and Tarics, Architects. Royston, Hanamoto and Mayes, Landscape.




Mills High School, San Bruno, Cal. John Lyon Reid & Partners, Architects; Burton Rockwell, Architect Partner in Charge; Alexander Tarics, Structural Engineer Partner in Charge. Royston, Hanamoto & Mayes, Landscape. G. M. Richards, Mechanical Engineer. Dariel Fitzroy, Acoustical Engineer. William Laib, Electrical Engineer.


J For detailed report on this proposal, see "Educational Change and Architectural Consequence," by Harold B. Gores, ARCHITECTURAL RECORD; August, 1959, pp. 154-158.

Education




Kasin Malayan and Guttman, Mechanical Engineers. Dariel Fitzroy, Acoustical Engineer.





- A. Academic rooms M. Student store
- B. Library
- C. Administration
- D. Science
- E. Homemaking
- F. Fan rooms
- G. Shops
- H. Music
- J. Cafeteria
- K. Teachers'
- dining room L. Kitchen
- N. Boys' gym
- O. Auditorium,
- 1000 seats
- P. Girls' gym
- Q. Health room
- R. Storage
- S. Mechanical room
- T. Girls' lockers
- U. Swimming pool V. Boys' lockers
- W. Special exercise



programs as are proposed in "Images of the Fu-

"Images of the Future" takes a fresh look at the American educational scene. It suggests that education at the secondary level would be more effective if it were based on the student as an individual rather than on class schedule and classroom groups -there is a vast difference. The learning program for each student would, presumably, be based on his own special needs, interests, deficiencies and skills as they are discovered by the faculty. This individual program, once formulated and scheduled, is guided by the teachers and their assistants but the individual must assume responsibility for carrying it out. Forty per cent of the student's time is spent in individual effort in study, research and inquiry; 40 per cent in groups of 10 or 12 in discussion, evaluation, sharing of experience and in joint effort on projects. The remaining 20 per cent is spent in large groups of 100 to 120 in lectures and demonstrations. The aim of developing each individual to his maximum potential underlies the whole program.

I do not believe that such a program, nor the building that houses it, can spring into being in full flower. Rather, it will evolve over a period of years. An educational program begins either with or without a philosophy to guide it; the successful and effective program must of necessity find a sound philosophy at some stage of its development. Usually the development results from educational assumptions followed by a period of trial and evaluation and continues through many cycles. Alert, inquiring and creative educators are on a never-ending quest for improvement. The building must encourage and facilitate this quest.

The two schools we chose to analyze in the light of the N.A.S.S.P. study were the Mills High School in San Bruno, Calif., and the Andrews Senior High School in Andrews, Texas. We wanted to determine whether or not the rather drastic alterations required to meet the program of "Images of the Future" could be feasibly accomplished in them. We regarded this as a test of our planning concept.

First, let us examine these two schools as they are now designed to meet today's program. Mills, which has been in use for over a year, was given more emphasis in our study than Andrews, for which the working drawings have just been completed. In order to visualize the transformation which "Images of the Future" suggested, it is necessary to understand these buildings and their backgrounds, particularly Mills.

Mills' design objectives and criteria are best examined in reference to our earlier Hillsdale High School at San Mateo, Calif.; but both should be con-

sidered in the context of the community they serve and of the people who made up, at the time of their design, the executive, administrative and teaching staffs of the school district, all of whom in a very real sense made possible what was in Hillsdale an unconventional solution—architecturally and educationally—and is in Mills a refinement of the ideas first stated in Hillsdale.

Mills, like Hillsdale, was designed not only to permit but to encourage the kind of creative thinking. educational exploration and growth implicit in the "Images of the Future" proposal. Concurrently with the design of the Hillsdale High School, Dr. Charles Bursch, then chief of School Planning for the California State Department of Education, and I began work on a book which was finally published in 1957, High Schools Today and Tomorrow.* It is interesting to note that the thesis of this book and that of "Images of the Future" are strikingly parallel. Hillsdale, completed in 1954, was directly influenced by Dr. Bursch's and my thinking. Both Hillsdale and Mills are designed to permit the development of the kind of educational program described in our book and in "Images of the Future."


Hillsdale's loft plan freed interior space of permanent partitions, making its use completely adaptable to any changes that might occur in the curriculum. The loft plan, with its large area tending, in its overall shape, toward the square, permits the maximum flexibility and greatest opportunity for rearrangement, and at the same time imposes its own vexing problems on the architect. During the design of Hillsdale, we found that in accepting the loft concept we also accepted the inevitability of dealing with interior spaces. To make these spaces at least acceptable as rooms was a particular challenge to us. We thought, at that time, that in going to the interior classroom-which we had to do if we were to achieve the total flexibility we had been directed to provide—we were foregoing something educationally desirable: the outside classroom with its windows opening on the surrounding environment. But after Hillsdale had been in use for several years we found, to our considerable surprise and gratification, that a majority of the teachers preferred inside rooms to view rooms. During planning conferences, some of the teachers requested that all rooms at Mills be the so-called inside rooms. But both types of rooms have their special virtues, and so our decision was to provide both at Mills.

The acceptance of Hillsdale by the community and by the school district led to the commission to design Mills, which the school board originally en-

^{*} High Schools Today and Tomorrow, by Charles W. Bursch and John Lyon Reid, New York: Reinhold Publishing Company (1957).

Mills High School

The "spare, restrained" quality at Mills was intended as an expression of a serious academic life, as well as of the possibilities inherent in the plan for an orderly and disciplined development of the curriculum. If its austerity seems slightly monkish, this is apparently fine with the students; a spot check revealed that they are just as happy to have no distractions as they go about their work. All classrooms are interior, except for those used in teaching more informal classes, such as shop or journalism



From small court to central court, past gym at right, cafeteria at left

Photos by Roger Sturtevant



Central court, typically full of students



Loft space before partitioning



Corridors are wide, brightly lit



Library shelves gradually filling up



From playing field: rhythm of auditorium trusses rises in counterpoint above simple outside walls

visioned as a duplicate of Hillsdale. But after our site study pointed to the impracticability of re-using the Hillsdale plans on the Mills site, we were commissioned to design a new school. We construed this as official endorsement of the design approach represented by Hillsdale. The concepts used in Hillsdale were the governing principles in the directive given us by the school board, and seconded by the administrative and teaching staffs, for the new school.

These were the objectives which they gave us:

1) The plant would be built of first quality materials and equipment. Cost records of the District proved that this policy would yield maximum economies. The Building and Grounds Committee of the board, in a study of Hillsdale High

School during five years of use, finds that a saving in custodial salaries of \$450,000, in comparison with more conventional buildings, can be expected over the full life of the plant.

2) The building must implement the educational program which was current in the District and must, at the same time, be completely flexible to permit change in teaching methods and growth in educational philosophy. The directive of the board to provide flexibility was the strongest single force which guided us in the design of the Mills High School. It was agreed by all that a loft plan, top lighted and mechanically ventilated, would best accomplish these objectives.

 The plant must symbolize the dignity and importance that the community attaches to its young people and to its responsibility to them.

Although the basic Hillsdale scheme was retained, many opportunities for change and improvement were found as plans for the Mills High School developed, and these refinements have added to the flexibility of the building's use.

The shops, music areas and cafeteria were included in the loft portion instead of in separate wings, as in Hillsdale. There were many reasons for this, but one was of primary importance. The inclusion of these rooms in the loft area increased the total flexibility of the plant and further strengthened the architectural statement of flexibility. Experience at Hillsdale assured us that this change was not only feasible but desirable.

Changes—or, rather, refinements—in both the natural and artificial lighting at Mills, although apparently minor, have also proved desirable. For instance, the prismatic glass block panel used in the light wells are smaller (5 ft by 5 ft) at Mills than at Hillsdale (6 ft by 6 ft), but there is no loss of illumination intensity levels. It has also been possible at Mills to reduce the amount of contrast, when the lights are turned off, by placing the light tubes high in the well, directly underneath the plane of the

prismatic blocks, so that the source and direction of both natural and artificial light were the same. Since the depth of the well provided a visual cut off, a louver protection seemed unnecessary, and permitted the use of a less costly industrial fixture. Mills also has a photo-electric cell which turns off the light when a pre-determined intensity of natural light has been reached; there is an over-ride switch which permits the teacher to turn on the lights.

The ventilation system is designed to provide eleven air changes per hour without a perceptible feeling of air movement. Due to the thermal lag of the building, it is always several degrees cooler inside the building than outside in warm weather, which occurs rather infrequently. On warm days, teachers are encouraged to open classroom doors into corridors, and in turn custodians open certain of the corridor doors to the exterior. This simple arrangement increases the number of air changes, and air movement becomes perceptible, which is desirable in warm days. This is accomplished without adding capacity to the system or horsepower to the fans.

Mills' level site enabled us to carry virtually all utilities overhead, whereas at Hillsdale, the sloping site required all main runs of the utility services to be run underground. Considerable areas of building required to cover the ramps which connect the different levels at Hillsdale were eliminated at Mills.


The structural system which makes possible the complete flexibility of use of the interior spaces is not identical in the two schools. The most readily discernible change in the structural system is found in the use of Vierendeel trusses at Mills; these span the auditorium and gymnasium rooms and provide their own bracing against seismic forces. In Hillsdale, vertical trusses were applied to the structural frame at the exterior wall, and in this exposed portion they were treated as elements of the visual design. There were many other simplifications in the Mills structural system. The entire project was fabricated from 10 in. WF and 12 in. WF structural shapes, with the exception of the vertical supports of the high gymnasium-auditorium frame, which are made up of steel plate and channel sections.

It was our considered intent that Mills be a spare, restrained, architectural statement, because we believe that thinking, growth and creative effort thrive in the stimulus provided by such an environment. We have sought to bring into a disciplined orderly expression all of the complex components of the mechanical system, structural forms and materials, and all educational space and equipment. The color scheme is as spare as the building and, on the exterior, uses mainly varying grays and white with

Mills High School

The school as envisaged to accommodate a Trump-type curriculum:

- A. Instructional areas
- B. Large group meeting
- C. Small group meeting
- D. Offices
- E. Exhibition
- F. Resource center
 - F1. Library
 - F2. Business machines
 - F3. Crafts
 - F4. Dark rooms
 - F5. Printing
 - F6. Science laboratory
- F7. Homemaking
- G. General administrative area
- H. Projection room
- J. Listening booths





Large group activity area





Study carrels, small group areas




Space will be as open as possible; carpeting will help reduce noise









"Cottages" will be used by special short-term study groups for research and seminars

color accents of green and persimmon. Interior colors were selected with a concern for brightness, contrasts and reflectances.

That Mills' apparent austerity has a further basis in the school district's shrinking income from property assessment taxes is only an accessory after the fact that its architectural expression is what we, and the educators and citizens of the school district, wanted it to be. But it is nevertheless true that Mills, despite the general prosperousness of the community in which it is situated, is faced with a serious problem. As its population increases and its school enrollment consequently grows larger, its property assessment rate, per student, is decreasing. In 1950 there were 2654 students in high school; today there are 7318. In 1950 the assessed valuation, per student, was \$53,050; today it is \$36,500-and \$37,000 is needed to finance a well-rounded educational program. This district does not qualify for state or Federal assistance, so it must finance its educational and building programs.

At Mills, practically all partitions can be moved and spaces altered; the heating, ventilating and lighting accommodate themselves to any arrangement of rooms or areas; the parts of the exterior wall, doors, windows, wall sections, are interchangeable. The room arrangement and the disposition of the elements of the exterior curtain wall provided by the architect to meet the current program are provisory. The function of the architect, then, is the design of a system, not the design of specifically programmed space. The interesting question arises as to whether or not the future user, who may himself rearrange the space and forms of the building, usurps the traditional prerogatives of the architect.

Can the design of such a system be architecture? We believe that it can. We believe that this system may be regarded more as an instrument than as a building in the traditional use of the word; it is an instrument of education.

The flexibility of Mills and Hillsdale is achieved without a cost premium. I am often asked if this flexibility is used. To date, some use of this attribute has been made. At Hillsdale, changes have been made in the administrative offices, and in some of the rooms, minor but needed changes have been made. In planning these two schools, we attempted to interpret current needs in a plan which worked. Our job would have been poorly performed, indeed, had there been a necessity of making major alterations at this early date. The advantages of the schools' flexibility can be assessed only when significant changes in program require the plant to adapt itself to such changes. When will these program changes occur? We do not know, but we are sure that they will occur long before the useful life of the plant has been served. Another high school, the Andrews Senior High School at Andrews, Texas, is now being designed by our office. Its design follows the same principles that have guided Hillsdale and Mills, although it is markedly different in character. We believed that it would be interesting to find whether or not it would lend itself to the requirements of the Trump plan, and whether we would find some new problems not experienced at Mills. The "Trump proposal" is presented in broad and general terms, and it invites varied architectural interpretations; the Andrews school appeared to be a further opportunity to test our concept of flexibility and to explore a somewhat different approach.

The difference in our "Trump plan" for Mills and the plan for Andrews is that the instructional rooms for the latter are smaller, but they are capable of being doubled in size, if needed, by a separating folding partition between pairs of adjoining rooms. Research laboratories for craft and science are shared by room pairs, and small meeting rooms are immediately accessible from each instructional area. Several of these room groups are clustered around a large meeting room, which also serves as a library and study center. There are three such major clusters in the school. The main library remains in its present location, but it replanned to include a greater variety of resource materials. Another music room has been added; the shops and physical education remain the same.

In the central concourse are lockers, dining area, spaces for social gatherings and activities and a domed space to be used for a wide variety of purposes, such as assembly, projected pictures, drama, lectures, concerts and dances, as well as for circulation and lounging when not serving other uses.

A fixed pattern of educational spaces can never make the N.A.S.S.P. Commission's imaginative proposal come to life. What this proposal requires for realization is a plant which will grow, change and adapt itself to an orderly and perhaps gradual program of experiment and improvement. Unexpected findings and conclusions might lead to a program differing from the Commission's plan; "Images of the Future" does not necessarily represent a final educational pronouncement but is, rather, a direction and an invitation.


The secondary schools that will implement the proposals of "Images of the Future" do not necessarily represent a final educational pronouncement, but is a direction rather than an invitation.

The secondary schools that will implement the proposals of "Images of the Future," or of other sound educational plans, I believe must be planned and built now.


Andrews High School

The school as envisaged to accommodate a Trump-type curriculum:

- A. Instructional areas
- B. Large group meeting
- C. Small group meeting
- D. Offices
- E. Exhibition
- F. Craft and science laboratories
- G. Administration
- H. Choral room








Central area, under and around dome, will be used for dining and lounge, as here, as well as for assemblies, dances, concerts or lectures. Photographs below show model of exterior and of classroom areas





Photos by Dwain Faubion




Expandable School For A Growing Community






Stoughton Elementary School, Stoughton, Mass.; The Architects Collaborative, Architects. Goldberg, LeMessurier & Associates, Structural Engineers; Thomas Worcester, Inc., Mechanical Engineers; Morgenroth & Associates, Sanitary Engineers; C. A. Batson Company, General Contractor.

The sloping roofs and somewhat informal array of the various wings gives a highly pleasant atmosphere and scale to this 14-classroom school. The anticipated growth of the town indicates a need for future classrooms. The scheme was designed in view of this from the outset: the playroom shown in the center of the plan at right is to be added, and an additional wing of six classrooms and toilet facilities will be placed at a right angle to the present ones. To conform with the site, the building is disposed on several levels connected by stairs. Each area has its ground level entrance.



Partners of The Architects Collaborative: Jean B. Fletcher, Norman Fletcher, Walter Gropius, John C. Harkness, Sarah P. Harkness, Robert S. McMillan, Louis A. McMillen, Benjamin Thompson, Richard Brooker, Alex Cvijanovic, Herbert Gallagher, William J. Geddis, H. Morse Payne, Jr.





Stoughton Elementary School

The various units of the school, which are accessible to the ground at all points, are unified by the flow of the gently sloping roofs. (Note elevation, below.) An established roof slope of 1 to 7.5 is used throughout. Classrooms have been designed so that the large windows toward the outside have a low eave line and are well shielded against the sun. At the opposite sides of the classrooms, a series of high transom windows and plastic skylights add light and the illusion of space. In the corridor (left), a continuous bench, with a rack for boots beneath, and hook strips along the oak walls, give coat storage facilities.

The end walls of the buildings are generally brick cavity wall; window walls are wood or metal subframes, with glass and porcelain enamel paneling. Open web joists span the structural classroom walls. Joists are spanned by 3-in. fiber planks, with a ceiling of acoustic tile, built-up roof. Heating is by a forced hot water system







ARCHITECTURAL RECORD February 1960







ARCHITECTURAL RECORD February 1960 207



Easy Maintenance Highlights Lively School






Acton Elementary School, Acton, Mass.; The Architects Collaborative, Architects (John C. Harkness, Partnerin-Charge); Thomas Worcester, Mechanical and Electrical Engineer; Morgenroth & Associates, Sanitary Engineers; Brick & Concrete Construction Corp., Contractor.

The lively, extremely pleasant design of this school makes the most of an attractive, but relatively tight, site, and uses materials selected to make the building as maintenance free as possible. The school forms the third unit of a consolidated school plan in the geographic center of the Township of Acton. It is adjacent to the original elementary school and a regional high school. The scheme places general purpose and administration areas on a high ledge-with folded plate concrete roofs on rigid steel frames to give dominance-and a twostory classroom block on the side of the hill.

Partners of The Architects Collaborative: Jean B. Fletcher, Norman Fletcher, Walter Gropius, John C. Harkness, Sarah P. Harkness, Robert S. McMillan, Louis A. McMillen, Benjamin Thompson, Richard Brooker, Alex Cvijanovic, Herbert Gallagher, William J. Geddis, H. Morse Payne, Jr.








Acton Elementary School






ARCHITECTURAL RECORD February 1960






The two major units of the school, general activities and classrooms, are connected by a bridge and rambling exterior walks. An open court is created by the arrangement. In the classroom wing, each group of five rooms has its own lobby, exhibit spaces, and toilets. The classroom wing is a steel frame construction. Exterior walls are brick. Interiors are structural glazed tile, fir siding, painted concrete block, and brick. The fascia boards are porcelain enamel, the sash are aluminum. Most floors are asphalt tile, except for vinyl asbestos in the multi-purpose room, ceramic tile in toilets and kitchen, wood block floors in the playroom. Ceilings are acoustical tile, partly covering steel deck and concrete folded plate. The heating system is divided into five direct fired warm air units-four for the classrooms, one for other areas




School With Changeable-Area Teaching Spaces




Marie Creighton Junior High School, Jefferson County, Colo.; G. Meredith Musick and Clayton S. Musick, Architects; Glen Nimnicht and Leonard Walsh of the Educational Planning Service, Educational Consultants (the Educational Planning Service is the Western Regional Project Center of The Educational Facilities Laboratories, Inc., Ford Foundation.)

This school project, developed under the auspices of the Education Facilities Laboratories, brings into concretion some of the divisible-area teaching and assembly spaces envisioned by the Trump report. It is now in the working drawing stage. Rather than trying to establish some sort of prototype, the architects, consultants and the citizens committee have sought to provide facilities explicitly to serve their local needs and wants. The scheme incorporates an arrangement of classrooms which, by use of transparent partitions, will be suitable for instruction in groups of 30, 60 or 90. The arrangement will provide for the traditional program now in use, and experimentation in new ones.



The basic planning units of the 750-student junior high school are the changeable-area arrangements diagrammed above. At left: three classrooms are placed so that each room can form a separate teaching station, or be used in combination with one or two others. Walls of glass, with pull curtains for separation, are between classroom A and the other two. Audio equipment is used to transmit sound through the areas. Cost and the desired degree of acoustical privacy led to the use of glass rather than movable partitions. The classrooms B and C are on a higher level to improve viewing into area A. At right: a folding partition adds cafeteria space to the little theater for auditorium use. Further developments are below






Visual Comforts In School For The Deaf





Clarke School for the Deaf, Northampton, Mass.; James A. Britton, Architect; Buerkel & Co., Plumbing, Heating and Ventilating Engineers; Aquadro & Cerruti, Inc., Contractor.

This dormitory for 56, age 6 to 12, live-in students of the Clarke School for the Deaf seeks to make the most of its park-like setting, and of high-level lighting and visual textures and patterns, to increase the efficiency and pleasures of its handicapped students. Generally, the building is designed to help those without hearing to get along with ease in ordinary environments. Wall papers, colored tiles and mosaics, patterned fabrics, large (but shaded) windows, and displays and television in the lounges, are all explicitly devised to foster a greater reliance on the sense of seeing. The building is in three levels on a sloping site. The upper two levels are mainly dormitory rooms; each level of the lift slab building has direct access to grade.





GROUND FLOOR



ARCHITECTURAL RECORD February 1960



Elementary School Zoned For Age Groups







Osborn Road Elementary School, Rye, N. Y. Sherwood, Mills and Smith, Architects.

This 13-classroom elementary school uses courts, covered play area, and a big separation of age groups to create an extremely pleasant environment for teaching. Classrooms are grouped into a block of six for primary grades (bottom left in plan), six for intermediate grades (top center in plan), and a kindergarten (lower right in plan). While all are linked with the range of facilities in the central core of the building, their separation provides separate entrances and playfields for each group, and facilitates possible expansion for any of the blocks.


Total gross area of the school is 38,600 sq ft (counting covered, unheated spaces at $\frac{1}{2}$). Cost for the building construction itself was about \$750,800; equipment was \$31,600; site development, \$66,000.







ARCHITECTURAL RECORD February 1960 217



Fraioli, Blum & Yesselman, Structural Engineers; Bernard F. Green, Electrical and Mechanical Engineers; Walter A. Sandy, General Contractor; Charles A. Currier, Site Work.





Osborn Road Elementary School

The plan arrangement of the school is devised to keep the quieter work areas for administration, health, lounges, library, etc., turned toward the court or entrance area, and away from the noisier play fields. The scheme also permits use of lunchroom-gym, auditorium, and courts as a unit for evening events and parent-teacher functions. The photo at top shows the entrance lobby flanking the auditorium. Center photo is a continuation of this area, and shows the glass-walled library. At bottom is a typical classroom

Architectural Engineering

Lighting for A Cozy Home

An important trend in lighting is the architect's growing awareness of its potential as a design element—to establish the character of building interiors and exteriors. An encouraging sign, too, is the lighting industry's recognition that the emotional content of light deserves attention, along with techniques for better seeing. Evidence from abroad is a recent issue of the International Lighting Review (Amsterdam), describing a campaign for better home lighting by Philips Netherland, Dutch electrical manufacturer. Idea was to encourage higher levels of light, not by techniques for factory or office, but, as they put it, by "light dispersion." Its definition: correct screening and scattered arrangement of light sources to insure appropriate illumination, while at the same time enhancing the general atmosphere by incidental light accents. First, Philips couldn't find luminaires that were technically appropriate, thermally and electrically safe and esthetically pleasing. Their remedy was to assign the development of a whole range of fixtures to a special group which included an architect, a color specialist, an industrial designer and a fabricator. Next, Philips discovered that architect-designed sets and special photos were needed to make their story convincing to the public. Our reaction: while the photos look posed, the lighting fixtures appear appropriately conceived; handsome and functionally sound. Philips reaction: "the attractive manner in which the camera has been used is so outstanding that the demand for proper lighting is automatically linked to a cosily arranged interior and good-humored people."

Concrete (Precast) Suggestions

Precast concrete panels are a rather common commodity these days. Sufficient time has elapsed for their advantages to be appreciated and their problems analyzed. The three most troublesome difficulties are variations in color, reduced thermal efficiency through improper design, and bulging and warping due to moisture, temperature and weathering cycles—according to Victor F. Leabu, Assistant Chief Structural Engineer for Giffels and Rossetti. In a technical paper published in the Journal of the American Concrete Institute (October 1959), Leabu outlines the following solutions: To minimize color variation—cement and aggregates should be consistent throughout the job; panels should be matched during erection; textured panels and surface treatments should be used to prevent monotony; exposed steel or iron inserts, edge angles, etc., should be avoided to prevent rust staining. To prevent loss of thermal efficiency—ribs and stiffeners should be kept to a minimum. To avoid unsightly cracks—panels and connecting components should be properly designed to minimize effects of bulging and warping; lateral movement should be accommodated through slip joints.

BRI Affairs

Staff of the Building Research Institute and its committees are busily preparing for the upcoming 1960 BRI Spring Conferences to be held in New York this April. The Fall Conferences in Washington last November drew over 1000 members and visitors, including a contingent of a dozen or so Russians who wandered in and out of sessions on plastics, sandwich panels and curtain walls. Other topics on the program included new heating techniques, modular coordination, building science documentation, and international building research. Miscellany from the Conferences: Sandwich panels are being used for shells (naturally including the paraboloid family). Fossil fuel reserves are more adequate than popularly believed (construction of nuclear power plants in Europe has slowed from its earlier rapid pace). Artificial hailstones, cut from ice and shot from grenade throwers, were used by South African building researchers to find criteria for hail-resistance of roofing.

This Month's AE Section

TOWARD GREATER CEILING FLEXIBILITY. pp. 220-225.


THE NEW LOOK OF LAMELLA ROOFS. pp. 226-230

PRODUCT REPORTS, page 231. OFFICE LITERATURE, page 232.

TIME-SAVER STANDARDS. Asphalt Shingles, pp. 235, 237, 239.

Toward Greater Ceiling Flexibility

Ceiling system
in the Union Carbide Building
integrates lighting,
air conditioning and sound control
for privacy in a manner
that allows unusual
flexibility for location
of office partitioning



All photos Ronald Binks

From the day that technology permitted the architect to design the ceiling as an indoor sky-a plane of lighthe has striven, first, to conceal the apparatus, and, second, to create in the ceiling a source of light, air conditioning and sound control with unlimited flexibility. The ceiling system shown on these pages, Skidmore, Owings & Merrill believes, is the most highly integrated this firm has yet developed. It is not a luminous ceiling as conventionally known, but rather a "fixture" ceiling, since it is composed of a series of contiguous fixture units (about 70,000). In addition to its illumination function, the fixture also acts as a sound barrier above the ceiling. Fixtures are spaced in both directions by runners which outline, but do not support, them and which receive the movable partitions. One of the runners is slotted and contoured to supply conditioned air and to exhaust it.


No clear evolution can be traced from previous Skidmore, Owings & Merrill ceiling systems because each had its own particular requirements. At Manufacturers' Trust Company's glass bank in New York, the luminous ceilings were divided by a grid of 8-in. flat strips with slots for diffusers and a series of small purlins in the other direction. At Connecticut General Life Insurance Company building in Hartford, which has a high ratio of open areas to partitioned spaces, the ceiling consists of a series of deep fins in an egg-crate pattern which act as blinders for the fluorescent lamps, conceal the exposed ductwork, provide sound absorption, and give a 6-ft grid, where desired, for partitioning.

In the Union Carbide Building, however, typical floors are a checkerboard of offices ranging between 10 and 15 ft on a side. The owner wanted to be able to change office layout overnight, without requiring maintenance men to climb up into the ceiling to make adjustments in the services or sound barriers.

Originally a 5-ft module was established, based on column spacing and the office planning consultant's recommendation. Mock-ups of six different ceilings were built, and these included one with troffers and five with various plastic ceilings. A luminous ceiling with a flat sheet of plastic in a metal frame was favored.

Later the module was cut in half to permit interior offices to be in multiples of 21/2 ft in one direction, and 5 ft in the other; corridors could be 5, 71/2 or 10 ft. The 5-by-5-ft module in a luminous ceiling required three fluorescent tubes for even illumination at about 60 foot-candles, but with this module halved, a partition would have been directly under one of the tubes. The three lamps were therefore reduced to two, and it was necessary for the engineer to design a special fixture so as to get even illumination and maintain the originally intended lighting level of approximately 60 foot-candles. (It actually is nearer 80.) Additional criteria for the fixture included: construction to provide a dust-free diffuser, preclusion of sound transmission over partitions (carpet on all floors gives the needed sound absorption to control reverberation), and easy maintenance.

Development of the Union Carbide ceiling required an unusual amount of collaboration by the building team, from the engineer who designed a completely new lighting and air distribution system, to the manufacturer who used a recently developed cold-rolled forming process to make the runners from flat sheet of stainless steel.








Union Carbide Building, New York City.
Skidmore, Owings & Merrill,
Architects;
Syska & Hennessy, Inc., Consulting
Mechanical and Electrical Engineers;
Weiskopf & Pickworth,
Consulting Structural Engineers;
Bolt, Beranek and Newman,
Consultants in Acoustics;
George A. Fuller Co., General Contractor.


Altogether there will be over 800,000 sq ft of lighted ceilings in the 52-story tower on Park Avenue and the connecting 12-story block on Madison Avenue. Photo opposite page shows an area of finished ceiling with the illuminated vinyl plastic divided by major and minor runners of stainless steel as indicated above. Both runners can receive the metal and glass partitions. The partitions which fall under the minor runners have an adapter to fit over the runner. The major runner is contoured and slotted so as to distribute conditioned air to the space and return it. Partitions have glass at the top to permit an uninterrupted vista of the ceiling. The architect felt this to be extremely important for interior offices




- 1. metal fixture reflector
- 2. major ("A") runner
- 3. minor ("T") runner
- 4. fixture wireway
- 5. air-conditioning boot
- 6. supporting channel for wireway
- 7. supporting channel for "A" runner




This photo shows how a large area of the ceiling will appear, even though the vinyl plastic diffusers have not yet been installed. At the top of the photo can be seen the configuration of the fixture reflector which was designed to give even illumination across the face of the light diffuser. The fixture dimensions, $2\frac{1}{2}$ by 5 ft, are those of the module for movable partitioning. Due to the versatility of the runner-fixture system, offices can be rearranged without need for access to the ceiling







The runner system is a result of meticulous detailing and precise manufacture. Both runners are fabricated from flat stainless steel strip by cold-rolled forming. The strip is bent by a series of wheels (or dies), which produce smooth curves and knife-like edges. The curve of the major runner was empirically designed for a smooth flow of air with minimum turbulence. The folded section projecting in front of the curve limits the opening; helps to direct the air. It also conceals the supply and return slots

The "A" runners and the fixtures are independently suspended from channels. First, the fixture had to be ceiling-suspended to be classified as a surface-mounted fixture and gain building code advantages. Second, the designers didn't want to overload runners by resting lighting units on top of them. "T" runners are supported by "A" runners. The detail of the "T" runner shows a polyurethane gasket around the perimeter which makes a seal between reflector and diffuser frame, and between reflector and "T" or "A" runners. This gasket seals the fixture from dust and prevents leakage of sound from one office to another










The fixture was shaped to produce even light distribution on the diffuser. The quadrant below the tube is illuminated principally by direct rays. Lines in the drawing show how reflected light is directed to outer edges of the diffuser to supplement direct light. First design was for a curved fixture, but any slight imperfections in manufacture caused streaks on the diffuser. The diffuser is attached to the reflector with four concealed "dart" hinges which look like oversized hairpins. The diffuser can be released from either side in two steps. In step one a special tool releases the bottom indented portion of the hinge from an angle clip. In step two the maintenance man reaches inside and releases the top portion of the hinge from the clip. Diffuser panels are a lamination of two .015-in. sheets of vinyl (bottom sheet matte, top sheet polished) and a .001-in. ultraviolet filter. The flanged plastic is banded with an aluminum frame




OPEN IZ"

1/2" WIDE SPACERS


1'-3" TO & T RUNNER OF DUCT

PLAN OF SLOTS



Details at left show how conditioned air is supplied to the major runner. Each supply and return has a control damper which can be operated from within the room to make adjustment to suit a particular pattern of offices and occupancy. Note in the plan of slots that they are placed on one side of the runner only. This is to prevent a short-circuit of sound from one office to the adjacent office. The runner system provides air supply up to within 15 ft of the outside wall. The remaining space is handled by a perimeter induction system (right). Perimeter system air ducts are run horizontally within the ceiling space to obviate the need for large chases at the columns. Drawings at the top of the page demonstrate the flexibility of the runner system for air conditioning. Based on the premise that the smallest office would have at least one dimension of 10 ft, the duct connections are laid out on this spacing in one direction. The other direction has a supply (black) or return (white) every 21/2 ft.







David R. Kitz



1. For the multi-purpose room of this elementary school, the architects called for ornamental short-span lamella arches between glued laminated beams 20 ft on center. Because of the short radius and short span required, the cutoff for the lamella curve became so excessive that it proved more economical to fabricate the lamellas of one-inch plywood than to use the customary short lengths of stock lumber. This also made it possible for the individual members to be curved top and bottom, using a centric joint, so that the resulting pattern of the barrels is unusually light and delicate





2. This bowling alley shows a new development in the lamella system: the projection of the gable ends of the lamella roofs, both along the side walls (above) and the end walls, along the lines of opposite skewed arches. In the small side roofs (34-ft spans), the sheathing was sufficient to take care of the longitudinal tension resulting from the skewing of the arches. However, on the large (109 ft) spans at left, the longitudinal tension is carried by tierods concealed in baffles at the joints. The light fixtures are also attached to these baffles, which act as glare shields for bowlers

THE NEW LOOK OF LAMELLA ROOFS

by Dr. G. R. Kiewitt, Consulting Engineer, Roof Structures, Inc.

For many years, the diamond-patterned lamella roof has been pictured in textbooks, and doubtless in most people's mind's eye, as an arch. Decorative, yes. Economical, no doubt. But still an arch, and as such limited in application. On these pages, however, a leading consultant on the lamella system presents its pros and cons, and with photos from his casebooks shows that lamella arches can be varied in form-and that they need not be arches at all.


In 1908, the Building Commissioner and City Architect of Dessau, Germany, was confronted with a task familiar to city officials (and architects) even now. Additional housing was needed; funds for new construction were not available. To compound the problem, existing houses defied expansion. Not only were their foundations inadequate to support an additional masonry wall for a third floor, but their roof construction, which consisted of high pitched trusses with purlins and rafters, precluded even the development of a livable attic.

At this point, necessity became the mother of invention, and Herr Zollinger devised the first lamella roof, an arch made up of similar, mutually supporting members arranged to form a decorative network of diamonds when viewed perpendicular to the roof surface.

Onto the existing walls went the arch. Into the crotches of its intersecting members went the ceiling joists for a new third floor. Up went the necessary housing within the city budget. And into the vocabulary of structural engineering went the lamella roof.

It was first imported to this country in 1925, and has since found ever wider use for hangars, exhibition halls, field houses, gymnasiums, auditoriums, and virtually any structure where wide clear spans are desired at relatively low cost and where a curved roof surface is more an asset than otherwise.

In its most familiar form, the lamella roof is still an arch. However,




3. This gymnasium is a further example of how the lamella roof may be adapted to achieve an architectural effect. The space is covered by twin barrels, this time of lightweight steel, supported at the center by a beam which leaves the floor unobstructed and also accommodates a folding partition



David R. Kit;

Thomas Korn

4. The parabolic cross section of the lamella roof for this small church was formed by using a short radius arch in the center section and longer radii for the sides. Since the lamella units for the very short radius would otherwise have required a considerable curved cut, this area was made just half that of the lower portions. This produced a visual division between "roof" and "walls," which was further marked by the installation of sound-absorbing insulation in the smaller ceiling panels



the system has also been used to construct spherical domes, parabolas, sections of cones, and hyperbolic paraboloids, and may theoretically be used to form almost any geometric surface.

Whatever its shape, the efficiency of the lamella roof stems largely from the fact that it takes full advantage of the triangle for stability in the pattern surface. The lamellas themselves are relatively short wood or steel members of uniform length, bolted or welded together at an angle so that each is intersected by two similar adjacent members at its mid-point. When the interlocking diamonds thus formed are triangulated by the decking or by purlins,

the stability requirements of the structure in the plane of the surface are complete.

Stress functions perpendicular to the plane of the surface are carried through the action of the lamella units as beam columns under combined axial and bending stresses. For this reason, the lamellas are oriented with their deeper section perpendicular to the surface of the structure.

As might be expected, the system is most efficient in compression. Since the lamellas brace each other at frequent intervals, concentrated or live loads are rapidly dispersed through the network of intersecting diamonds, so that loads seldom, if

ever, depend on one or two members for support, but are supported mutually by many members. Thus, if a few members fail because of fire, earthquake or excessive wind loading, adjacent lamellas assume the additional load and collapse is prevented. During the tornado in St. Louis last spring, for example, the twister scored a direct hit on the St. Louis Arena. A small segment of its lamella roof was ripped out and had to be replaced, but the rest of the roof was unscathed.

Moreover, since the singly or doubly curved surfaces of lamella structures maintain the neutral axis of the structure near the pressure line of the loads applied,



Sammy Gold




5. The 224-ft steel span for this civic auditorium was buttressed in the conventional way, using concrete struts with concrete distribution beams between them. The use of intermediate purlins permitted the steel deck to be run across the arch, forming a true curve which was highlighted by painting the undersides of the lamellas in a bright coral that contrast vividly with the brownish-gray painted decking



G. R. Kiewitt



6. Though similar to the conventionally buttressed auditorium shown above, this exhibition hall represents an advance over it in that the need for buttress-type supports was eliminated by pulling the lamella barrel down almost to grade level and scalloping the frame between the low concrete piers. This proved to be doubly advantageous since the considerable reduction in the size of the buttresses cut expenses while the scalloping produced a pleasing esthetic effect





Piaget Studios

the predominant stresses are axial rather than bending stresses. This eliminates a mechanical disadvantage common to the straight prismatic beam or truss, and, combined with the interdependence of the individual lamella units, makes possible maximum efficiency in the use of material.

This material has traditionally been wood, and wood is still the predominant construction material for lamella roofs, but the recent trend toward longer spans has made the use of standard steel shapes increasingly important. Concrete has also been used, especially in Italy where Pier Luigi Nervi built two lamella-


type hangars, one of poured-in-place concrete (1938) and one of precast concrete (1943). However, in the United States, concrete has so far been avoided for lamella roofs because of the high cost of the formwork involved.

In this country, development of lamella roofs has moved principally in the direction of applying the system to special shapes and improving conventional methods of support. Since lamella structures are, in effect, a series of intersecting diagonal arches, they exert a horizontal thrust which must be distributed to, and resisted by, thrust supports such as buttresses or tie rods.

The arch action of lamella structures also gives rise to other factors which must be considered in their design. To begin with, lamella arches, like all arches, are very sensitive to unsymmetrical loads. Somewind and snow, for example-are natural and thus unavoidable, but imposed loads like those from mechanical equipment and hanging accessories can and should be located symmetrically if the arch is to perform efficiently. Uneven spring lines, which have basically the same effect as unsymmetrical loads, should also be avoided.

In addition, the lamella roof system is not easily adaptable to rapid

8. The roof of this community center is a conventional lamella pattern dome, which requires the same number of members in each concentric band. Since this crowds the members near the crown, with a resulting increase in dead weight in this area, the section of the lamella units was gradually decreased from 4 by 16 in. at the sill to 2½ by 12 in. in the crown band. Similarly, the thickness of the sheathing membrane was reduced from two inches at the base to one inch over the crown



Las Coope





Rohrabaugh & Millsap

9. The initial design for the fieldhouse dome shown above left employed three-hinged radial arches acting as load bearing ribs of a multi-sectored, spherical lamella roof. However, the designers soon noted a marked increase in dead weight toward the crown and, to maintain an even dead load distribution, instead divided the dome into twelve pie-shaped sectors with the lamella arches running parallel to the sector arches. This made the lamella size and spacing uniform throughout, and when the dome was analyzed as a pierced shell, resulted in a very lightweight structure. 10. Maintaining uniform lengths for the lamella units did not however permit the purlins to form a pleasing pattern of concentric rings, so this was remedied on subsequent domes. In the one shown above right, the bulb tees are also concentrically arranged and serve as stiffeners for the top chords. This lamella pattern, which has since been patented, has also been used for domes with fewer sectors, as well as for wood domes

changes in curvature except at points of support. If such changes are made, they cause high bending moment concentrations which substantially reduce the structure's efficiency.

In basically compressive structures like lamella roofs, the degree of curvature itself must be related to deformation in order to prevent buckling. If the point deformation becomes too large secondary stresses become excessive, bringing with them serious problems. These stresses can, however, be minimized by determining limiting curvatures—in the case of lamella arches and domes, a minimum rise to span ratio of about 1 to $7\frac{1}{2}$.

In general, the circular segments used in the lamella system closely follow the parabola which represents the pressure line of a uniformly distributed load placed on an arch. The higher the rise required, the greater the deviation from this parabolic stress pattern, and the less efficient the structure. A rise to span ratio of 1 to 2 is still in the realm of practicality, but lower ratios are to be preferred.

Assuming that these requirements are considered in the design, the lamella system is competitive with more conventional framing methods for spans ranging from 40 to 1200 ft or even more. This is due not


only to the economy inherent in its efficient use of material, but also to the ease with which the lamellas can be fabricated and erected. Obviously, the high degree of repetition means that low cost mass production techniques can readily be adapted to lamella fabrication. But field erection is also quickly and easily accomplished, with a minimum of scaffolding.

Lamella arches, for example, are usually erected a bay at a time from a movable scaffold as wide as the roof. After the sill beams or spacers which distribute the horizontal thrust to the supports have been placed, the lamella network is simply



Calherne Studio

11. The lamella roof of this amphitheater was designed to conform to a cone sector, with the number of lamella joints across the arch, and the angle of intersecting lamellas, remaining constant throughout the length of the roof. This was done by decreasing both the long and short axes of each successive diamond, and inclining the lamella faces in relation to the cone axis so that the stage roof reflects sound to every part of the amphitheater



Benyas-Kaufman





12. When the stress distribution for this groined roof was worked out, all loads from the lamella roof surfaces were channeled into the groin arches. As a result, the arches had to be extremely large, and, in addition, all lamellas adjacent to the groin had to be field cut and fitted. From this experience evolved the idea of using for such a roof four symmetrical diamond-shaped lamella sectors combined with edge beams so that each would become a self-supporting arch structure. If an enclosed angle of 60 degrees were used for the lamellas, together with a joint, all units for such sectors would be identical and could be shop fabricated.

At left are shown two further proposals based on the same idea, both using triangular lamella roof sectors with the same enclosed angle as the intersecting lamellas. In the first, starting with a square building, there is a wide star-shaped opening between the four triangular units. This would lend itself to a structural connecting frame to be used for skylighting, admitting daylight at the points farthest from the windows. In the second scheme, the triangular sectors are joined at the apex, with the roof crests horizontal. Due to the curvature of the sectors, their edges move apart between the points of intersection so that the edge beams could be developed as curved tapering trusses with a common top chord and with inclined faces which could be glazed or enclosed with louvers for light or ventilation

woven from the sill up, from both sides, until it meets in the center. Spacer boards are then placed over the joints to prevent the network's spreading while successive bays are erected, and the scaffold is moved into the next bay, where the process is repeated.

Joints are simply made by the use of bolts and plates. Wood lamella structures use a thrust and shear connection, while steel structures use a moment, thrust and shear connection made by erection bolts and field welding or by high strength bolts. In either case, the entire structure may, if necessary, be dismantled and re-erected at another site.

LIST OF ILLUSTRATIONS, Pages 238 to 242


- 1—Warson Woods Elementary School, Webster Groves, Missouri. Architects: Hellmuth, Obata & Kassabaum; Caudill, Rowlett & Scott, Associated
- 2-Bowlerama, Detroit, Michigan. Architects: Hawthorne & Schmiedeke
- $\hbox{$3-$Bloomfield Hills Junior High School, Bloomfield, Michigan. $Architects: Smith, Tarapata, MacMahon, Inc. } \\$
- 4-St. Mary's Church, Joplin, Missouri. Architects: George Barnett; G. R. Kiewitt, Associated
- 5-Civic Auditorium, Corpus Christi, Texas. Architect: Richard S. Colley
- 6-Fruit and Features Building, National Orange Show, San Bernardino, California. Architect: Harwell H. Harris and Jerome Armstrong
- 7—Ladue Junior High School, St. Louis County, Missouri. Architects: Murphy & Mackey 8—Pine Hill Community Center, Memphis, Tennessee. Architects: Mann, Harrover & Williams
- 9-Fieldhouse, University of Wichita, Wichita, Kansas. Architects: McVay, Peddie, Schmidt & Stone
- 10-Brown County Veterans Memorial Arena, Green Bay, Wisconsin. Architect: John Somerville
- 11—Sidney and Phyllis Allen Amphitheater, Camp Tamarack, Ortonville, Michigan. Architect: Louis Redstone
- 12-South Side Lutheran High School, St. Louis, Missouri. Architect: William B. Ittner


Sculptured Block Adds Texture to Glass Walls


Sculptured glass units with concave three-dimensional surfaces are the latest in a series of "glamour" glass blocks aimed at the curtain wall market. The 12-in.-sq Sculptured Glass Module is said to combine the architectural appeal of texture and color with the advantages of light transmission, high thermal and sound insulating value, and simplified instal-


lation and maintenance. Its principal cost advantage stems from the use of stock units to form a finished wall that can be installed by one trade in one operation. The four patterns shown here are available in clear glass or twelve fired-on ceramic colors. Pittsburgh Corning Corporation, One Gateway Center, Pittsburgh 22, Pa.











Pre-Coordinated Electronics Equipment Simplifies Lab Planning

With the new emphasis on technical education in secondary schools, architects will welcome a ready-made electronics laboratory that coordinates in "task area" work benches like the one shown below all the equipment necessary for instruction and individual laboratory work in electronics. Standard instrumenta-

tion at each task area includes an oscilloscope, wave and signal generators, and metering devices, all fed by a multiple supply unit that the instructor regulates to deliver low or high voltages in direct or alternating current. Once this central power supply and adequate service wiring have been provided, more task areas

and supplementary equipment can be added as needed to serve curriculums ranging from a terminal vocational course in electronics to pre-college instruction in advanced physics. Labpower Div., Associated Products & Service Co., Inc., 272 West Ave., Long Branch, N. J.

more products on page 240



Left: Student benches include equipment needed for carrying out experiments and building model circuits. Below: Typical lab layout ranges task areas around central power unit at right



A New Concept in Partitions

. . . and Movable Interiors (A.I.A. 35-H-6) describes the ColorLine system of movable interior partitions, with typical partition sections, intersectional and framing details, door details and footnotes, and specifications. Catalog 903, 8 pp. Unistrut Products Co., 933 W. Washington Blvd., Chicago 7, Ill.*

Specification Manual

(A.I.A. 19-E-9) Covers the physical characteristics of Northern hard maple, beech and birch hardwood flooring, thicknesses and face widths available, uses of the different grades, suggested specifications for strip and block flooring, and directions for laying and water-proofing. 8 pp. Maple Flooring Manufacturers Assn., 35 E. Wacker Dr., Chicago 1, Ill.*

Capri Mosaic Tile

Describes, illustrates and gives directions for specifying a complete line of imported textured ceramic mosaic tile. 4 pp. Standard Tile Co., Inc., 854 Rockaway Ave., Brooklyn 12, N. Y.*

The Balanced Door (A.I.A. 16-E)

Describes, and gives installation photos, specifications and details for "balanced" entrance and vestibule doors. 12 pp. Ellison Bronze Co., Inc., Jamestown, N. Y.*

Lock and Escutcheon Catalog

Features full-color illustrations, cutaway diagrams and technical specifications on complete line of locks and escutcheons. Challenger Lock Co., Inc., 2349 W. La Palma Ave., Anaheim, Calif.*

Cincinnati Time Systems

Describes centralized, self-regulating master time and program signaling systems, with data on controls and secondary indicating clocks for both minute impulse and wired synchronous systems, as well as audible signaling equipment. Typical specifications and system diagrams are included. 20 pp. Cincinnati Time Recorder Co., 1733 Central Ave., Cincinnati 14, Ohio

Terne Roofing Specifications

(A.I.A. 12-C-1) File folder contains specifications and other pertinent data on seamless terne metal roofing. Follansbee Steel Corp., Follansbee, W. Va.*

Spontaneous Combustion

... and Its Early Detection, written by A. S. Radford for the English magazine, Paint Technology, examines the phenomenon of spontaneous combustion, and discusses its detection by a device marketed in this country under the trade-name Pyr-A-Larm. 8 pp. Pyrotronics, P. O. 390, Newark 1, N. J.

Saxe Manual

... For Structural Welding Practice, Fifth Edition, incorporates data covering the theory, engineering and detailing of economical welded joints with Saxe connection units. 60 pp. J. H. Williams and Co., Buffalo 7, N. Y.

Office Equipment (A.I.A. 35-H)

Catalogs complete line of steel office equipment, from desks to duplicators. 80 pp. Cole Steel Equipment Co., Inc., 415 Madison Ave., New York 17, N. Y.

Masonry Anchoring Handbook

Offers a complete source of information on masonry anchoring, including tables that show the proper anchors to be used with each type of fixture and material, and dimensions and specifications for each type of anchor and drill. 48 pp. Rawlplug Co., 244 Petersville Rd., New Rochelle, N. Y.

"Photo Tile" File

Includes true-color, true-size photo reproductions of tiles in Pomona's "Distinguished Designer Series." The name of the design, the catalog number, and other available sizes, colors and glazes are printed on the back of each. Pomona Tile Mfg. Co., 629 N. La Brea Ave., Los Angeles 36, Calif.*

Vartung Paints and Varnishes

Gives descriptions of tung oil paints and varnishes recommended for a wide variety of interior and exterior applications. 4 pp. Crosby Forest Products Co., Picayune, Miss.

Architectural Details

... and Specifications gives pertinent detail drawings, specifications and accessories for Mitchell steel buildings. 8 pp. Mitchell Engineering Co., Columbus, Miss.*

* Additional product information in

Sweet's Architectural File

more literature on page 310



The Unit 1960 MANUAL OF DE-SIGN provides detailed information and design data on various types of glued laminated wood structural members. Included are arch and beam connection details, comprehensive roof beam design charts, specifications for glued laminated construction, a color chart for stain finishes, details and specifications on structural roof decking, and other factual information. Advertising Dept., Unit Structures, Inc., Peshtigo, Wis.



For slip-resistant floors, specify Seal-O-San!

Planning a gym? The coach will be vitally interested in the seal you specify! He knows that good basketball calls for fast footwork . . . and a player's footwork can be no better than the floor permits.

A Seal-O-San finished gym floor provides good footing because the seal is resilient. The surface *gives* a little so the shoe sole holds its position, doesn't slip. Footing is sure, action becomes smooth and fast.

Seal-O-San offers the primary advantage of slip resistance, plus durability, light color, easy application, simple maintenance and protection for long floor life. It will serve your client, and his coach, well. Ask your Huntington representative, the Man Behind the Drum, for more information.

Write for details and specifications on Seal-O-San gym floor finish. Please use your firm letterhead and give your name and title.



HUNTINGTON

... where research leads to better products

HUNTINGTON 4



LABORATORIES - HUNTINGTON, INDIANA - Philadelphia 35, Pennsylvania - In Canada: Toronto 2, Ontario



a favor in economy

Apple of the eye that's looking for low-cost classroom comfort! Room by room, gas-fired Norman Schoolroom Heating and Ventilating Systems automatically: (1) provide heat rapidly when it is needed, (2) blend the proper amounts of outdoor air and recirculated room air to cool and ventilate the classroom, and (3) distribute tempered air evenly along and out from the exposed wall. Each Norman forced warm-air system is an easily installed package with pre-wired, factory-assembled heating and ventilating unit, controls and partially assembled Util-i-Duct® Bookshelf sections.

> Write Today for New 1960 Comprehensive Manual. See Folder, 1960 Sweets Arch. File, 31h/No



UTIL-I-DUCT® BOOKSHELF 4. AIR DIFFUSER PRODUCTS CO. • 1152 Chesapeake Ave. Columbus 12, Ohio

ASPHALT STRIP SHINGLES: 1—Resistance to Wind and Wind-Driven Rain

by Howard P. Vermilya, A.I.A.

New materials and methods of application offer solutions to former difficulties with asphalt shingle roofs caused by high winds and low-sloped roofs. High winds could lift tabs and permit wind-driven water to penetrate the roof. If winds were strong enough, they could rip off the tabs. Previously the industry-recommended minimum roof slope for asphalt shingles was 4 in 12, because lower roof slopes also were susceptible to wind-driven rain penetration. Now, however, the industry recommends the use of asphalt shingles for slopes as low as 2 in 12.

This was made possible through the technique of cementing the siningle tabs with a quick-setting adhesive as they are laid. More recently new products have been introduced to achieve the same result and these include:

- A factory-applied self-sealing adhesive which is activated after application by pressure and/or solar heat.
- 2. Interlocking tabs (square butt strip shingle).
- 3. Increased size and weight. Self-sealing shingles should be fastened down with metal clips. The increase in stiffness in the tabs of the heavier strip shingles plus increase in size, where it results in triple coverage, also decrease the hazard resulting from high winds and low roof slopes.

APPLICATION

1. The standard 210-lb, 12-by-36-in. square butt strip shingle providing double coverage at exposure of 5 in. is applied as follows:

ROOF PITCH	UNDERLAYMENT
a. 7 or more in 12	none
b. 4 thru 6 in 12	single layer
c. 2 thru 3 in 12	double layer*

 The heavy 300 lb, 15-by-36-in. square butt strip shingle providing triple coverage at exposure of 5 in. is applied as follows:

ROOF PITCH	UNDERLAYMEN
a. 4 or more in 12	none
b. 3 in 12	single layer
c. 2 in 12	double layer

- Single layer of No. 15 asphalt saturated felt underlayment is applied with a 2-in. headlap and a 6-in. endlap.
- Double layer of underlayment is applied with a 19-in, headlap and a 6-in, endlap.
- \bullet Starter course of shingles shall be doubled and project about % to $\ensuremath{\mathcal{V}}_2$ in.
- Eaves flashing (Where design temperature is 25 F or colder):
- Provide double layer of underlayment extending back from eaves to a line 24 in. inside the inner face of exterior wall, and
- Where roof slope is less than 4 in 12, seal lap of double underlay with continous layer of asphalt cement.
- * Cement tabs of strip shingles, use self-sealing strip shingle, or use lock tab type shingle.




Fig. 1 TERMS relating to lapping of shingles

• Roofing nails should be corrosion resistant with deformed shanks made from 11 or 12 gauge wire with at least a %-in. head. The nail should penetrate the roof deck at least 1 in. At least four and preferably six nails should be used in each strip. Special fasteners may be used if recommended.

TERMINOLOGY

of roof surface.

Weight Approximate shipping weight per square. Square of roofing Amount of roofing which, when applied at the usual exposure, will cover 100 sq ft

End or Side Lap Shortest distance in inches by which horizontally adjacent roofing elements overlap each other.

Headlap Distance from the lower edge of an overlapping shingle to the upper edge of the one in the second course below.

Exposure Distance between exposed edges of overlapping shingles.

Coverage Number of layers of shingle covering a given area, usually double or triple for strip shingles. Cutouts less than % in, are ignored.

Saturated Felts Used for underlayment. No. 15 weighing approximately 15 lb is recommended.

Plastic Asphalt Cement Usually used as part of a flashing assembly where roof meets a wall, chimney or other vertical surface.

Lap Cement Usually used where one sheet overlaps another.

Quick-Setting Adhesive Cement Adhesive of either brush, trowel or gun consistency, is usually used for sealing tabs of strip shingles or for sealing laps of roll roofing.




Fig. 2 CEMENTING of shingle tabs is used for low-slope roofs and for roofs in windy areas

CABOT, CABOT & FORBES PLANNED THIS "CITY"



Canada Dry Corp., Waltham, Mass.



Raytheon Company, Bedford, Mass.



Wirthmore Feeds Inc., Waltham, Mass.



Roddis Plywood Corp., Needham Heights, Mass.



H. A. Whittemore & Co., Needham Heights, Mass.



B. F. Goodrich Co., Needham, Mass.



Houghton Mifflin, Burlington, Mass.



Baldwin - Lima - Hamilton, Waltham, Mass.



Kelley-Springfield Tire Co., Needham, Mass.





American Motors, Needham, Mass









General Motors Corp., Newton, Mass.

.GRINNELL SPRINKLERS PROTECT IT!

Shown above are just a few of the buildings constructed recently around Boston, Mass., by Cabot, Cabot & Forbes, nationwide industrial park developers. All the buildings in this "CCF city" have several important things in common. They are all located on high-speed, arterial highways; they are all convenient to downtown Boston; and they all have Grinnell Sprinklers to make them completely fire safe.

These rental buildings are equipped with Grinnell

Automatic Sprinklers to protect both lives and property. Grinnell Sprinklers operate fast to stop fire at its source, day or night. They never sleep — never relax their vigil. And Grinnell Sprinklers can be a smart investment . . . frequently paying for themselves in a very few years with substantial insurance premium reductions often between 20 and 90%.

For information about Grinnell Automatic Sprinkler Protection, write Grinnell Company, Providence 1, R.I.

FIRE PROTECTION SYSTEMS SINCE 1870 GRINNELL



ASPHALT STRIP SHINGLES: 2—General Application Procedures

by Howard P. Vermilya, A.I.A.




Fig. 3 PROCEDURE FOR APPLYING square-butt asphalt shingles




Fig. 4 DECK PREPARATION for a valley. Saturated felt underlayment is centered in the valley and secured with only enough nails to hold it in place until the shingles are applied. The courses of felt underlay are cut to overlap the valley strip by not less than 6 in. The eave flashing strip is then applied.

All drawings are from the publication, Manufacture, Selection and Application of Asphalt Roofing and Siding Products, August 1959, by J. L. Strahan, Technical Director, Asphalt Roofing Industry Bureau, New York City





Fig. 5 VALLEY FLASHINGS are made from mineral surfaced asphalt roll roofing. An 18-in.-wide layer of mineral surfaced roll roofing is centered in the valley, surfaced side down, and the lower edge is cut to conform to and be flush with the ease flashing strip. When necessary to splice the material, the ends of the upper segments overlap the lower segments and are secured with plastic asphalt cement as shown. Only enough nails are used in rows 1 in. in from each edge to hold the strip smoothly in place. The upper corner of each end shingle is clipped as shown to prevent water from penetrating between the courses. The roofing material is cemented to the valley lining.



Halliwell School, North Smithsfield, Rhode Island

THE 10We1 THE SLOPE

THE greater THE NEED FOR

THE highest QUALITY SHINGLE

THE MASSIVE KING-TAB

UNIFORMITY OF SURFACING in even distribution of jumbo color granules is controlled in manufacture — no unsightly application on site.

CONFORMITY WITH DESIGN achieved by the Architect's 18" King-tabs — 50% less vertical lines accent the beautiful horizontal sweep.

GREATER SAFETY, TRIPLE PROTECTION: 300 lbs. per square, thick as standard slate; 3 full layers at every point, with 5" exposure.

See specifications in Sweets File 8C

or write Bird & Scn, Inc., Box AR-20, East Walpole, Mass. Charleston, S.C. Shreveport, La. Chicago, Ill.

BIRD Architect

rich and beautiful, choice of the country's top architects, is safe for slopes as low as 2" in 12".

MOISTURE AND TERMITES A PROBLEM? Write for details on Bird Termibar combination Termite Killer and Vapor Barrier.

ASPHALT STRIP SHINGLES: 3—Low Slope Application

by Howard P. Vermilya, A.I.A.




Fig. 5 SQUARE-TAB STRIP SHINGLES are recommended for use on decks having a slope lower than 4 in 12 but not less than 2 in 12 when special application methods are used to compensate for the slower water run-off resulting from the lower roof slope. These application methods involve: (a) double underlayment; (b) a special cemented eaves flashing strip; (c) use of quick-setting cement to fasten shingle tabs.





Fig. 7 FELT UNDERLAY application on a low slope deck.

Fig. 8 EAVE FLASHING. The felt underlay that extends from the eave up the roof far enough to overlie a point 24 in. from the inside wall line of the building is treated as follows: A continuous layer of plastic asphalt cement is applied to the surface of the underlay starter course before the first full course is applied, and also to the 19-in. underlying portion of each succeeding course which lies within the waves flashing area, before placing the next course. Fig. 5 shows how the shingles are applied over the underlayment. The exposure is 5 in. and four nails are required.



.

continued from page 231



Automatic Light-Operated Switch

A tiny (1%-in. diameter), light-operated "eye" that automatically turns outdoor lights on at dusk and off at dawn can be installed in lighting fixture canopies, outlet boxes or post lanterns, or in conjunction with mercury plunger-type relays for control of heavier electrical loads. Models suitable for tungsten loads up to 300 watts at 120v ac are designed to turn on at one foot-candle and off at ten foot-candles. The switch is not affected by weather or temperature, and a built-in time delay prevents its being activated by auto headlights or other temporary light flashes. Schacht Electronic Mfg. Co., 1213 St. Emanuel St., Houston 3, Tex.



High Speed Portable Collator


By using a new principle in manual paper gathering techniques, the Heinz portable collator makes possible a simple, two-handed operation by which an unskilled operator can assemble as many as 6000 pages per hour—a speed comparable to that of most mechanical and some automatic equipment. Genuinely portable, the compact aluminum unit occupies only 1½ sq ft of desk space and weighs only 7 lb. Each of its twelve stations holds 300 sheets of 20-lb stock in sizes up to 17 by 11 in. A. P. Heinz Co., 2422 Lunt Ave., Chicago 45, Ill.

Electronic Mail-Handling Controls A unique control system will be installed in New York City's new Union Carbide Building (SOM) to speed handling of mail, supplies, and duplication and reproduction materials. With the system, it is possible to link a series of vertical and horizontal conveyors to central handling facilities. After the destination of mail or other material is selected by dialing a floor selector dial, the con-

trol impresses a coded address on the

mail basket and sends it on its way along the conveyor system. The unit is rejected by all receiving stations except the one which responds to the coded address. There, the magnetic system triggers a mechanism to remove the carrier basket from the conveyor line. According to the manufacturer, *Maitrol* controls are also applicable to other widely diversified material handling systems. *Maico Electronics Inc.*, 21 N. Third St., Minneapolis 1, Minn.

more products on page 243



CONSTRUCTION DETAILS

for LCN Overhead Concealed Door Closer Shown on Opposite Page The LCN Series 200 Closer's Main Points:

- Efficient, full rack-and-pinion, two-speed control of the door
- Mechanism entirely concealed; arm disappears into door stop on closing
- Hydraulic back-check prevents door's being thrown open violently to damage walls, furniture, door, hinges, etc. Door may open 180°, jamb permitting
- 4. Hold-open (optional) set at any one of following points: 85°, 90°, 100° or 110°
- 5. Easy to regulate without removing any part
- 6. Used with either wood or metal doors and frames

Complete Catalog on Request—No Obligation or See Sweet's 1960, Sec. 18e/La

LCN CLOSERS, INC., PRINCETON, ILLINOIS

Canada: Lift Lock Hardware Industries, Ltd., Peterborough, Ontario

Modern Door Control by \mathcal{LCN} . Closers Concealed in Head Frame

NEW OFFICE BUILDING, SCHIELD BANTAM COMPANY, WAVERLY, IOWA

LCN CLOSERS, INC., PRINCETON, ILLINOIS

Construction Details on Opposite Page





Compare the clean, simple lines of this structure with the heavier, haunched construction apparent in elastically designed buildings. Savings accrue through faster, easier, prefabricated construction as well as through lighter weight steels.

There's an Inland Structural Steel for every new construction idea

Plastic Design is today more and more coming

into widespread use in one and two-story rigid-frame structures. It presents welcome opportunities for reducing labor, time and material costs, for plastic design is based not upon the concept of maximum stress of a member—but upon the load-carrying capacity of the entire structure.

In elastic design, the entire member must be designed for the maximum moment. In plastic design, since the moment is distributed to the structure as a whole, no single member need be over-designed and substantial savings—from 5% to 35% in labor and materials—are possible. In addition, since the more indeterminate the structure the greater the saving, design time can actually be reduced by as much as 80%.

If you are contemplating the design or construction of a new building, remember that plastic design is applicable only to a ductile metal such as steel. The considerable savings possible, make it well worth your careful investigation.

Plastic design is accepted by all four National Building Codes as well as many state and municipal codes. For complete information on this modern, cost-cutting construction method, see your local fabricator who now has structural steel available in all shapes and sizes—or call the American Institute of Steel Construction office in your area.







4-WAY SAFETY PLATE has come into general use as an integral, prefabricated part of the supporting structure, providing durable floors and added strength.



WIDE FLANGE BEAMS are the answer wherever more strength with less weight, longer spans with more open floor area, is the goal. Sizes from 87 to 24.7



inland enameling iron is ideally suited to curtain-wall and enameled panel systems, providing strength, beauty and unlimited design possibilities.



INLAND SUB-PURLINS are especially designed to provide a lighter, more efficient member for shorter-span roofs. They come cut-to-length and mill painted.



INLAND STEEL CO.

30 West Monroe Street Chicago 3, Illinois

Product Reports

Long-Lasting, All-Surface Paint

According to its manufacturer, a new exterior-interior paint will last for five years when applied to virtually any surface: wood, masonry, plaster, asbestos siding, metals, or asphalt shingles. It comes ready to use in ten colors, can be applied by any conventional method, and requires only one coat for most applications. Rox Products Co., 9930 Freeland Ave., Detroit 27, Mich.



"Homespun" Vinyl Wallcovering

"Cotter's Loom," the newest addition to the Vicrtex line of vinyl wall coverings, reproduces the rough, hardy look of Scotch homespun, but is far tougher and more durable. Available in 28 colors, this permanent wall covering is waterproof and weatherproof, and fade-, stain- and flame-resistant. It wipes clean with a damp cloth. L. E. Carpenter & Co., Inc., Empire State Bldg., New York 1, N. Y.



"Midget" Display Fluorescents

A series of tiny (2½ by 1½ in. overall) fluorescent fixtures are designed for portable or permanent mounting wherever space is limited—in counter displays, coves, valances, cabinets, show cases, book cases, wall cases, and so forth. Models up to 40¾ in. long take standard T5 and T8 lamps, and come pre-wired with a low power factor ballast mounted in the channel for maximum compactness. Reflectors are available for all sizes. Duray Fluorescent Mfg. Co., 3118 W. Montrose Ave., Chicago 18, Ill. more products on page 250



NEW!

This lifetime lead holder for just





All-metal construction makes it the buy of a lifetime.

EAGLE -


PENCILS, LEADS AND HOLDERS

EAGLE PENCIL COMPANY, DANBURY, CONN.





Frick heavy-duty compressors are the standard of the world for industrial work. Ask for Bulletin 112.



Frick "Eclipse" compressors have 2, 3, 4, 6 or 9 cylinders, offer speeds up to 1200 r.p.m. See Bulletin 100.

No name among American makers of cooling equipment stands higher or has endured longer than that of Frick.

Back of the Frick trademark are 107 years of experience in engineering, 78 in refrigeration and ice making, and 55 in air conditioning. You get the value of this priceless experience when you invest in dependable Frick equipment.

Write . . . wire or phone now for catalogs and estimates.





These Frick evaporative condensers are saving \$1,000 per month. See Bulletin 235.





The job looks better when it's finished with ROMANY-SPARTAN ceramic tile

COMMUNITY MEMORIAL HOSPITAL Architects and Engineers: MAGNEY, SETTER, LEACH, LINDSTROM & ERICKSON

Here are two outstanding reasons why Romany Spartan makes the best looking installations: 1. Exclusive "Level-Set" is the only glazed wall tile precision ground to ±.003" for speedy erection -uniform joint alignment. 2. Advanced manufacturing methods and a traditionally thicker, more uniform glaze permit rigid control of color and shade. And, speaking of appearance, Romany Spartan's vast range of sizes, shapes, colors and finishes, glazed and unglazed, offers the architectural designer unlimited latitude in the creation of unusual effects. For information or design help call on your nearby Romany Spartan sales representative or distributor. United States Ceramic Tile Company, Dept. AR-12, Canton 2, Ohio.





UNITED STATES CERAMIC TILE COMPANY

CERAMIC TILE



1. IT'S A SPEAKER BAFFLE!



2. IT'S A TIME-PIECE!



3. IT'S A BILLBOARD!



LOWELL COWELL

The all-new Lowell Model MIA Communication Center

is especially designed for terminals and public buildings. One easily installed unit provides mounting for two clocks, bi-directional speaker systems and back lighted space for advertising messages. Messages can be exchanged in minutes. Beautifully finished in light grey with charcoal grey speaker grille. All welded 18 gauge steel construction, mounts easily with two ½" pipes from top of the unit. Pipes also contain electrical connections to the three elements. MIA can be installed on the ceiling or on the wall.

WRITE TODAY FOR COMPLETE, ILLUSTRATED LITERATURE AND SPECIFICATIONS



LOWELL MANUFACTURING COMPANY


3030 Laclede Station Road, St. Louis 17, Missouri

*U.S. Patents Applied For

In Canada: Atlas Radio Corp., 50 Wingold Ave., Toronto 19, Ontario In Latin America: Lowell Cubana Sales, S.A., Havana, Cuba In Europe and the Middle East: Lowell International GmbH., Koln-Ehrenfeld, Barthelstrasse 97, Germany

holds line on climbing school costs

BUILDING: Lansing Elementary School, Ludlowville, N. Y.
Architect: Sargent, Webster, Crenshaw and Folley, Syracuse, N. Y.
General Contractor: Detor Construction Company, Syracuse, N. Y.
Curtain Wall: E. K. Geyser Company, Pittsburgh, Pa.





An unusual Alcoa® Aluminum structural grid used in the curtain wall construction (by E. K. Geyser Company, Pittsburgh) of the Lansing Elementary School, Ludlow-ville, N. Y., provided a distinctive and attractive school at a truly low cost.

The aluminum grid is a prime structural system. It supports the spandrels, fixed glass windows, and the projected ventilators. The specially extruded Alcoa Aluminum I-beams are coupled with unique offset H-bar members to provide a chase that will accommodate glass, metal panels or ventilators interchangeably.


Strength, economy and appearance are assured by this simplified design which makes optimum use of aluminum and the extrusion process. To find out how other Alcoa Aluminum products can reduce school costs, call your nearest Alcoa sales office. Or write: Aluminum Company of America, 1823-B Alcoa Building, Pittsburgh 19, Pa.



For exciting drama watch "Alcoa Presents" every Tuesday, ABC-TV, and the Emmy Award winning "Alcoa Theatre" alternate Mondays, NBC-TV



VOIDED concrete slabs offer greater design flexibility



ONOVOID

FIBRE TUBES Integration of Representative Beam Types In Voided Concrete Slabs

and save time, labor, materials, and money!

In concrete construction, one-way voided slabs form essentially a flush beam-and-joist system . . . for greater design flexibility and lower building Lightweight, voided flat slabs permit longer spans and smaller structural members. And, while ceiling heights are unaffected, total building height

is reduced, thus saving both materials and utilities. The smooth slab surface simplifies forming; allows direct application of paint, plaster, or tile; and offers greater freedom in locating partitions. Additionally, by displacing low-working concrete, Sonovoid Fibre Tubes

reduce weight and the amount of concrete and reinforcing steel required. Plan cost-saving voids in concrete floor, roof, and lift slabs, bridge decks, and precast, prestressed members. And, specify Sonoco Sonovold Fibre Tubes . . . available 2.25" to 36.9" O.D., in standard 18' lengths or as re-Tubes . . . available 2.25" to 36.9" O.D., in stand quired. Can be sawed . . . end closures available.

See our Catalog in Sweet's.

A SONOVOID FIBRE TUBE SPACER and TIE-DOWN METHOD

. HARTSVILLE, S.C. . LA PUENTE, CALIF. FREMONT, CALIF.

MONTCLAIR, N.J.

. AKRON, INDIANA · LONGVIEW, TEXAS . ATLANTA, GA.

. BRANTFORD, ONT. . MEXICO, D.F.

onstruction Products SONOCO PRODUCTS COMPANY


ASTRILITE.

n advanced concept which assures superior illumination for all of the lighting requirements in the patient's room . . . with significant economies for the hospital.



AMERICAN STERILIZER

Write for illustrated brochure LC-110R



Beat solar heat and glare ...the modern KOOLSHADE way

· The original solar screening, KoolShade Sunscreen provides the most effective method known for shading windows against solar heat and glare. Here are 8 big reasons why:

(1) Keeps interiors cooler. By screening out up to 89% of the sun's hot rays, KoolShade keeps interiors 15% cooler and more

2 Saves on air conditioning. By reducing solar load, KoolShade minimizes initial tonnage requirements ...cuts operating costs. (By rule of thumb, 100 sq. ft. of KoolShade reduces cooling load by approximately 1 ton.)

3 Reduces solar glare. Widely used as a daylighting aid, KoolShade moderates sun and sky glare. Screens out direct solar rays to improve lighting balance, guards against eye-strain.

4 Gives full outward visibility. Because it's woven (not stamped), KoolShade permits up to 83% clear outward visibility...greater view by far than any comparable shading device.

(5) Enhances building appearance. In harmony with all architecture, KoolShade introduces sleek uniformity to all visual openings.

6 Virtually no maintenance. Because it can't rot, rust or corrode, KoolShade upkeep is negligible. Nubelon-coated, too, for utmost weather resistance.

7 New written warranty! With KoolShade Sunscreen and Kool-Frame Extrusions you now get a written warranty of quality.

® Franchised installation. For maximum satisfaction and performance, KoolShade is sold and installed only by Franchised, factory-trained distributors.

SEND TODAY for this free illustrated bulletin. Find out how you, too, can solve your solar problems with mod KoolShade. No cost obligation.



REFLECTAL CORPORATION

A subsidiary of Borg-Warner Corp. 200 S. Michigan Ave., Dept. K-72, Chicago 4, Illinois.

Hitmorrows

Product Reports



Low-Cost Ventilating Skylight

A rugged fiber glass skylight with a built-in squirrel cage blower provides both ventilation and natural lighting at a cost equivalent to that of an ordinary ventilator. The low silhouette unit is available in selfflashing and curb mounted designs for 20- by 20-in. roof openings. Since the blower is factory-attached, it allows fast, one-piece installation with no ductwork required. Its exhaust capacity is 108 cfm. Like all Consolite skylights, the power ventilating unit is leakproof and shatterproof, and comes in a choice of five colors. An accessory plastic grid with aluminum frame is available for finishing the ceiling opening if desired. Consolidated General Products, Inc., 2401 Nicholson, Houston 8, Tex.




One-Application Spray Fireproofing

Zonolite's Mono-Kote, an improved direct-to-steel fireproofing, can be sprayed on in any required thickness in one application, thus substantially reducing installation costs. The pre-mixed material requires only the addition of water for use with standard mixers and plaster machines. When applied to ceilings and beams, it sets to become a tough, hard material, without fissuring or shrinking. It provides excellent fire protection, insulation, sound absorption, and certain rust inhibitive advantages "all in one package." Zonolite Co., 135 S. LaSalle St., Chicago 3,

more products on page 258

Now RCA VICTOR Built-in TV and Stereo... expressly designed for today's modern homes

ANOTHER WAY ROA SERVES YOU THROUGH ELECTRONICS



"LIVING COLOR" MURAL TV. Like 2 sets in one, build in the magic of Color TV rb BAW reception too. Simplified color-quick tuning, mirror-sharp

picture, 3-speaker panoramic FM sound, adaptable for stereo. Above, The DK107 Frame for rear ventilation. Front ventilation design also available



B&W MURAL TV ... Another Newsmaker! The wireless wizard" remote control. Full feature n ochrome performance - 25% brighter picture 3-speaker Panoramic sound. Above, The DK103 designed for front ventilation, rear



PUSH BUTTON RADIO-VICTROLA®...High Fidelity Steree. Monaural and stereo 4-spec changer that slides out for easy loading, stereo AM-FM. Tuner, visual Stereo Bala Control, 2 in 1 supercharged chassis with 58 watts of power. Above, the BK2 shown with DK109 Panoramic Sound, 3-speaker units. (**RCA Trade Mark for Record Players)

These solid value Built-ins sell houses!



Everything is built in," says the wife. "... and look at that builtin Color TV!" says the husband. We'll leave it

to you builders how often such comments can clinch the sale.

RCA Victor Built-in units for 1960, the first complete Built-in line in the industry, are engineered with newsmaking style, performance and dependability. They're designed to mount in walls, wall cabinets, room dividers . . . adaptable to almost any spot where families meet to enjoy TV

RCA Victor sales engineers are prepared to discuss plans, models and costs with you. Their experience will be helpful. Write for complete information and literature to RCA Sales Corp., Box 1226-K, Phila. 5, Pa.

Let us show you how builders of national reputation are using RCA Victor Built-ins in model homes to convert "lookers" into buyers.



RCA VICTOR



The most trusted name in TV and STEREO



Structoglas

Roof Sections let soft, tinted sunlight

in to this handsome contemporary home contrast pleasantly with natural redwood construction. These shatterproof fiberglass panels are press-molded of acrylic polyester resin. Never need painting, outlast a hundred hailstorms. When you want light without breakage and beauty without maintenance, always specify Structoglas. Write for detailed literature and specs.



Structoglas Inc., Dept. 202, Cleveland 9, Ohio

Get the Latest Data

2000 pound

Automatic Ice Making



It's easy to include automatic ice machines in your planning IF you have the necessary facts and figures. These two bulletins covering 2,000 pound and 5,000 pound capacities outline the operation principle and such specifications as weight, water connections, the refrigerant and electric requirements, etc. Custom built units of larger capacity are also available. Write for Bulletins, Dept. 24A-RTAR.

HENRY VOGT MACHINE CO. LOUISVILLE, KY

SALES OFFICES: New York, Chicago, Cleveland, Dallas, Camden, N.J., St. Louis, Charleston, W.Va., Cincinnati



Air Powered Hydraulic DOCKBOARDS

IN NEW Construction or Remodeling

CUSTOM ENGINEERING SERVICE AVAILABLE

Freightliner will Custom Engineer AERO-BOARDS to Fit your capacity requirements and installation speci-fications.

LITEUR INTER ADVANTAGES:

Low Initial Cost . Inexpensive to Install and
Operate . Stores Upright — out of the way
. Manual-automatic-"Air-over-Oil" activated
- from power supplied by air system standard on many docks . Safe — One Man Operation . No Electrical power required at
dockboard . Standard, 10,000 lb. cap. model
adaptable to most installations.

A10.00

CHECK THESE ADVANTAGES:

AERO-BOARD, ready to install. \$410.00 Write for your copy of the AERO-BOARD specifi-cation brachure. It includes detailed AERO-BOARD specifications, photos, installation diagrams, are compressor requirements, name of local supplier.

AERO-BOARDS are sold and serviced by Leading Materials Mandling Equipment Distributors.

Mfd. FREIGHTLINER CORPORATION Dept. 2A, Box 3591

EVERYONE AGREES

025/



NEW OASIS
ON-A-WALL
FITS
MODERN
BUILDINGS

EVERYONE AGREES

OSS MEA



NS REFRESHMENT

Superbly engineered, the smart new Oasis On-A-Wall Water Cooler is designed for modern architecture.

Elegantly styled, the On-A-Wall has a crisp modern look. It is the first water cooler to have a vinyl laminated steel cabinet. The rich silver spice color in Scandia pattern adds vitality to any decor. This mar-resistant surface material has unequalled durability . . . ideal for busy traffic locations. Recessed anodized aluminum grille has an ultra-modern basketweave pattern for sleek appearance.

With the highest back-splash of any wall-hung cooler, the On-A-Wall has a stainless steel top and deep basin with anti-splash ridge. Famous Dial-A-Drink bubbler, built like a fine watch, is far from wall to provide ease in drinking. In every detail, the new On-A-Wall has the famed Oasis engineering that has the finest record of trouble-free performance in the industry.

It's easily mounted, too. Yes, the On-A-Wall is off the floor, easy to clean around. It's flush with the wall to save space and conceal plumbing. Time-saving mountings for ease of installation are available.

Just tear out this page along the perforation, and you have a complete specification sheet for the wonderful new Oasis On-A-Wall Water Cooler.

For prices and complete details on America's most complete and finest line of water coolers, write for handsome 4color Architect Album assembled especially for architects and engineers.

THE EBCO MANUFACTURING COMPANY Columbus 13, Ohio





OASIS MODEL OW-7 & OW-13

(IDENTICAL UNLESS OTHERWISE NOTED)

COLD WATER: Model OW-7: 7 gallons per hour serves up to 85 people in schools and offices, 50 in light industry. Model OW-13: 13 gallons per hour to serve up to 155 people in offices and schools, 90 in light industry.

DIAL-A-DRINK BUBBLER: Delivers a level drink at pressures above 20 lbs.

SPLASHPROOF TOP: 18-8 stainless steel top with anti-splash ridge, has easy-to-clean integral strainer grid. Hand polished to a mirror finish. Cleans in seconds. High, anti-splash back is $3\frac{1}{2}$ " above bottom of basin. Plumbing provided for Glass filler.

COST-CUTTING PRE-COOLER: (Model OW-13 only) Nearly doubles capacity without extra operating cost by cooling incoming water with cold waste water. Double-wall construction meets codes.

TANK AND COOLING COIL: Burstproof, vented red brass tank with copper refrigerant coil, metal bonded to exterior. Hot tin-dipped after assembly. Two metal walls between drinking water and refrigerant. Meets plumbing codes. Inside of tubing and connections cold-tinned to prevent corrosion. Refrigerant heat exchanger. Tank type storage system, 5 quart capacity, reduces starts and operating time. Tank drain provided.


COLD CONTROL: Freon-12 refrigerant controlled by accurately calibrated capillary tube. Adjustable thermostat switch behind removable front panel controls cold water temperature.

REFRIGERATION UNIT: Forced air-cooled. ¼ h.p. internally sprung, hermetically sealed compressor has automatic overload protector. No lubrication needed. 115 volt A.C., 60 cycle only.

INSULATION: Granulated cork completely insulates cooling system. Layer of hydrolene gives complete vapor seal.

MANDSOME CABINET: 20 gauge steel with Vinyl Laminate exterior finish of Silver Spice color. Interior surfaces protected with corrosion resistant paint coating. Well ventilated. Easily removable front panel and anodized aluminum grille — no tools required. Standard Wall Hanger and template provided. Also available with stainless steel cabinet panels at extra cost.

MOUNTING: The standard hanger supplied with the water cooler will satisfy most requirements. Additional mountings designed specifically for masonry, and wood stud, construction are available at slight additional cost. If codes require, carriers are also available. Write for additional information and installation instructions.



SPECIFICATIONS SUBJECT TO CHANGE

Meets U. S. Bureau Of Standards Specifications , , , meets Public Health And Sanitary Plumbing Codes.

THE EBCO MANUFACTURING CO.

COLUMBUS 13, OHIO



From almost any angle, this beautiful new Oasis Cooler fits most requirements to a cat's whisker. Completely new in concept . . . from creative design and functional styling to quality features and cost-cutting advantages. It's up off the floor . . saves space . . . conceals all plumbing . . and delivers refreshingly cool water at the touch of Oasis' famed Dial-a-Drink Bubbler. Yes, tigers . . . and you . . . have never had it so good!



WEIGHT: Shipping weight about 125 lbs.

ACCESSORIES: Glass filler, special mounting brackets, hangers and carriers.

CAPACITY TABLE (GALLONS PER HOUR)

	ROOM TEMP.	OW-7	OW-13
Inlet water 70° F	70° F	12.5	19.6
	80° F	11.1	18.3
	90° F	9.7	17.1
	100° F	8.4	15.8
Inlet water 80° F	70° F	8.8	15.5
	80° F	8.0	14.2
	90° F	7.1	13.0
	100° F	6.2	11.8
Inlet water 90° F	70° F	7.0	12.5
	80° F	6.3	11.4
	90° F	5.6	10.3
	100° F	5.0	5.0 9.3
	70° F	5.8	10.7
Inlet	80° F	5.1	9.7
water	90° F	4.7	8.8
100° F	100° F	100° F 4.3	8.0

Cup service OW-7 same as shown Cup service OW-13 same as OW-7

FULL 5-YEAR WARRANTY: Covers entire refrigeration system PLUS all components such as bubbler valve, fan motor, relay, overload and temperature controls for material and workmanship.

EXPORT

POWER SUPPLY: Transformers are available for power supplies other than 115 V-60 cycle single

WARRANTY: Full 1-year warranty on entire cooler.
4-year replacement contract on sealed refrigeration system.

I E A S



Portland, Oregon, office of Boysen Paint Company.

Architect: Hewlett and Jamison, Portland, Oregon.

and ARMCO STEEL BUILDINGS

Here are economical buildings you can use with imagination

You can give your clients the big advantages of economy and speed of erection when you design with Armco Buildings. Just as important, you get the freedom you need to design for both function and appearance.

design for both function and appearance.

The variety of wall heights, clear spans, lengths, covering materials, roof slopes, structural systems, windows, doors and other accessories is unequalled in the metal building industry. These versatile structures are truly a better way to build. See our catalog in Sweet's—or use the coupon to get the data you need about specific applications. Armoo Drainage & Metal Products, Inc., 4660 Curtis Street, Middletown. Ohio.

-	born at Armco
ARMCO DRAINAGE & M 4660 Curtis Street, Min	ETAL PRODUCTS, INC.
I want details about A	rmco Buildings for the following use:
Approximate size or flo	or area
Name	Title
Firm	
Street or P.O. Number	
City	Zone. State

ARMCO DRAINAGE & METAL PRODUCTS



Subsidiary of ARMCO STEEL CORPORATION

OTHER SUBSIDIARIES AND DIVISIONS: Armco Division • Sheffield Division • The National Supply Company • The Armco International Corporation • Union Wire Rope Corporation

In new Lockport, N. Y., elementary

school... THESE LIGHTS WERE GLAZED



Anna Merritt Elementary School, Lockport, New York, covers an area of 17,111 sq. ft., features a new aluminum framing system with a neoprene seal that eliminates caulking.



3 TIMES FASTER THAN NORMAL


For the new Anna Merritt Elementary School (shown in phôto) and the Roy Kelly Elementary School in Lockport, New York, architects Sargent, Webster, Crenshaw & Folley, Syracuse, N. Y., developed an ultra-thin aluminum multion (only 134 in. wide) which, in combination with a prefabricated neoprene synthetic rubber sealing gasket (a special gasket designed with Patent Pending) gives the exterior wall a trim, modern appearance...speeds glazing...and cuts maintenance.

GLAZED IN A DAY AND A HALF. This modern neoprene-sealed glazing system requires no tool more complicated than a screwdriver... permits precision factory manufacture of all components...eliminates chance for error or careless workmanship in caulking...insures a clean, neat glazing job. The contractor estimates that, with the preformed neoprene gasket, installation moves three times faster than conventional glazing. The 17,111-sq.-ft. Merritt School was completely glazed in just a day and a half. Kelly School-2½ times as large—was glazed in 3½ days.

LASTING SEAL. A properly compounded neoprene gasket will perform efficiently for decades in this application. It resists weather, sun, ozone, heat, cold, chemicals, pressure...stays resilient and maintains a tight seal... protects glass against wind breakage... can be re-used if a window is broken. Neoprene's excellent combination of properties is shown in the graph on the opposite page.

For more information on neoprene gaskets, write to: E. I. du Pont de Nemours & Co. (Inc.); Elastomer Chemicals Department AR-2, Wilmington 98, Delaware.

This glazing system is sealed against weather by a prefabricated neoprene rubber gasket.



Neoprene gasket is Pawling Rubber Corporation's "Wet" Seal Channel


STEP 1—The simple, durable aluminum frame (only 1% in. wide) is assembled quickly and easily.



ONLY A SCREWDRIVER IS NEEDED!



STEP 2—Resilient neoprene seal snaps easily over glass, then gasketed light can be set in place in frame.



STEP 3—Screwing down of pressure strip against neoprene gasket assures a durable, weathertight seal.



NEOPRENE SYNTHETIC RUBBER

Better Things for Better Living . . . through Chemistry



Reliable safeguard for power blackouts

The 13-hour power failure in New York's Manhattan last summer caused widespread hazards, inconvenience, discomfort or loss—in places without stand-by power. In hospitals, surgery was performed without proper lighting, patients were served by candlelight. Buildings of all kinds had no use of lights, air conditioning, elevators, freezers.

Kohler electric plants are reliable, easy to install for emergency power made vitally important by today's increasing dependence on electrical equipment. To help you write specifications for varied applications Kohler Co. will send on request a manual with complete data on sizes from 1000 watts to 100 KW, gasoline or diesel. Write Dept. G-53.



Product Reports

Pre-Amplified Sound Systems

A new sound system design uses transistorized pre-amplifiers to achieve greater flexibility in the placement of system components and faithful, distortion-free reproduction even where input lines must be run long distances. The pre-amplifier approach also makes possible economy in installation and service:

1. Input and output lines may be run in the same conduit without interference.

2. Since the transistorized pre-amplifiers and mixers require no 110v AC connection, much expensive wiring can be eliminated.

3. Plug-in terminal blocks throughout the system and plug-in relay controls on the power booster permit easier, less costly installation and service. Executone, Inc., 415 Lexington Ave., New York 17, N. Y.



Flush, Wall-Hung Water Coolers


Two new "wall-hung" water coolers, model WL7D with a capacity of 7 gallons per hour and model WL11D with a capacity of 11 gallons per hour, can be installed flush to the wall with all plumbing concealed and with space underneath for cleaning and waxing the floor. Both models can be hung at any desired height or installed directly on the floor, in which case they are at a desirable height (31 in.) for young children. Both have fan-cooled finned tube condensers and hand actuated bubblers. Water Cooler and Dehumidifier Dept., Westinghouse Electric Corp., Columbus. Ohio

more products on page 262






BUILDING PRODUCTS



NATIONAL BANK OF DETROIT. Architect: Albert Kahn Associated Architects and Engineers, Inc.; General Contractor: Bryant and Detwiler Company.






SARALOY® 400

seals hard to flash joints of any design

Here's a new material that outperforms other flashing materials in hundreds of applications. It's an *elastic* sheet flashing—one that's durable and difficult to damage. Flexible and easy to fabricate on the job, Saraloy 400 helps to solve the toughest design problems—seals joints securely and permanently. Since Saraloy 400 flexes with the expansion and contraction of materials to which it's attached, it lasts years longer than ordinary flashing materials.

Saraloy 400 was selected as a flashing at each floor level on this recently completed bank building in downtown Detroit. Its elasticity and durability were put to good use in flashing the concrete ledges, which were then finished with stainless steel sills.

Saraloy 400 can be bonded to roof coverings, concrete, metal, wood, masonry and glass-reinforced plastics. It's weatherproof and water-proof—won't check, crack or peel. Specify Saraloy 400 for long lasting service life on those hard to flash joints. An FHA Materials Release has been issued. For more information, write to THE DOW CHEMICAL COMPANY, Midland, Michigan, Plastics Sales Department 1700N2.



SARALOY 400 seals outer building surfaces from moisture before stainless steel sills are installed. Note how Saraloy 400 conforms to irregular surface contours.

Dow Building Products at Work

STYROFOAM* — Long lasting insulation for cavity walls; an effective insulating base for plaster. Rigid, low "K" factor, resistant to water and water vapor.

SCORBORD*—(Pat. applied for) Superior rigid insulation for foundation perimeters, slab floors. Exclusive pre-scored feature speeds installation.

ROOFMATE*—Lightweight rigid insulation for builtup roofs serves as its own moisture barrier. Reduces blistering, resultant leaks.

POLYFILM*—High quality polyethylene film for temporary enclosure or moisture barrier under slab or insulation.

Trademark

THE DOW CHEMICAL COMPANY, MIDLAND, MICHIGAN

Executone gives you 4-way service for sound and intercom systems!

We provide not only wiring plans, shop drawings, specifications and costs, but with our nation-wide organization of exclusive distributors we also give your clients on-premise maintenance of equipment and instruct their personnel in its proper use. If you have a job on your boards that should utilize intercom or sound, you should be familiar with these four important Executone services;

Not only this...

Consultation Service

Executone's Field Engineers will assist you in determining your clients' communication needs... recommend the system designed for the job... provide you with a professional consultation service.

Installation and Supervision

Each local Executone distributor is prepared to take full responsibility for the final and satisfactory operation of the system, whether installed by the contractor, or his own factory-trained crew.

But also this!

On-Premise Maintenance

Each local distributor is staffed with skilled, factory-trained technicians. They also have complete stocks of standard replacement parts. Continuous, uninterrupted performance of every Executone system is assured.

Personnel Instruction

Local Executone representatives instruct your clients' personnel in the proper use of Executone Systems. This planned program assures maximum benefits through proper operation and utilization of their systems.


Architects and engineers are invited to send for Executone's 325 page Reference Manual "J-6." No charge or obligation. Please use your letterhead.

EXECUTORE INTERCOM AND SOUND SYSTEMS FOR

HOSPITALS, SCHOOLS, HOMES, PLANTS, OFFICES

415 Lexington Ave., New York 17, N.Y. . In Canada... 331 Bartlett Ave., Toronto

Product Reports



Cast Aluminum Pole Base

By utilizing a special high-strength aluminum alloy that is strong enough to withstand the elements but capable of being cast into any desired shape, Moldcast Manufacturing Company has produced a series of inexpensive, maintenance-free pole bases for many outdoor lighting applications. The bases are threaded for 2-, $2\frac{1}{2}$ - and 3-in. pipe sizes, and come with anchor bolts, mounting templates, and easily accessible grounding screws. Dept. PB-15, Moldcast Mfg. Co., 236 South St., Newark 5, N. J.



Air Duct Type Fire Detector

A special air duct type fire detector assembly designed for the protection of ventilating and air conditioning systems houses a standard Pyr-A-Larm detector bolted directly onto the outside of the duct work. A perforated sampling tube (standard 1/2-in. electrical metallic tubing) that extends across the duct from the assembly brings a continuous supply of air through the detector, which transmits an alarm if smoke or even the invisible toxic products of combustion are present in the air stream. Pyrotronics Div., Baker Industries, Inc., P. O. Box 390, Newark 1, N. J. more products on page 266



Here's a book that offers new design ideas, new uses for stainless steel in building. "Architecture and Allegheny Stainless" brings you up-to-date on the latest professional developments . . . with full-color illustrations of buildings just completed or still under construction.

Specific data, with pictures and design details, illustrate such stainless applications as curtain wall construction, store fronts and entrances, windows, hardware, roofing and others.

Evidence enough that modern architecture's demands are more than matched by the strength, quiet beauty and corrosion-resistance of Allegheny Stainless.

"Architecture and Allegheny Stainless" is filled with facts vital to everyone concerned with architecture and buildings. Write today for your free copy. Allegheny Ludlum Steel Corporation, Oliver Building, Pittsburgh 22, Pa. Address Dept. R-26.

W\$W-7513

ALLEGHENY LUDLUM


Export distribution: AIRCO INTERNATIONAL

EVERY FORM OF STAINLESS . . . EVERY HELP IN USING IT



New J-M Colorlith Chalkboard is available in 3 eye-pleasing colors: Cyprus Green, Charcoal Gray and Cameo Brown.

264



New Johns-Manville Colorlith® Chalkboard

Never before has one material solved so many classroom problems

Architects say — Handsome color and texture run all the way through this homogeneous sheet . . . can't wear off.

Teachers say—Colorlith makes an ideal smooth, hard writing surface—erases easily—reduces writing fatigue.

Pupils say—We like the color . . . it's easy on the eyes . . . and we can always see what's written on it.

Maintenance Superintendents say—Colorlith is easy to maintain. Wash occasionally with clear water. Remove stains with household cleansing agents.

School Supervisors say—Colorlith chalkboards have the strength and durability to withstand daily classroom usage and give many years of service.

Taxpayers say – Meets the requirements of premium quality boards at low prices . . . and it's strong enough not to need any expensive backing.

Everyone connected with today's school problems of cost vs. quality finds an answer in new J-M Colorlith Chalkboard. Here is a dense, new homogeneous sheet developed to provide the same smooth, hard writing surface and light reflectance values as premium chalkboards—but at lower cost.


Colorlith gets great strength from integral mixing of Portland cement, carefully selected asbestos fibers, and selected pigments. It can be used in ¼" thicknesses without expensive backing to make it rigid. Accurately butted joints need no divider strips which could hinder writing. Comes fully finished and ready to use as a self-supporting wall member. Its natural finish is durable—colors and pattern cannot be scratched off. Withstands heat, flame, moisture (fully washable) . . . acids and solvents in working concentrations.

Write for Colorlith specification sheet IN-230A and brochure EL-62A. Johns-Manville, Box 14, New York 16, N. Y. In Canada, Port Credit, Ontario.

JOHNS-MANVILLE



GRIFFN HINGES?



Why have building supply and hardware dealers everywhere tagged Griffin as "A Good Line to Handle"? Because Griffin makes a product builders and architects respect; because Griffin offers a complete line of steel hinges, both ferrous and non-ferrous; because Griffin prices its product to offer the distributor a good profit margin; because Griffin service is exceptionally quick, dependable.

Write today for complete information. Ask for a salesman to call.

GRIFFIN MANUFACTURING COMPANY · ERIE, PA.

Product Reports

One-Part, Rubber-Based Sealant

Du Pont's Hypalon synthetic rubber, heretofore available for sealing only in the form of extrusions and sheet. is now being used as a base for a new mastic sealant that promises to answer a wide variety of caulking and glazing problems. The one-part sealant comes ready to use; can be applied by ordinary putty knife, caulking gun or trowel: bonds tightly to all materials without special priming; and self-cures to a longlasting, resilient rubber seal. (Accelerated aging tests are said to indicate a potential service life of over 20 years.) Since it does not depend on carbon-black reinforcement, it can be compounded in any desired hue-white, pastels, solid colors and black. The applied cost is said to be about half that of the widely used polysulfide sealers. Grayguard, Inc., P. O. Box 1644, Wilmington 99, Del.



Miniature Seismograph

Reliable cost estimates can be obtained without costly drilling through the use of a new miniature engineering seismograph that provides such subsurface information as the precise depth to bedrock, the presence or absence of bedrock or other solid materials, and accurate identification of subsurface materials. Operation of the 16-lb instrument requires only two men, and a sledge hammer which is used to produce seismic impulses. An electronic counter circuit measures the time required for sound waves to travel from the blow of the sledge hammer through the earth to the instrument. Depth and type of material present can then be determined from the instrument readings. Geophysical Specialties Co., 15409 Robinwood Dr., Hopkins, Minn.

more products on page 270

ORIGINAL

SETA

VENETIA



In Seta-Venetia you find the inspired coloring and visible quality that are Vicrtex characteristics. It's another pace-setter in the trend to elegance, a new star in the out-of-thisworld line that's famous for design originality and unequalled performance in use.

VICRTEX V.E.F. VINYL

dramatizes walls with the elegant look of silk moire



Like all Vicrtex Vinyl Wallcoverings, beautiful Seta-Venetia is made by an exclusive quality-controlled process to assure exact pattern reproduction, complete color uniformity and exceptional wear-resistance. But see for yourself! Write for color samples and information about the whole exciting Vicrtex series.

Vinyl Electronically Fused

L. E. CARPENTER & COMPANY


Ease of operation, perfect weather seal, architectural beauty . . . these are the A+features of Adlake double hung windows. Little wonder that where lasting quality is required, Adlake double hung windows have, over the years, been specified over all others combined.

double hung windows

that keep faith with tomorrow's generations, too

dake

Adiake serrated guides penetrate into weatherstrip providing a perfect seal on all single and double hung windows. Adiake developed and pioneered use of woven-pile weatherstrip and patented serrated guides.



Elisha Ballantine Hall at Indiana University, Bloomington, Indiana has Adlake double hung windows.

Architects: A. M. Strauss & Assoc., Inc., Ft. Wayne, Ind. General Contractors: Huber, Hunt & Nichols, Inc., Indianapolis, Ind.





East High School in Rochester, New York has Adlake curtain wall.

Architects: Faragher & Macomber, Rochester, N.Y.

Consulting Architects: Moore & Hutchins, Rochester, N.Y.

General Contractor: A. Friederich & Sons Co., Rochester, N.Y.

2. testing . . . new Adiake windows must pass with an A+ rating. Test includes variations in static air pressure equal to wind velocities from 0 to 100 m.p.h. driving rains of approximately 30 gals. per minute.

3. erection . . . when erection is an Adlake responsibility, nothing is left to chance or experiment.



product of experience
not experiment

for complete catalog of non-residential aluminum windows and curtain walls, and name of Adlake representative nearest you, write The Adams & Westlake Company, Elkhart, Indiana.




Sound Deadening Sheet

Coustifab, a new high-density, low-mass, sound and vibration attenuating material, is a flexible vinyl sheet impregnated with metallic lead powder and backed with either woven glass-fiber cloth or cotton duck or other fabrics. It may also be obtained with a pressure-sensitive adhesive backing, making it easy to apply to metal and other surfaces. Because of its effectiveness in minimizing low-frequency sound, as well as

lowering mechanical vibration, the sheet is expected to find wide use in linings for machinery housing, noise suppressor covers for pumps and compressors, wall panels, and folding partitions. It comes in several weights in rolls from 1 in. to 38 in. wide. Cordo Chemical Corp., 34 Smith St., Norwalk, Conn.

Flexible Metallic Connectors

A series of new flexible metallic connectors has been developed for use




where thermal expansion and vibrations are problems. They have been tested for the correction of pipe misalignment, as connectors to absorb pipe expansion in steam and hot water lines, and on pumps where the vibration of the unit must be dampened to prevent its being transmitted to other parts of a building. Performance data shows that the design of the couplings and flexible tubing used in the connectors has yielded high operating efficiency at low cost. Bronze Penflex connectors range in size from 1/2- to 4-in. i.d., and stainless steel connectors from 5- to 12-in. i.d. They will take pressures up to 600 psi. Pennsylvania Flexible Metallic Tubing Co., 7200 Powers Lane, Philadelphia, Pa.



300-Meal Bulk Food Conveyor

A new bulk feeder which holds enough food to serve up to 300 meals per load features one-piece seamless construction to facilitate cleaning and provide high sanitation. The top deck will accommodate interchangeable square and rectangular insets up to 6 in. deep, and is heated and thermostatically controlled to provide uniform food temperatures. All but one of the lower storage compartments are also electrically heated. Designed to accept 12-by-20in. pans up to 6 in. deep, the lower compartments are fitted with insulated doors with finger-tip release latches. S. Blickman, Inc., 8400 Gregory Ave., Weehawken, N. J.

more products on page 276



Cook CONTROLLED VENTILATION WILL DO FOR YOU!

- Assures the right ventilator for every job
- ★ New Economy and Ease of Installation
- All Aluminum Quality Construction means trouble free, maintenance free service.

Here's the reason. You can tell at a glance which of the Cook line will work for you. Cook has the most complete line of air control ventilation equipment available. Cook ventilators are engineered to your exact job requirements for top efficiency and lasting economy. We'll be glad to send you a copy of our new booklet which takes the mystery out of specifying ventilating equipment.

Please send me Ventilation cata		our 1960 Cor	trolled
Name			
Position			
Street Address			
City	Zone	State	





Library entrance, University of Louisville, features large panes of Parallel-O-Plate* Glass. Architects: O'Connor & Kilham, New York, N.Y.; Nevin & Morgan Assoc., Louisville, Ky.

Social Science Building on Shipp St. is typical of the architecture of some of the buildings which date back to 1869.





visits a university . . .

where architecture doesn't stand still

University of Louisville's Belknap Campus is a revelation in architectural development.

The older buildings (some dating back to 1869) are predominantly Georgian in style . . . solemn brick structures with narrow windows. But on one edge of the campus is a classic Grecian museum. And at the other edge stands a natural-science building that might be called modern transitional.

In the middle of this group are two startling, new, contemporary structures which, through skillful and imaginative use of color, form and expanses of glass, dominate and enliven the whole campus. These are the University Library (dedicated July, 1958) and the University Center Building (dedicated January, 1959). To find out more about these exciting buildings and how they



University Center Building, erected in 1959, is glazed with *Thermopane** insulating glass with *Parallel-O-Grey** in the outer pane. Architects: Hartstern, Louis and Henry, Louisville, Ky.



University Library, erected in 1958, features big areas of Parallel-O-Plate Glass, twin ground for greatest freedom from distortion.



DR. PHILIP DAVIDSON

President

University of Louisville

are functioning, we sought out the University's President, Dr. Philip Davidson.

Question: Why did you depart from the traditional style of architecture?

Dr. Davidson: Why should a campus be tied to one kind of architecture? Why shouldn't the buildings reflect the history of a growing institution? We expose our students to modern art, literature, and sciences; why not expose them to changes in design philosophy, too? On the practical side, we couldn't have bought as much

functional space with a traditional design.

Question: How have the buildings been received by the public?

Dr. Davidson: They've been received with great enthusiasm right from the start. They've given a real lift to campus morale and to the community. I believe they have helped increase enrollment and faculty recruitment.

Question: And all those glass walls?

Dr. Davidson: They're a real joy! We like bringing the outdoors in. It gives a new dimension to space, and a feeling of freedom.

Question: What are the practical aspects of glass?

Dr. Davidson: Now you're getting into an area that I think Mr. Woods, our Assistant Superintendent of Buildings and Grounds, is more qualified to answer. Why don't you talk to him?



WADE A. WOODS
Assistant Superintendent
of Building and Grounds

Question: Mr. Woods, I understand that the window walls in the new University Center Building are *Thermopane*® insulating glass with a ½" air space between plate glass panes.

Mr. Woods: Yes, and you'll notice that the outer pane is made of grey plate to reduce strong sunlight and glare.

Question: Has *Thermopane* helped reduce your heating and air-conditioning costs?

Mr. Woods: It's hard to measure, because all our buildings are supplied from one

central power plant and we have no flow meters. But I can tell you this. When people in the other buildings are calling for heat, the people in the University Center Building have theirs shut off.

Question: How about maintenance?

Mr. Woods: As far as upkeep maintenance goes, we don't expect to have any. After all, glass doesn't wear out.

The spandrels in the University Center Building are Vitrolux® glass which has color applied to the back. Dirt doesn't show nearly as readily, I've discovered, as on surface-colored materials.

Question: What did this building cost per sq. ft.?

Mr. Woods: I'd rather you ask the architect that. He's right here in the city.



FREDERICK R. LOUIS OF HARTSTERN, LOUIS AND HENRY Architects

We found Mr. Frederick Louis, of Hartstern, Louis and Henry, in his office and asked him about the construction cost.

Mr. Louis: The University Center Building contains 68,800 sq. ft. We figure it cost \$17.08 per sq. ft. including plumbing, heating, air conditioning, electrical work and automatic sprinklers.

Question: Why did you specify *Thermopane* for this building?

Mr. Louis: Well, you see, we have temperature ranges from 0° to 100° in Louisville. We specified double-glazing for the

comfort of those using the building. Another consideration was the load on the central power plant which was reaching its limit. We were able to add this building without enlarging the heating system. Another factor was the location of the building near an expressway. Double-glazing helps to shut out traffic noise.

Question: You specified grey glass for the outer pane in the double-glazed walls. Would you mind telling why?


Mr. Louis: Not at all. Mainly to reduce intense sun glare. Also, to do away with overhangs which would run up construction costs and might detract from the architecture. And it permits people inside a certain amount of privacy. There's still another reason. In a building this size, draperies of different colors and designs are often used in different areas. Grey glass tends to minimize these contrasts which would otherwise disturb the building's design unity from the outside.

Question: One last question. Why did you use glass spandrels? Mr. Louis: Because we didn't want a contrast in texture between spandrels and windows. We liked the reflective qualities of grey glass (it's quite exciting), and we wanted to retain a relationship of reflectivity in the spandrels, too.

All in all, it has been a real pleasure working on this project. You know that the University of Louisville is the oldest municipal college in America (and has the largest adult-education enrollment in the state). But they're tremendously progressive—an attitude we've tried to catch in our contribution to the campus.



Auditorium and multi-purpose room in the University Center Building looks out on campus through *Thermopane*.







Façade of glass. Even the spandrels are glass—Vitrolux® heattempered polished plate glass with ceramic color fused to the back.



Cafeteria in University Center has window walls of *Thermopane*, with *Parallel-O-Grey* as the outer pane to reduce glare. Notice that grey glass does not affect the color of objects seen through it.





THERMOPANE®—For maximum comfort and for heating and air-conditioning economy, use *Thermopane* insulating glass in windows. Heat loss is cut in half, compared to single glazing. Drafts near windows are reduced. Outside noises are muffled. *Thermopane* is available with metal-to-glass *Bondermetic Seal®* and enclosed in an edge-protecting aluminum frame, and with a glass seal. *GlasSeal® Thermopane* is ideal for preglazed sash.



TUF-FLEX®—Tempered plate glass is 3 to 5 times tougher than regular plate glass of the same thickness. Yet it's as clear as any fine plate glass. If maximum resistance is reached, *Tuf-flex* disintegrates into relatively harmless, rock-salt-size particles.


Recommended for gymnasiums, entrance doors and sidelights, rooms facing recreation areas . . . any place where students and missiles are in rapid motion.



THREE KINDS OF PLATE GLASS—To assure undistorted vision from inside and a richer appearance on the outside, use twinground, clear *Parallel-O-Plate* Glass in windows. For control of sun heat and glare, use *Parallel-O-Grey* or Heat Absorbing Plate. *Parallel-O-Grey* is neutral grey in color. Heat Absorbing Plate is pale bluish-green. Both effectively reduce transmission of sun heat to keep interiors cooler, but *Parallel-O-Grey* is more effective in reducing glare.



MIRROPANE®—Wherever it is desirable to observe people without their knowledge, *Mirropane*, the "see-thru" mirror, is the answer. On the brighter side it's a mirror that reflects objects in the room. From the darkened observation room, it's a window you can see through, but you won't be seen.



VITROLUX*—Used instead of masonry as an exterior facing material, also for interior partitions. Rich color, fused to the back of this clear, heat-strengthened plate glass, adds youthful beauty and cheerful character to any structure. It is resistant to weathering, crazing and checking. Standard maximum sizes of *Vitrolux* panels go up to 48" x 84". Special orders up to 60" x 84". Thickness: ½" plus ½" minus ½". Sixteen standard colors, plus black and white. Also in non-standard colors subject to manufacturing limitations.



For information on these L·O·F products, refer to Sweet's Architectural File 26-A, or call your L·O·F Distributor or Dealer (listed under "Glass" in the Yellow Pages). Or write to Libbey-Owens-Ford Glass Co., 608 Madison Ave., Toledo 3, Ohio.

LIBBEY . O WENS . FORD a Great Name in Glass TOLEDO 3, OHIO

NO FIELD WELDS - BOLTS - OR RIVETS!



MACOMBER V-LOK

reduces framing time from weeks to days!

V-LOK's driven joint quickly and positively interlocks standard structural members into a rigid, expandable frame — eliminates costly, time-consuming field welding, bolting or riveting. V-LOK puts your building under roof quickly — ready for interior finishing — with minimum skilled labor and special equipment.

Your local Macomber Sales Representative can show how V-LOK uses construction man-hours most economically . . . how V-LOK reduces framing time from weeks to days!

Get your next job scheduled early. Mail coupon for full information.

LATEST PRODUCT FACTS:

Get your copy from your local Macomber Sales Representative or write today for this informative manual.

NAME...

COMPANY

POSITION

ADDRESS

STATE

1/04/



MACOMBER

CANTON 1, OHIO


ALLSPANS • V-LOK • V-BEAMS • V-GIRDERS
BOWSTRING TRUSSES • ROOF DECK • STRUCTURAL STEEL

SEE OUR
CATALOG IN
SWEET'S
OR WRITE
FOR COPY

Plug-In Recessed Lighting Fixture A new recessed type lighting fixture features a "plug-in" unitized electrical assembly that can be replaced by a tested spare without replacing the whole fixture. According to the manufacturer, this plug-in design offers such advantages as savings in maintenance and repair labor costs, uninterrupted lighting, and sustained peak performance for lighting units. The housing for the Shallotroffer fixture recesses into a 51/2-in. plenum.



Once it is installed, the electrical assembly, which comes with a cord and polarized plug, is simply plugged into a polarized receptacle in the center cross brace of the housing and secured by hook-on hinges. Thus if the electrical unit becomes defective, it can easily be removed and replaced. serviced and used as a spare. The fixture is available in a choice of eleven diffuser types. Globe Illumination Co., 2121 S. Main St., Los Angeles 7, Calif.




Lighting Fixture for Roof Decks

A new type of lighting fixture has been designed for flush installation in standard, roll-formed steel roof decks. As shown, it requires no special adapting devices or modification of the deck. The unit is produced in 48-, 72- and 96-in. lengths, for slimline or 40-watt rapid start lamps. Building Products Div., R. C. Mahon Co., Detroit 34, Mich.



Patient Room Light for Hospitals This handsome over-bed light bracket combines in one compact, inexpensive unit a 150-watt bulb for general room illumination, a 100-watt reading light, a 6-watt night light, and two convenience outlets. Each lighting element is skillfully controlled to deliver optimum illumination without annoying brightness. Moreover, since the lamp has no moving parts, it is virtually maintenance-free. It mounts easily to 3- or 4-in. boxes. Kurt Versen, Inc., Englewood, N. J. more products on page 280



N. WASHINGTON ST. and GEORGE AVE. WILKES-BARRE, PA.





This elementary school in Hamilton, Massachusetts, successfully puts everything under one large roof—classrooms, offices, gymnasium and cafeteria-auditorium. The pitch of the roof places it in the vernacular of surrounding architecture and provides the extra height needed to incorporate major spaces within the single-roof concept. The size of the roof area demanded daylighting to brighten interiors with the warmth of natural light.

SCHOOL BY HUGH STUBBINS... DAYLIGHTING BY WASCO

Wasco Self-flashing Skydomes — transparent acrylic domes sealed to base sheets of fiber-glass reinforced acrylic — were chosen because the entire pitched roof is on display. Fastened directly to the deck and flashed into the roof, their low, almost invisible silhouette solved the appearance problem beautifully. The large Skydomes were uniquely positioned to daylight both classrooms and corridor.

Wasco offers a complete line of standard Skydomes, plus many new types suitable for fresh approaches to architecture. See Sweet's Catalog 20/Wa, or write for information.



GOOD DAYLIGHTING DESIGN STARTS WITH



WASCO SKYDOMES

WASCO PRODUCTS, 5 BAY STATE RD., CAMBRIDGE 38, MASS. IN CANADA: WASCO PRODUCTS (CANADA) LTD., TORONTO, ONT.



ADAMS-RITE's exclusive MAXIMUM SECURITY for narrow stile doors is accomplished by bridging the opening between the lock stile and the strike with a bolt of laminated steel—measuring a full 1%" from a backset as short as %". As much of this bolt is retained within the lock stile as is projected, making forced entry impossible without complete destruction of the door channel. Compare the Adams-Rite Ms lock—with its protective long bolt—with ordinary locks and you'll see why adequate security means MAXIMUM SECURITY.

Write today for complete specifications and information.






ADAMS-RITE MANUFACTURING COMPANY

540 West Chevy Chase Drive, Glendale 4, California



Chances are your tableware was washed by a <u>Hobart Flight-Type dishwasher</u>



It's the overwhelming choice of the airlines, caterers and all volume food preparation operations. Here is every dishwashing service built into one amazingly fast, high-capacity machine—a fully automatic dishwasher that will rapidly pay for itself in lower operating costs. And Hobart dependability is built-in.

If your plans are for less than large volume operations, be sure to see the complete line of more than 50 Hobart dishwashers—one is exactly right for every specification.

Hobart Flight-Type Dishwashers

Completely automatic power-water-scrapping, power washing and rinsing, with supervision reduced to a minimum. Dishes are continuously racked in conveyor between nylon tipped, resilient, stainless steel "flight links"—stainless steel specially treated to protect chinaware against markings...side links, rollers and tie rods of stainless steel. Famed Hobart combination jet-powered and revolving wash system insures thorough sanitation. Sizes range from 12 to 26 ft. long, with conveyor speeds from 5 to 12 ft. per minute. Dozens of other exclusive features make it the most advanced dishwasher made.

Hobart MACHINES



The World's Oldest and Largest Manufacturer of Food, Bakery, Kitchen and Dishwashing Machines

Nationwide Service through over 200 Hobert Service Offices...
the largest network of service in the industry.

The Hobart Manufacturing Co., Dept. HAR, Troy, Ohio Please send me more information on: The Hobart flight-type dishwasher, the complete dishwasher line. I would like the name of my nearest Hobart dealer.
Firm name
My name
Address
City



Swingaway maintenance! Hinged ring and chain for easy relamping and cleaning.



OTHER DRUM UNITS B 1215

Long-Boy Ellipse; intense narrow beam light, specular Alzak reflector.



B 1210

Metal drum units, concave prismatic lens with genuine Alzak reflectors.



B 1192

Prison and psychiatric units; cast guard, shatter-proof prismatic lens, tamper-proof screws.



with guard or

B 1618 Gym drum units louver, single to quadruple ountings

BRASGOLITES

HAVE HIGH **EFFICIENCY, CONTOUR ALZAK REFLECTORS**

Real parabolic-design provides permanent, efficient light control. Unlike flat-pan or aluminumfoil types, Alzak contour reflectors can't come ungluded, tarnish, or become permanently discolored from lamp heat. Super white opal glassware has satin-finish ceiling ring. Unit gives excellent downlight, plus good ceiling illumination above and around the fixture. Models to accommodate up to three 100-watt lamps. Complete selection available.



Product Reports

Fireproof Vapor Barriers

The new Pyro-Kure family of vapor barriers is said to offer such advantages as permanent fire resistance, a maximum water vapor permeability of less than 0.10 perms, strength and durability, and low cost. The barriers consist of aluminum foil and kraft paper bonded together with a flameextinguishing adhesive and reinforced with fiber glass strands. Depending on the specific properties desired, they can be supplied with various weights of paper, thickness of foil, and amounts of reinforcement. Foil to embossed kraft and foil to foil barriers are also available. Because of the effectiveness of the flame-extinguishing adhesive bond, the average flame spread is 15 on the foil side and 30 on the kraft side, as rated by Underwriter's Laboratories. American Sisalkraft Corp., Attleboro, Mass.



Acoustical, Insulating Formboard A new formboard made up of a 1/2-in.thick natural board laminated to a 1/2-in.-thick asphalt-impregnated insulation board serves as a form for poured perlite, vermiculite or gypsum roof decks and also provides low-cost noise control, high thermal insulation value, and an economical finished ceiling. Standard perforated unperforated formboards. painted or unpainted, are available 32 in. wide in any length between 72 and 120 in. The painted perforated boards are also available in a 24-by-48-in. size with tongue and groove on the 24-in. end, and bevel edges. A fissured painted board comes in a 24-by-96-in. size. Simpson Logging Co., 1033 White Bldg., Seattle 1, Wash.

more products on page 286

Modern plants burn coal the modern way



IN UNIFIED MODERN DESIGN

Ultramodern in both structural concept and appearance, the new Bardstown High School, Bardstown, Ky., is equally advanced in its internal facilities and operation. Designed by the firm of Gregg, McCulloch & Bickel, this building boasts a heating system as up-to-date as its parabolic thin-shell concrete gymnasium.

The effectiveness of this system is twofold: convenience and simplicity. The central boiler room here is a "ground floor" installation located under the industrial arts shop . . . an integral part of the structure. In performance, air is brought in through grilles in the exterior

walls, heated by coal-fired steam boilers, circulated, then exhausted to the atmosphere through gravity ventilators in the roof. Actual boiler room operation is simplified with pushbutton control of equipment. Still another advantage of this installation is the ample space provided for future additional equipment as school facilities expand.

District engineers of the Bituminous Coal Institute have detailed information on how coal-burning plants lend themselves to modern architectural design. If you have a problem in power plant design, write for the name of the BCI man in SEND COUPON FOR GUIDE SPEC-IFICATIONS, with complete equipment criteria and boiler room plans:

BITUMINOUS COAL INSTITUTE

Dept. AR-02, Southern Building, Washington 5, D. C.

See our listing in Sweet's Files: A-30J/Bi; PE-4a/Bi; IC-18b/Bi

BITUMINOUS Southern Buildin			C.
Gentlemen: Plea	se send me:		
GS-1 (low-pro	essure heating d stoker)	plant,	screw-
GS-2 (high-pe cess plant, rai	ressure heatin		
GS-3 (automa		oiler fo	r heat
Case histories	on larger pla	nts	
Name			-
Title			
Company			
		-	
City	Zone_	State	AR-OX



Reduce Architectural Clutter for Creative Highlighting of **Design Harmony** with The Prescon System

Architects and other creative designers seeking to eliminate the "architectural clutter" of old style supporting members and overly massive beams find the Prescon System of post-tensioning prestressed concrete allows design harmony of long spans and fewer columns with the high strength and lightweight so in demand in modern structures.

Simplified, economical yard, jobsite, or in place casting of long span girders and lightweight decking members often cuts costs as much as 25% below other methods and materials.

Exercise true architectural control over your structures . . . call your Prescon representative for specialized assistance to your engineer and for recommendations using the Prescon System in industrial and general purpose buildings, utilizing lift slab, poured-in-place, or precast members.



THE PRESCON CORPORATION

ces and Sout Corpus Christi, Texas P. O. Box 4186 LOS ANGELES CHICAGO

MEMBER PRESTRESSED CONCRETE INSTITUTE



7 REASONS WHY

it's smart to specify A. O. Smith glassprotected smokestacks for your client

- 1. 3 to 5 times longer life than unlined steel stacks.
- 2. Corrosion resistance regardless of excess condensate.
- Low maintenance glass can't rust.
- 4. Lightweight lower foundation cost.
- 5. Now available in colors.
- Lower cost glass protection now within the reach of all.
- Easy to install no need for special equipment or highly skilled workmen.



For bulletin containing all the facts, write Dept. AR-20.

> SMOKESTACK SALES PROCESS EQUIPMENT DIVISION P. O. Box 584 Milwaukee 1, Wisconsin



- on loved ones from any room in the house, day or night.
- Answer outside doors from any room . . . without opening doors to strangers. Saves time . . . saves steps . . . gives you that added safety in the home
- Talk from room to room . . . upstairs or downstairs, talk back and forth with anyone in kitchen, bedroom, work or play room. · Talk from room to room .
- Enjoy radio in every room . . . Your best liked radio programs follow you throughout the house with the simple flick-of-a-switch.

A touch of elegance—distinctively styled by Dave Chapman, internationally renowned industrial designer. Beautifully finished in richly blended tones of satin silver and polished gold. Easily installed in homes already constructed as well as in new construction.

TALK-A-PHONE CO.

Dept. AR-2, 5013 North Kedzie Ave. . Chicago 25, III.



IN SUPERMARKETS, TOO, IT'S

Quietly beautiful. Beautifully quiet... ULTRACOUSTIC CEILING BOARD

- Quietly beautiful—the only incombustible* glass fiber ceiling board with travertine texture.
- Beautifully quiet-85 NRC.
- All the permanence, stability, and easy-application characteristics of glass fiber
- The ideal ceiling board for any suspended ceiling application where appearance and acoustical efficiency are important. . . offers uniformity without monotony.

FOR ADDITIONAL INFORMATION SEE SWEET'S FILE 11A/SU OR WRITE FOR 4-COLOR ALA BROCHURE TODAY.

Gustin-Bacon


Thermal and acoustical glass fiber insulation for duct work, pipe, curtain walls, metal build



*Carries
Underwriters
Laboratory
label

TO HELP YOU DESIGN TOMORROW'S LIVING INTO TODAY'S HOMES

General Electric Helps You Plan Complete Electric Heating and Cooling Systems for Medallion Homes



Equipped by General Electric

A generation ago, an architect's main concern with electricity was to plan a lighting system into the home.


Today, public interest in *total electric living* requires that you have far more product and application knowledge. To help you in this area, General Electric has organized all divisions of the company to support the Medallion Home Program. A national advertising campaign will increase consumer demand. A local program will help you in planning modern home electrical systems.

Most important to you, General Electric has joined with your local utility to prepare a complete Electric Heating Institute, including training films and instruction manuals for all types of electric heat installations. Your utility has probably scheduled this program. Ask them for time and place.

P.S. See the General Electric Exhibit at the National Electric House Heating Exposition, Hotel Sherman, Chicago, March 21-23.


Residential Market Development Operation, General Electric Company, Appliance Park, Louisville 1, Kentucky.





Progress Is Our Most Important Product

GENERAL 🍪 ELECTRIC



REUTEN Tru-Bows and Tru-Walls . . . quality wood windows . . . enhance the beauty of homes in any architectural style. The OL Tru-Bow (top picture) fits perfectly in a Modern setting; the OC Tru-Bow (second picture) adds charm to a Colonial house. Four additional styles and over sixty combinations of sizes, pane shapes, and vent positions can be ordered. Both Tru-Bows and Tru-Walls meet custom quality standards and are stocked by regular millwork jobbers.

See our complete catalog in Sweet's A or LC files, our display in the Architects Building, 101 Park Ave., New York City, or write for additional information.




FRED REUTEN INC.

Product Reports



Sound-Absorbing Light Diffuser

Soundsheet solves the problem of combining acoustical and light diffusing qualities in a single material by laminating a layer of porous cellulose film to each side of a core of rigid vinyl sheet perforated with small, evenly spaced pores. The resulting material gives a noise reduction coefficient of 70 per cent or more with about 48 per cent light transmission. Maintenance costs are estimated to be one-third less than those of baffle ceilings because of the ease of cleaning and unbreakability of the sheet. The recommended air space of 18 to 36 in, is standard for luminous ceiling installations. Contrex Co., Chelsea, Mass.




Prefab Composite Girder

A prefabricated composite triangular girder, with the top flange formed of reinforced concrete, and the webs and bottom flange of steel, offers many advantages in the construction of roofs, floors and bridge decks, especially where long spans and heavy loads are required. Since the girders come with the top flange finished and watertight, they may be erected in any type of weather. This plus the carefully-controlled plant fabrication, and the ease of handling and erection is said to make them highly economical structural shapes. Shlagro Steel Products Corp., Somerville 43, Mass.

more products on page 290








CINCINNATI SHAPER COMPANY ADDS 173,000 SQUARE FEET OF EFFICIENCY!

• You can well understand why John Erhart, Cincinnati Shaper's head electrical engineer, "points with pride" as he and Square D field engineer Dale Calender make an inspection of the new plant's electrical system. "For," as Chief Engineer Erhart explains, "we use electricity for much more than the usual lighting and power jobs."

Square D, also, "points with pride" to the array of electrical distribution and control equipment which is on duty throughout this unusually efficient plant—and to the thousands of Cincinnati Shaper machine tools into which Square D controls have been built over a period of many years.

FIELD ENGINEERING SERVICE is available to architects and consulting engineers through more than 100 Square D offices, backed by 1000 authorized electrical distributors and 19 plants in the United States, Canada, Mexico and Great Britain

Executive Offices • 6060 Rivard Street, Detroit 11, Michigan



• Shown above is one-half of a Square D double-ended unit substation which feeds several runs of Square D plug-in duct. Notice the "T" in the duct installation which makes it easy to extend the bus run for future bus tie connection.




SQUARE D COMPANY







electricity is distributed and controlled



• This Square D control center in the Administration Building includes circuit breaker combination motor starters for the heat pump and air-handling equipment. Heat pump operation is automatically controlled through thermostats and programmed by clock system.



from this panel. Note space for future additions of Square D contactors as

 You'll find Square D controls on a lot of the machine tools which roll off Cincinnati Shaper's production lines. Above, Square D pushbuttons being installed on a power squaring shear.



 Square D circuit breaker panelboards are installed throughout the plant. Breakers in upper half are for light switching; those in lower half for receptacles, emergency lights, drinking fountains, etc. Lockable, two-door arrangement prevents inadvertent switching of lower units.



A Complete LINE OF ELECTRICAL DISTRIBUTION AND CONTROL EQUIPMENT

ADJUSTABLE SPEED DRIVES BUSWAYS & WIREWAYS CIRCUIT BREAKERS CONTROL CENTERS **CRANE & HOIST CONTROL** DISTRIBUTION SWITCHBOARDS **ELECTRIC TRUCK CONTROL** HIGH VOLTAGE CONTROL LAUNDRY CONTROL LIFTING MAGNETS LIGHTING AND POWER PANELBOARDS LIGHTING CONTROL - LOW VOLTAGE LIMIT AND FOOT SWITCHES MACHINE TOOL CONTROL **MAGNETIC BRAKES METER MOUNTINGS** MOTOR STARTERS PRESS CONTROL PRESSURE, FLOAT, & VACUUM SWITCHES **PUSHBUTTONS RELAYS AND CONTACTORS** RESISTORS SAFETY SWITCHES SERVICE ENTRANCE EQUIPMENT STAGE DIMMERBOARDS STEEL MILL CONTROL SWITCHGEAR & UNIT SUBSTATIONS SYNCHRONOUS MOTOR CONTROL TERMINAL BLOCKS TEXTILE MACHINE CONTROL TIMERS **VOLTAGE TESTERS** WELDER CONTROL





More and more, Certain-teed's new 40-pound Roofers Base Sheet is being used in place of the two "dry" sheets of 15-pound felt previously required in nailable roof deck specifications. Result is speedier built-up roof construction.

The new sheet can be applied to a wet deck or exposed to the elements, allowing the quickest possible "drying-in" of a building. Since it is coated with asphalt in addition to being saturated, it resists moisture absorption and wrinkling and holds nails better.

Get Certain-teed's "Built-up Roofing" manual from your Certain-teed representative or write direct.






CERTAIN-TEED PRODUCTS CORPORATION

Ardmore, Pennsylvania . Plants and offices throughout the United States

Product Reports



Sound-Absorbing Ceramic Tile

SCR Acoustile, a new ceramic glazed structural facing tile with a perforated face and a Fiberglas core, makes it possible to build, finish and sound condition a wall in a single operation. The units, which were recently developed by the Structural Clay Products Research Foundation, have a sound absorption factor of 65 per cent and a transmission loss of 47 decibels, and meet local and national code requirements for compressive strength and fire resistance. They come in clear glaze and a full range of ceramic field colors in 6T Stretcher Units with random and parallel perforations. Metropolitan Brick, Inc., 1017 Renkert Bldg., Canton. Ohio



Slabs with Built-In Furring

Long-span concrete channel slabs in lengths up to 32 ft are now being constructed with a continuous steel furring strip built into one leg. Since the channels are two feet wide, this gives a nailing surface every 24 inches, which greatly simplifies ceiling constructions. For example, plasterboard can be nailed directly to the channels, without intermediate furring members, to produce a fire-safe ceiling with room behind the plasterboard for utility and conduit runs. George Rackle & Sons Co., Newburg Station, Cleveland, Ohio

more products on page 298




McLOUTH STAINLESS STEEL

Marla adds another touch

of comfort

to St. Louis' Jet-Age Airport



Lambert Municipal Airport, St. Louis

The administration building at St. Louis Lambert Municipal Airport has taken its place among the world's masterpieces of contemporary architecture.

Airline customers have discovered, too, that this dramatic structure by Hellmuth, Obata and Kassabaum blends modern design with unbelievable convenience and efficiency.

Another touch of comfort was added recently with the year-round air conditioning of the three "fingers", or covered walkways, extending from the main building to areas where planes discharge and take on passengers.

Two hundred and twenty-three Marlo "Seazonaire" remote fan coil units of 300 to 800 cfm were installed by Guaranteed Heating and Engineering Company. Using chilled or heated water from a central source, these compact units provide perfectly conditioned air in summer and winter. Consulting engineers for the installation were Ferris & Hamig.

For further information about practical, efficient "Seazonaire" air conditioning units by Marlo, see the Marlo representative in your area or write to us direct.

Marlo coil co.

SAINT LOUIS 11, MISSOURI

Quality Air Conditioning and Heat Transfer Equipment Since 1925



First National Store, Hyde Park, Mass. Architect: Sumner & Schein. Tile Contractor: Albre Marble & Tile Co., Inc. Plate No. 656.




Exteriors of MOSAIC Ceramic Tile

.. an investment in CHAIN STORE IDENTITY

J. C. Penney Store, Los Angeles, Cal. Architect: H. L. Gogerty. Tile Contractor: Long Beach Marble & Tile Co. Plate No. 491.



Gimbel's Cheltenham Store, Philadelphia, Pa. Architects: Welton Becket & Assoc. and Howell Lewis Shay & Assoc. Tile Contractor: Italian Marble & Mosaic Co. Plate No. 510.



Mosaic Ceramic Lile in CHAIN STORES

The new face of merchandising

Today's chain store relies upon identity, activity, excitement to attract. This calls for generous display windows, colorful exteriors, inviting entrances . . . and distinctive overall effect. All this with the sharp-pencil approach chain store management needs to give to the economics of maintenance and day-to-day expense.

Shown here are architectural answers to these requirements . . . merchandising buildings distinguished by their permanently-enriching ceramic tile faces. Leading chains have much to gain by actually standardizing on specific ceramic tile patterns which serve as decorative integral signatures . . . as identifying as the store-name sign itself.

In reaching for a special personality in ceramic tile, designers naturally turn to the complete line of Mosaic tile. Here, they find the widest selection of tile colors, types

The exclusive Mosaic patterns . . . Byzantile, Formfree, Mosaic Medley and others . . . are specially appropriate for store exteriors. The Mosaic Design Department gives architects and owners practical assistance in translating merchandising idea into specific tile treatment.

The complete line of Mosaic Harmonitone ceramic tile offers: Satin-Glaze and Bright-Glaze wall tile, Everglaze abrasionresistant tile, Velvetex, Velvetone and Granitex unglazed mosaics, Mellotone, Evertex and Faientex glazed mosaics, Formfree, Medley and Byzantile patterns, Carlyle quarry tile, Decorated glazed tile and All-Tile Accessories.

The Mosaic Tile Workbook for Architects, Form No. 236, is in Sweet's. For additional data, write The Mosaic Tile Company, Dept. A, Zanesville, Ohio or The Mosaic Tile Company, Dept. A, 829 N. Highland Ave., Los Angeles 38. California.

Good Ceramic Tile Service-To give the finest possible local service, all warehouses of The Mosaic Tile Company maintain stocks of floor, wall and countertop tile in a good selection of most popular colors. This service is available through your Ceramic Tile Contractor who, as a result, can give his customers improved service.



The Broadway-Anaheim, Anaheim, Calif. Architect: Welton Becket & Assoc Tile Contractor: Selectile. Plate No. 488.



Donaldson's Store, Edina, Minn. Architects: John Graham Co. and Alvin L. Wiedt Assoc. Tile Contractor: Northwestern Marble Corp. Plate No. 532

THE MOSAIC TILE COMPANY

America's largest manufacturer of ceramic tile

Member-Tile Council of America, Inc. and The Producers' Council, Inc.

Showroom-Warehouse: Atlanta, Baltimore, Boston, Brookfield, Buffalo, Chicago, Cleveland, Corona, Dallas. Denver, Detroit, S. El Monte, El Segundo, Ft. Lauderdale, Fresno, Greensboro, E. Hartford, Hempstead, Ironton, Jackson, Kansas City, Little Rock, Los Angeles, Matawan, Miami, Milford, Minneapolis, New Orleans, New York (Showroom only), Philadelphia, Portland, Salt Lake City, San Antonio, San Diego, San Francisco, Santa Clara, Seattle, Tampa, Washington, D. C., Zanesville.

Representatives: Birmingham, Cincinnati, Fair Haven, N. J., Memphis, Oklahoma City, Pittsburgh, Spokane, St. Louis.

Distributors: Albuquerque, Havana, Honolulu, Houston, St. Louis, Hato

Plants: Jackson, Miss., Little Rock, Ark., Matawan, N. J., Corona and El Segundo, Cal., Ironton and Zanesville, Ohio





When you want MORE than just

Good Lighting...

You want

Sylvania's CLASSIC

Series

"Fluorescent lighting fixtures today must do more than provide good illumination. They must also add a distinct element of attractiveness to the ceiling to complement the overall interior decar.

With this concept in mind, Sylvania's Engineering Department, working tagether with the renowned industrial designing firm of Peter Muller-Munk Associates, created a new fixture family that is truly outstanding.

This is the CLASSIC Series by Sylvania.

The CLASSIC achieves, through its pointed elliptical shape, the elegance and style demanded by today's leading design concepts. This new fixture group features sleek, trim lines; flared, softly-diffusing side panels; and slim shallowness . . . all of which combine to provide a graceful appearance for any interior. To satisfy individual choice, plastic louvers or plastic panels are available.

And the practical aspect has not been ignored either. In addition to its extreme attractiveness, the CLASSIC also provides other important features . . . high-quality lighting characteristics and excellent installation and maintenance advantages.

But a mere description of the CLASSIC is hardly adequate. To appreciate the true beauty and application possibilities of this series you should see the fixture itself.

Write for full information today . . . and ask to have the CLASSIC* demonstrated in your own office.

> Sylvania Lighting Products A Division of SYLVANIA ELECTRIC PRODUCTS INC. One 48th Street, Wheeling, West Virginia


*Patent Funding

GO MODERN WITH LIGHTING BY



GENERAL TELEPHONE & ELECTRONICS

FLUORESCENT LIGHTING FIXTURES AND SYSTEMS BEST FIXTURE VALUE IN EVERY PRICE RANGE



TOUGH BUYERS

DEMAND REZNOR STAINLESS STEEL DUCT FURNACES

BECAUSE THE HEAT EXCHANGER AND BURNERS CANNOT CORRODE!

The engineer or architect has to be a tough buyer. When he specifies a furnace, he has to protect his customer against possible trouble makers like corrosion in air conditioning, make-up or ventilation air systems. That's why so many engineers and architects demand Reznor stainless steel duct furnaces: they can't corrode!

LOWER FUEL COSTS, TOO—The tough buyer wants to make sure his customers get even heat and lower fuel costs. That's why he appreciates Reznor "extras," like the gas modu-

lating valve. As discharge temperatures rise, the valve cuts gas input to 20% of rated capacity, then shuts off the supply completely.


CHECK THE "TOUGH BUYERS' LINE" You can specify Reznor duct furnaces in capacities up to 300,000 Btu. Use them in multiples if heat requirements are greater. Select matching Reznor blowers.

For catalog and information, phone your nearby Reznor distributor, or write Reznor Manufacturing Company, Dept. 62B, Mercer, Pa.


THE HEATING WORLD IS FULL OF TOUGH BUYERS; THAT'S WHY REZNOR IS THE WORLD'S LARGEST SELLING DIRECT-FIRED HEATER!

REZNOR HEATERS

"THE TOUGH BUYERS' LINE"



Poured Gypsum Roof Deck passes 2 hr. fire test!



- 1. 21/2" Gypsum Roof Deck
- 2. Mesh reinforcement
- 3. Subpurlin
- 4. ½" Gypsum formboard

Extra half-inch thickness adds only 10% to cost, adds a full hour to fire resistance!

In one of the most rugged fire tests ever run, a Gypsum Roof Deck, poured $2\frac{1}{2}$ " thick over $\frac{1}{2}$ " gypsum formboards, withstood a furnace temperature up to 1850° F. for over 2 hours before the first end-point temperature was reached on the top surface. The deck *still* carried an imposed live load of 40# per square foot when the test was completed.

Compare this to fire ratings of one hour for 2" gypsum roof decks, and less than one hour for most other decks, and you'll see what a bargain this 2½" system is. The extra half inch thickness of gypsum costs only a few cents per square foot, and adds a full hour to the fire rating!

Ask your Gold Bond® Representative for a copy of the test report, or write Dept. AR-260.

NATIONAL GYPSUM COMPANY, BUFFALO 13, NEW YORK



.. a step ahead of tomorrow



Vibroflotation®

was selected over alternate foundation solutions for New Jersey high school.

Bridgeton High School, Bridgeton, N. J., was built on sand compacted by Vibroflotation. 668 compactions were made to a depth of 12 feet below the bottom of footings to obtain a minimum 70% relative density.

Vibroflotation provided a substantial savings over alternate foundation solutions. Additional savings were realized through elimination of all formwork for footings.



Vibroflotation stabilizes granular soil so effectively that excavations retain neat, vertical walls even after placement of reinforcing steel and pouring of concrete,

Other schools recently built on sand compacted by Vibroflotation include: In Florida, nine Catholic schools in Pensacola, Orlando, Largo, St. Petersburg, Fort Pierce, and (four) in Miami; four educational buildings at the new University of South Florida, Tampa; Sarasota High School, Sarasota, Florida; Marlow Heights Junior High School, Prince George's County, Maryland; Colonie Junior High School, Colonie, New York.

Write for Booklet A-23

Proven Applications

Deep Foundations • Dams
Bridges • Airports • Tunnels
Commercial Foundations
Industrial Foundations

VIBROFLOTATION FOUNDATION CO.


930 Fort Duquesne Boulevard Pittsburgh 22, Pa.

ATlantic 1-2500

Product Reports



One-Piece Integral Expansion Bolt A new one-piece, single integral expansion bolt is designed to simplify the fastening or anchoring of electrical equipment, structural members. machinery and so forth in concrete, masonry, plastic, stone, steel and other non-frangible materials. Called the Wej-It, the new bolt eliminates the need for marking operations, requires only one-size hole, and expands as it is wrench-tightened to provide an effective anchor. According to the manufacturer, tests have established that it saves up to 90 per cent in labor time and has a holding power four times greater than conventional fasteners. It is available in sizes ranging from 1/4-in. o.d. by 13/8 in. long to 3/4in. o.d. by 12 in. long. Kirel, Inc., Kingston, N. Y.



Molded Nylon Air Outlets

The Aristocrat 400 series of nylon injection-molded grilles, registers and curved blade diffusers is said to offer many special features at a cost comparable to that of metal air outlets. The manufacturer points especially to total rust elimination; the sound absorbing characteristics of nylon, which permit higher air velocities without noise; and a builtin double Air-Loc, which provides permanent air-tight closure against wall or ceiling without gaskets. The outlets in the line come in a variety of types and sizes, all in an easily maintained two-tone gray finish. Air Guide Plastics Corp., 20 S. E. 3rd Ave., Miami 32, Fla.

more products on page 304



The library seats a third of the student body. Present shelves accommodate 40,000 volumes. The building includes two seminar rooms, three resident counselor offices, student typ-ing rooms. Fine quality P&L stains and varnishes were used throughout.

Lutheran Church-Missouri Synod

Architect:

Eero Saarinen and Associates

General Contractors:

Hagerman Construction Corp. Wermuth, Inc

Painting Contractors:

Brunner Bros. Charles Schmidlin


Beyerlein & De Lagrange

P&L Products Used:

House Paint, Vitralite Enamel, Oil Stain, "38" Pale Trim Varnish, Lyt-all Stippling Eggshell, Lyt-all Double Duty Primer, Lyt-all Flowing Flat.



Three separate communities of four dormitories each, maintain a friendly, home-like atmosphere. Each of the dormitories has a capacity of thirty-four students, and is equipped with a student lounge, prayer chapel and study hall. Durable P&L finishes help beautify these rooms.



CONCORDIA SENIOR COLLEGE Fort Wayne, Indiana

WINS TOP DESIGN AWARD FOR COLLEGE BUILDINGS

CRAFTSMANSHIP IN THE DAINT AND VARNISH

the paint of professionals for over a century

This village-like campus is located on gently rolling prairie land, framed by green forests and a river. The chapel dominates the manmade lake and other buildings clustered around it, with the student dormitories radiating outward.


Professional-level, color planning service by experienced Pratt & Lambert representatives...the suggestion of distinctive color plans, in addition to recommendations of authoritative painting specifications, is available upon request and without obligation. Please write: Pratt & Lambert Architectural Service Department, 3301 38th Ave., Long Island City 1, N.Y., 4900 S. Kilbourn Ave., Chicago 32, Ill., 75 Tonawanda St., Buffalo 7, N.Y., 254 Courtwright St., Fort Erie, Ontario.


PRATT & LAMBERT-INC.

NEW YORK . BUFFALO . CHICAGO . FORT ERIE, ONTARIO









This startling new C/S Solar Grille in extruded aluminum offers almost limitless esthetic visual expression. The octalinear pattern is permutable and gives the architect an infinite variety of possibilities from which he can develop his own designs. Color may be easily and economically used to provide additional visual interest. Any module may be supplied, with screen depth varied from 1 to 7 inches and the pattern opening from 4 to 8 inches.

Functionally, the C/S Solar Grille may provide up to 100 per cent solar protection, allowing use of glass for vision, light, and a feeling of openess without glare. By placing walls in shadow, it reduces heat gain and air-conditioning requirements, and also eliminates the need for costly decorative facing materials. Screens can also be used as vision barriers, room dividers, cooling tower screens, etc.

The C/S Solar Grille is rigid, rugged, and durable, yet it is unusually light in weight, requiring simple structural support.

• C/S Solar Grilles are remarkably low in cost.

architectural products in aluminum louvers • sun controls • ornamental screens



write for details

CONSTRUCTION SPECIALTIES, INC.

55 Winans Avenue, Cranford, New Jersey • West Grant Street, Escondido, California



good reason for turning to GJ

With GJ you have the one complete line of builders' hardware designed for most every problem of stopping or holding the door . . . including the safe cushioning and silencing of the door's action.

If yours is one of those "never before heard of" types of problems, keep in mind that GJ engineers have worked out special adaptations to meet unusual problems of installation and function for over 35 years. Some of the early

adaptations are "standards of the industry" today.

And if it's extra quality you require for hard daily usage, long continuous wear, etc., these are assured by GJ's long record of producing "life of the building" hardware.

Meeting door control problems-one and all-is our only business. Every order gets the careful consideration of experienced door control engineering. Your specification always means more when you write in "... shall be GJ ...".



GLYNN · JOHNSON CORPORATION







St. Mark's Lutheran Church, Norwich, Conn. Architect: John MacL. Johansen. Authorized SPRAYED "LIMPET" ASBESTOS Applicator: E. B. Carley & Co., Inc.

As you can see above, the 1\%" coating of SPRAYED "LIMPET" ASBESTOS faithfully follows the contours of the vaulted nave ... pre-cast, re-enforced concrete shells. But, there's more than flexibility to the credit of this sprayed-on-with-a-gun insulating material. It has a "U" factor of heat transmission of .17 BTU/hr/ft2/"F. plus a sound absorption quality—in terms of noise reduction coefficient—amounting to .85. And, the high capillarity of the asbestos fibers provides condensation control and prevents dripping.

A multi-jet, gun-type applicator combines asbestos fibers and an inorganic binder with water during the spraying-on. In only one operation, you have the desired thickness. At application's end, you have a seamless, crackless blanket...pale beige in color... that accurately reproduces the architectural design. All this, and less structural stress, too! SPRAYED "LIMPET" ASBESTOS only weighs one pound per square foot.

Find out why more and more modern structures are turning to this marvelous material for thermal insulation, condensation control, acoustical treatment, and fireproofing.

Just write to us today for more information.

Insulates steel, aluminum, and concrete • For floors, ducts, beams, and all structural elements • No forms or shoring required • Goes on in all kinds of weather—as long as temperature at point of application is above 40°F. • Minimum clean-up • Takes paint beautifully • Adheres with strength of 100 lbs. per sq. ft.


SPRAYED "LIMPET" ASBESTOS

A 100% Asbestos blanket insulates a strikingly modern house of worship!



KEASBEY & MATTISON

COMPANY . AMBLER . PENNSYLVANIA



MILL 750
WEB SEL-STR
WEB SEL-WER
WILL 750
WEB SEL-WER
WILL 750
WEB STAND
WEB STAND
WEB STAND
WEB WILL 750

Either mill number ar name appears as part of stamp.

Shown above are five basic stamps of the WCLB grading system. Details of these as well as all other WCLB grade stamps are shown in a pocket size folder "Grade Stamps for West Coast Lumber" free upon request.

mana, remined trium

The WCLB grade stamp is used by some 450 sawmills operating in Coast-type timber in Western Washington, Western Oregon and Northwestern California. These mills believe in strict conformance to uniform standards of lumber grading and manufacturing. Grading procedure in each of these mills is carefully supervised; they take pride in their reliability and in their product.

Look for the WCLB grade stamp on lumber. For 35 years it has been the "seal of approval" on lumber everywhere.





Pair of Cleaver-Brooks boilers give top efficiency on top floor of San Francisco's new 10-story California Masonic Memorial Temple

Cleaver-Brooks packaged boilers go to the top in many of today's best designed structures. A perfect example is this new \$6,000,000 Masonic temple where all the mechanical equipment including two 60 hp hot water CB heating boilers are neatly consolidated on the building's top level.

This move upward is made practical by a boiler that not only looks better but operates cleaner, quieter in a lot less space — a boiler with styling and performance in keeping with the most modern of designs.

Architect for this magnificent new structure was Albert Roller. Engineers were Dudley Deane & Associates, James A. Nelson Co. was the heating contractor. General contracting was performed by MacDonald, Young and Nelson.

If you'd like to know more about the "top" boiler in the field—how Cleaver-Brooks packaged boilers (15 to 600 hp) can fit into your particular plans, contact your representative or write Dept. B, 362 East Keefe Avenue, Milwaukee 12, Wis.







Decorative Dry Wall Panels

A new wall panel that combines the durability and ease of maintenance of Micarta high-pressure decorative laminates with the ease of installation, insulation properties, and strength of processed pulpboard is expected to find wide use in commercial, institutional and residential interiors. Since the panels can be stapled directly to study or firring and can be worked with conventional hand tools, a complete dry wall can be constructed rapidly with a single application of a single material. A barrier sheet applied to the back surface assures stability over a wide climatic range. The panel sections which come in eleven patterns with matching moldings, are 96 in. high, 0.55 in. thick, and designed for tongue-and-groove jointing on 16-in. centers. Micarta Div., Westinghouse Electric Corp., Hampton, S. C.



Dead Locking Door Latch

The newest addition to Detroit Hardware's line of door locks is a Dead Locking Latch engineered for long lasting dependability. Its principal features are a bolt that can be held retracted with use of a key only, and its interchangeability with other locks in the line which makes it possible to install without additional machining on the door. Detroit Hardware Mfg. Co., Roseville, Mich.



ORIGINATOR AND LARGEST PRODUCER
OF PACKAGED BOILERS



"FIRESTOPPER" Poured-in-Place GYPSUM ROOF DECKS

Versatility is one of the most important advantages of Bestwall "Firestopper"
Poured-in-Place Gypsum Roof Decks. They can be used on curved, pitched,
warped, saw-tooth and other types of irregular roofs as well as flat decks.

Many different types of form boards can be used to provide additional fire protection, sound conditioning and thermal insulation qualities when required.

Welded sub-purlins and the reinforced Bestwall "Metro-Mix" gypsum slab add rigidity to the primary framing steel on which they bear and will provide uplift resistance.

May we have the opportunity to prove to you that



BESTWALL GYPSUM COMPANY

Ardmore, Pennsylvania
Plants and offices throughout the United States



Aluminum or Steel — Vertical or Horizontal — $1\frac{1}{2}$ " to $7\frac{1}{2}$ " deep

WE CAN COUNSEL WITH YOU ON HOW TO -

- Obtain quality
- Achieve originality of wall treatment
- Individualize your buildings appearance
- Meet all functional requirements
- · Work to your budget

You also gain substantially from this counsel of experienced curtain-wall Engineers—supported by a financially responsible organization with complete manufacturing and erection facilities—when you call in Bayley to assist on your current or contemplated projects. You will be working with a company known for other services and customer-relation policies that provide extra benefits, from the building's inception to its acceptance. Write or call. The nearest Bayley Representative will be glad to cooperate with you.


See Bayley in Sweets Arch File or Industrial File, or Ask for Copy of Catalog C-60.

The WILLIAM BAYLEY Co.

Springfield, Ohio Agents in All Principal Cities SPRINGFIELD, ONIO 1200 WARDER ST. FAirfax 5-7301 District Sales Offices:
NEW YORK 17, N. Y. (NIC GRAND CENTRAL TERMINAL 105 W

CHICAGO 2, ILL. 105 W. MADISON ST. RAndolph 6-5997 WASHINGTON 5, D. C. 1426 "G" ST., N.W. STerling 3-3175

ORIGINATORS • DESIGNERS • MANUFACTURERS • INSTALLERS



THE CARDINAL HOUSE

Arlington, Virginia

Architect: Edwin Weihe A.I.A. & Associates, Washington, D. C. Builder-Manager: Louis Richman, Washington, D. C. Electrical Engineer: General Engineering Associates, Washington, D. C. Electrical Contractor: Electrical Associates, Washington, D. C.

FRANK ADAM

ELECTRICAL EQUIPMENT

This is the equipment that gives the Cardinal House a modern electrical system for years to come!



QP LOAD CENTERS MAIN DISTRIBUTION **SWITCHBOARD**



S-A-W PANELBOARDS

OTHER EQUIPMENT:

OS. "E" Frame and "F" Frame Panelboards High Efficiency Busduct





The very heart of any modern housing project is its electrical distribution system. So much depends on its failure-free operation day after day.

That is why Frank Adam equipment was chosen for the beautiful 231-unit air-conditioned Cardinal House-the finest in ultra modern living.

To help you with any electrical problems in your multi-unit housing projects, the Frank Adam representative has all the the information you'll need. Contact him without obligation, or write the factory.

See our catalog in SWEET'S

DAM ELECTRIC COMPANY

P. O. BOX 357, MAIN P. O. - ST. LOUIS 66, MO. busduct + panelboards + sw





Anaheim Bowl Sound Engineer specified ALTEC


At the Anaheim Bowl recreation center in Southern California; at Disneyland: government buildings in Washington, D.C.; International Amphitheatre in Chicago: Mormon Temple in Los Angeles; in stadiums, auditoriums, hospitals, schools, churches, shopping centers, in government, commercial and industrial buildings all over the world-you'll find ALTEC Engineered Sound Products.

That's because ALTEC sound systems, like all ALTEC products, are designed for dependable service under all conditions, for long life, and for ease of installation and service.

And it's because of the hundreds of ALTEC engineer-consultantcontractors who are ready to serve you with more than 100 different ALTEC commercial sound components and/or systems designed to your specifications.

Before you specify commercial sound equipment, you'll want to talk to your nearest ALTEC contractor. For his address look in the Yellow Pages of your Telephone Directory or write to ALTEC at address below.

*California Sound Products, Inc. Anaheim, Calif.





ALTEC LANSING CORPORATION, Dept. AR-10D 1515 S. Manchester Avenue, Anaheim, Calif. 161 Sixth Avenue, New York 13, N.Y.

A Subsidiary of Ling-Altec Electronics, Inc.

for dishwashers · glasswashers peelers . mixers and accessories

LOOK TO BLAKESLEE



catalog number

26b

in the 1960 SWEETS ARCHITECTURAL FILE

Dept. 127-A


6. S. BLAKESLEE & CO. 1844 S. Laramie Ave 1844 S. Laramie Ave.

New York . Los Angeles . Toronto



2,000,000 B.T.U.

- . 40,948 B.T.U. to 2,000,000 B.T.U. Output.
- · All units meet the requirements of the **ASME Boiler and Pres**sure Vessel Code.



- · Complete unit ready for installation with circulating hot water system and water chiller for year-round air-conditioning.
- · Conversion easily accomplished where other type fuels now used. Suited for homes, churches, apartments, hotels, motels, hospitals, commercial buildings, swimming pools, snow melting and domestic hot water. Temperature Range 60 to 250
- Every unit tested and inspected.

Write for color brochure and prices.

CISION parts corporation


400-AR North 1st. Street Nashville 7, Tennessee

No ducts! No noise! No chimney! No odors! No flame!

Tokeneke Elementary School, Darien, Connecticut. Architects: O'Connor & Kilham, New York City. Contractor: George L. Hickey, Inc., Stamford, Connecticut.

Space provided: fourteen classrooms, two kindergarten rooms, multipurpose Common Room, covered play area, library, administrative suite, two conference rooms, teachers' room, health room, ten toilet areas, cafeteria kitchen, storage areas, custodial facilities. Structural framing: glulam timber beams spaced at 7'-9" for Common Room and play area; heavy timber decking left exposed for ceilings. Exterior walls: brick with concrete block in service area; cypress siding for playroom. Interior walls: plastic coated coverings in classrooms, Common

Room and halls. Heating: hot water radiant panel system, zoned and thermostatically controlled. Ventilation: exhaust fans in classrooms, toilet rooms and kitchen; tempered air supply units in Common Room. Lighting: semi-indirect fluorescent fixtures. Floors: vinyl asbestos tiles on concrete slab over insulated concrete fill and moisture barrier. Roofing: translucent corrugated panels over playroom and covered walks; built-up tar and felt with white graveled surface over remainder. Volume: 300,000 cubic feet. Area: 28,000 square feet. Cost: \$14.40 per square foot; per-pupil cost \$760 (state average \$1105).



Glued laminated timber beams provide structural framing for a fire-safe school of natural charm while contributing to a saving of 31% in prevailing per-pupil cost of construction.

TIMBER STRUCTURES, INC.

P. O. BOX 3782-A, PORTLAND 8, OREGON

Division Offices in Ramsey, N. J.; Schiller Park, Illinois; Dallas, Texas
DISTRICT REPRESENTATIVES IN MAJOR CITIES THROUGHOUT THE UNITED STATES
Affiliated Company: TIMBER STRUCTURES, INC. OF CALIFORNIA, Richmond



Send Today for this New Data on Upward-Acting Doors for Every Need



Get full details on this complete line of time-saving, cost-slashing doors. They add highest efficiency to space-saving, coiling upward action. Kinnear offers a wide choice of flat extra-

and curved slats—fabricated of aluminum, zinc-coated steel, or other metals. They fit every need, from small counter openings to largest doorways. Slat sizes range up to the seven-inch "Goliath" slat at the extreme left, above maximum protection against wind, weather, intrusion or vandalism!

Kinnear originated the interlocking slat door

Zinc-Coated Dual Protection

Kinnear Steel Rolling Doors feature extra-heavy hot dip galvanizing! 11/4-ounces of pure zinc per square foot of metal (in accordance with ASTM standards). And Kinnear's special phosphate treatment makes this zinc surface ready immediately for thorough paint grip.

Make sure you get this complete door guide — check it now!



The KINNEAR Mfg. Co.

1860-80 Fields Ave., Columbus 16, Ohio 1742 Yosemite Ave., San Francisco 24, Calif. Offices and Agents in All Principal Cities

Office Literature

continued from page 232

Zone Heat Control

Describes and gives advantages, wiring diagram, and installation diagrams for Zonvalve zone heat controls for steam, hot water and chilled water systems. 4 pp. Heat-Timer Corp., 657 Broadway, New York 12, N.Y.

Insulation for Modern Roof Decks

Discusses economic and other advantages of effective insulation for roof deck construction; and gives detailed design and performance data, and specifications on a variety of roof deck systems. 32 pp. Celotex Corp., 120 S. La Salle St., Chicago 3, Ill.*

Louvered Ceiling (A.I.A. 31-F-2)

Describes and gives suggested layouts, application data and lighting data for SC-Mini-Cell louvered ceilings. 4 pp. Also available: a sample kit of actual sections of the aluminum louver panels. Neo-Ray Products, Inc., 315 East 22nd St., New York 10, N. Y.*

Aluminum Curtain Wall Details

Presents details and specifications for *Modu-Wall* aluminum frames, windows, mullions and insulated panels. 8 pp. *Modu-Wall*, *Inc.*, *Parchment*, *Ind*.

The Answer

. . . to All Soap Dispensing Problems (A.I.A. 29-I) describes the advantages of a new recessed powdered hand soap dispenser, and gives a specification extract. 4 pp. 20 Mule Team Products Div., United States Borax & Chemical Corp., New York 20, N. Y.

Architectural Metal Products

Presents features of Brasco line of architectural metal products, with separate sections on aluminum entrances, store fronts, Brasco-Walls and Tube Set flush glazing construction. Details are included. Catalog 60, 16 pp. Brasco Mfg. Co., 15207 Commercial Ave., Harvey, Ill.*

Bells and Chimes

Describes and gives complete selection data on bells and chimes for signal and alarm applications. 4 pp. Autocall Co., Shelby, Ohio *

*Additional product information in Sweet's Architectural File

more literature on page 314



MODERNIZE...GLAMORIZE

CERAMIC MOSAIC TILES

FOR KITCHENS in private dwellings, as well as hotels, restaurants, hospitals, etc., CAPRI MOSAIC TILES add esthetic luxury and practicality . . . mosaic tiles are becoming increasingly popular - in fact - an integral part of a model sanitary functional kitchen. They embody all of the concepts of elegance, easy maintenance, durability and are remarkably economical. Especially recommended for Kitchen backsplashes and Counter Tops, as illustrated.



STORE FRONTS long recognized as the first lure to prospective customers, are the most logical places to install CAPRI MOSAIC TILES . . . they are cleaned with the same simple method of washing store windows. CAPRI MOSAIC TILES are a product of the world's finest craftsmen; fired at more than 2,000°F. heat, imparting a permanent glaze to their body; insulating them against all elements of time and weather...guaranteed against FADING - CRAZING - AND THERMAL-SHOCK.



NOW SUMPTUOUS BATHROOMS are within the reach of all. CAPRI MOSAIC TILES, such as were used in the historically famed Roman Baths, are available in a wide range of 88 dazzling colors (or in random color combinations, as specified). Impervious to moisture and water, CAPRI MOSAIC TILE surfaces add prestige and opulence...easy to maintain...sanitary and exceptionally durable.

> MAIL COUPON FOR FREE LITERATURE AND CAPRI COLOR CHART

STANDARD TILE CO., INC. 854-868 ROCKAWAY AVE., BROOKLYN 12, N.Y.

Please send additional information about

CAPRI CERAMIC MOSAIC TILES

Name

Company

Address

State

☐ For New Construction

☐ Architect ☐ Builder ☐ Contractor ☐ Designer Decorator

☐ For Remodeling

VISIT OUR PERMANENT EXHIBIT . ARCHITECTS BUILDING . 101 PARK AVENUE . NEW YORK CITY




854-868 ROCKAWAY AVE., BROOKLYN 12, N.Y.




A-DECK — For purlin spacings not exceeding 8'4". Narrow ribs provide deck surface that supports the thinnest or softest types of insulation



B-DECK—For spans to 10'0". Wide rib distributes metal for greater structural efficiency—gives higher section properties per pound of steel — well suited for use as side wall panels.



C-DECK—Carries normal roof leads over spans up to 20'0". Used extensively in canopies.



T-STEEL — New! Galvanized only. For clear spans to 32'0". Adaptable to acoustical and flush, luminous celling treatments. Provides superior diaphragm to transmit seismic and wind loads



H-DECK — New! For simple spans from 10'0" to 20'0"— 3 and 4½" depths. Especially practical to cover walkways in shopping centers, schools, other installations.



B-ACOUSTIDECK — Two-in-one panel combines steel roof deck with acoustical ceiling having Noise-Reduction Coefficient of .70 — used for spans to 10'0", 24" coverage by 1½" depth.



G-ACOUSTIDECK — Offers same Noise-Reduction Coefficient as B-Acoustideck. Can be used for spans to 20'0". 12" coverage by 4½" depth.



RIBFORM—High tensile steel form for concrete slabs over spans up to 8'0". Three types: Standard, Heavy-Duty. Super-Duty (shown). Galvanized.




Whether your design calls for a dry insulation board roof or for wet-fill, there's an Inland roof system for the job — by the makers of Milcor steel building products, famous for years for highest quality.

Inland steel deck is lightweight — weighs less than half as much as poured-inplace or pre-cast construction. You can space joists wider than otherwise and use lighter framework, to save both time and money.

Panels are easy to handle and weld in place — in any weather that a man can work. They don't need warmth for setting, nor time for curing. They don't

ATLANTA, BALTIMORE, BUFFALO, CHICAGO, CINCINNATI, CLEVELAND,



absorb water, nor lose their strength when wet - the job stays on schedule.

Types A, B, C, and H decks have the additional advantage of a Bonderized, baked-enamel prime finish that resists on-the-job damage. One field coat of paint on these Inland decks usually does the job of two coats on ordinary decks.

Write for catalogs 240, 241, and 245 — or see Sweet's sections 2c/Inl, 11a/In, and 2a/In for full information on Inland steel roof deck and permanent centering. If you have an unusual problem, you can draw upon their diversified experience by consulting Inland's Engineers.


member of the NLAND steel fam

ENGINEERED PRODUCTS DIVISION

INLAND STEEL PRODUCTS COMPANY

Dept. B, 4033 West Burnham Street Milwaukee 1, Wisconsin

DALLAS, DENVER, DETROIT, KANSAS CITY, LOS ANGELES, MILWAUKEE, MINNEAPOLIS, NEW ORLEANS, NEW YORK, ST. LOUIS





from a letter by A. Joe Crocy, Vice-President, The DINKLER-PLAZA, Atlanta. Alexander & Rothschild, Arch.

Jairhurst, UNITFOLD® FOLDING WALLS

In the Dinkler-Plaza banquet room, Unitfold Walls are used to create as many as six separate areas. Sound between these rooms is blocked with the efficiency of a 10" to 12" plaster-coated SOLID BRICK WALL. This is done through double-run wall sections, lined with acoustical material and separated by sound retarding dead-air space.

All Fairhurst Walls are solid, rigid, with virtually unlimited choice of decor. Write Dept. AR for free illustrated booklet describing Fairhurst solutions to perplexing space problems.



units fold compactly to one side at the Dinkler-Plaza. Possible varietiens allow complete concealment of wall in special packets.

Handsome grained veneers give the appearance of a permanent wall.

John T. Fairhurst Co., Inc.

45 West 45th Street

New York 36. N. Y.

FAIRHURST . . . First Name in Folding Walls

Office Literature

Metal Doors and Frames

Describes complete line of hollow metal doors and frames, special hollow metal openings, industrial steel doors, kalamein and tin clad fire doors, and soundproof doors. Specifications are included. 8 pp. Pioneer Fireproof Door Corp., 811 S. Fulton Ave., Mount Vernon, N. Y.*

Toilet Partitions

Gives details and specifications for toilet partition line including a series faced with laminated plastic. Color chips of the enamels used on metal partitions, and information on standard fittings and hardware, are also included. 12 pp. American Sanitary Partition Corp., 37-03 21st St., Long Island City 1, N. Y.*

Panelfab Doors

Describes, and gives specifications and details for, Panelfab's new packaged aluminum-faced honeycomb door, frame and hardware. Panelfab Products, Inc., 2000 N. E. 146th St., North Miami, Fla.*

Standard Grading Rules

. . . for Southern Pine Lumber, 1960 Edition, further simplifies standards for established grades and adds new features, including provisions for special roof decking, all-purpose stress ratings, and revised moisture content provisions. Southern Pine Inspection Bureau, P. O. Box 1170, New Orleans 4, La.

Cast Panel Construction

. . . for Curtain Walls and Fascia Panels gives engineering data, details and specifications for the Type CWA-5 curtain wall framing system, which employs castings as well as standard metal wall components. The Michaels Art Bronze Co., Inc., P. O. Box 688, Covington, Ky.*

Pocket Manual on Heating

Includes sections on wet heating systems, radiation, unit heaters, pumps, specialties, control equipment, engineered radiation, blower unit heaters, special purpose pumps and related products, engineering data, and terminology. \$1. prepaid. Dunham Bush, Inc., West Hartford 10, Conn.*

*Additional product information in Sweet's Architectural File

more literature on page 318



Plants: Chicago Houston Long Island City Los Angeles Portland, Ore. San Francisco Toronto




A. C. Horn Companies

Subsidiaries & Divisions

Sun Chemical Corporation

750 Third Avenue, New York 17, N. Y.

Sales Offices and Warehouses throughout the United States and Canada



Von Duprin, Pull Bars

● Von Duprin pull bars are all extruded aluminum or bronze. Here is a fully versatile line: reversible . . . no resizing necessary . . . modern or matching designs, each with studs to anchor A² or 88 Von Duprin rim devices . . . plain or engraved grips are curved to fit the hand—safely. Matching push plates and pulls available for vestibule doors. Complete details are yours for the asking; write for Bulletin 576.

illustrated above: all extruded aluminum modern design with extended and engraved grips. Catalog number E282-ENG. on active door; E282DT-ENG. on inactive door.







Von Duprin. EXIT DEVICES

illustrated above: the sleek, smart Type 66 device... in stainless steel. Catalog number 6621 on active door; 6627 on inactive door. Write for Bulletin 581 for full details. ● Von Duprin builds devices to last... give decades of dependable service with minimum maintenance! From Von Duprin's complete line, you can select a design, material, locking function and outside trim style to harmonize with every type exit. To perfect the performance of the entire door opening, you can choose from a wide range of quality auxiliary items. With Von Duprin, you know you have provided "the safe way out!"

VONNEGUT HARDWARE CO. . VON DUPRIN DIVISION . INDIANAPOLIS, INDIANA

YOURS FREE!

This new authoritative 8-page booklet shows and tells you all about the use and application of color in the manufacture of concrete building products. Published as a service by C. K. Williams & Co., a leading producer of iron and chromium oxide pigments for over 75 years.



SPECIAL FEATURE

A special 4-page section contains 46 actual color chips which show you the many colorful effects you can obtain in finished concrete products through proper use of iron and chromium oxide pigments as made by Williams. You'll also find a special section devoted to specific concrete color recommendations, and a section on how to determine final color. You will come to depend on this booklet as a prime reference source for concrete color information. Don't miss sending for your free copy. The supply is limited, so mail coupon today.



C. K.	WILLI	AMS &	CO		
640 N	. 13TH	STRE	ET	DEPT.	92
EASTO	IN, PE	NNSYL	VANI	A	

Gentlemen:

Please send me _____ copies of your new booklet titled "What You Should Know About Color in the Manufacture of Concrete Building

MY NAME	-	
COMPANY		
TITLE		
ADDRESS		

FILL IN AND MAIL

Office Literature

Doctor's Interphone

. . . and Music System, Installation Sheet IS-100, describes the operation and advantages of a Bogen communications and music system as installed in a typical doctor's office or small clinic. 4 pp. Bogen-Presto Co., P. O. Box 500, Paramus, N. J.

Aluminum Curtain Walls

(A.I.A. 17-A) Presents product descriptions, specifications and complete detail drawings for five stock curtain wall systems. 24 pp. American Art Metals Co., P. O. Box 7364, Station C, Atlanta, Ga.*

Cushioned Rubber Floor Tile

Lists properties, features and suggested applications for Airpath cushioned rubber floor tile. An acoustical properties chart and other technical data are included. B. F. Goodrich Co., Flooring Products, Watertown, Mass.*

Non-Slip Aggregates and Abrasives Describes and gives specifications for the various types of application of Alundum terrazzo and concrete aggregates and non-slip abrasives. Catalog 1935-16, 8 pp. Norton Co., Worcester 6, Mass.*

Underfloor Duct System

(A.I.A. 31-C-62) Gives detailed descriptions, specifications and installation information on Orangeburg non-metallic underfloor raceways for electric wiring distribution. Catalog 203, 14 pp. Orangeburg Mfg. Co., 375 Park Ave., New York 22, N. Y.*

Reflectolites by Gruber

(A.I.A. 31-F-2) Describes and illustrates, with complete specifications and mounting details, the Reflectolite line of wall mounted fluorescent and incandescent lighting fixtures for indoor and outdoor use. Catalog R-60, 16 pp. Gruber Bros., Inc., 90 S. First St., Brooklyn 11, N. Y.

Carriers and Plumbing Fixtures

Engineering manual illustrates and gives selection data and detail drawings for complete line of carriers and carrier fittings. Catalog W-78, 48 pp. Wade Mfg. Co., Elgin, Ill.

*Additional product information in Sweet's Architectural File

more literature on page 324



Aluminum HAT and COAT RACKS

Tailored to fit any given wall area. Die cast aluminum brackets adjustable to . . also adjustable as to exact centers . height without removing from wall.

3 BASIC SHELVES



RIGID OR ADJUSTABLE MOUNTING

Brackets mount two with standard fasteners directly Brackets mount on wall or in extruded slide mountings that permit easy change of heights.

Cast aluminum coat hooks can be staggered along the bottom shelf to give great capacity in small space.



MODERN ANODIZED FINISHES

Tubing comes in clear, or gold color, deep etched anodized finishes . . with closed ends. Cast aluminum brackets and hooks come in black, silver luster or brass hammertone finishes. All combina-

FLOOR LAYOUT SERVICE

Let our cloakroom and checkroom specialists suggest equipment requirements and efficient layout. Just send outline of available space, capacity desired and nature of load. No obligations, of course.

Write for Catalog CL52


VOGEL-PETERSON CO.

Rt. 83 and Madison St. - Elmhurst, Ill.






Home Security Life Insurance Company Building, Durham, N.C., is equipped with B&G Universal Pumps. "The pumps couldn't be any quieter," says the plant engineer.



B&G BOOSTER AND UNIVERSAL PUMPS

quiet...
where
silence
counts



The comforts of B&G Hydro-Flo Heating are obtained from a unit smaller than a refrigerator.

Whether for residential or commercial applications of a forced hot water system, quiet operation of the circulating equipment is essential. A noise-creating pump can be a headache and a profit-wrecker for all concerned—architect, engineer, contractor and owner. That's why men responsible for pump selection are concentrating on B&G Boosters and Universals—for the simple reason that they will not be plagued later with noise complaints.

Since the manufacture of its first heating pump, B&G has been conscious of the need for silent, vibrationless operation. Today, B&G pumps have reached a peak of perfection—they are incredibly quiet—need no flexible connections or vibration eliminators. From B&G-built motors to B&G-developed, harder-than-glass "Remite" leak-proof seals, these

B&G Boosters and Universal Pumps are available in a wide range of capacities with 1/12 to 40 H.P. motors.

These homes have modern Hydro-Flo hot water (hydronic) heating systems equipped with B&G Booster Pumps. Builder reports that the many exclusive advantages of B&G Hydro-Flo Heating helped sell these homes fast.



Send for Catalog of B&G Hydro-Flo Products





pumps are specialized units.

BELL & GOSSETT


Dept. GB-32, Morton Grove, Illinois

Canadian Licensee: S. A. Armstrong Ltd., 1400 O'Connor Drive, Toronto 16, Ontario






STANDARD 2' x4' SIZE




NEW, LARGER SIZE

Fiberglas* Roof Insulation is now available in 3' x 4' and 4' x 4' sizes. The comparison above clearly shows how these larger boards cover more deck area faster. There are fewer joints and less chance for trouble due to roof traffic. The larger sizes are possible because Fiberglas roof insulation will not warp, buckle or shrink. Fiberglas conforms to the deck, lays flat and stays flat because it's engineered for the deck.

The larger sizes have the same high thermal efficiency, strength, and ease of application that have made Fiberglas Roof Insulation in the $2' \times 4'$ size the accepted leader for many years. In no other roof insulation will you find this remarkable combination of properties—plus the advantages of the new $3' \times 4'$ and $4' \times 4'$ sizes.



ABOVE THE DECK, PERMA PLY FOR A QUALITY ROOF!



THE OLD: Ordinary organic felts separate bitumen applications.

Perma Ply* Roofing Felt—the Fiberglas Built-Up Roofing—assures a longer-lasting roof. It is of monolithic (single-unit) construction, while a conventional roof is made of distinctly separate layers. A Fiberglas Built-Up Roof has no layers; it's a solid weatherproof slab of asphalt reinforced with inorganic Perma Ply.

Specify Fiberglas Roof Insulation and Fiberglas Built-Up Roofing for a quality roof from top to bottom . . . For complete descriptive literature, write to Owens-Corning Fiberglas Corporation, Dept. 68-B, 717 Fifth Ave., New York, N. Y.



THE NEW: Asphalt penetrates Perma Ply, bonding layers into solid monolithic reinforced roof.



*T.M. (Reg. U.S. Pat. Off.) O-C.F. Corp.

8 YEARS AND 5 MILLION CUSTOMERS



Installed March, 1952

Inretouched photo taken January 1960

this BASTIAN-BLESSING food-service equipment looks (and works) like new!



James E. Lake, manager of the LaSalle Pharmacy, Inc., says: "With 1800 customers a day – every day – you might expect to replace fountain-food equipment that works as hard as ours. But that's not the case with our Bastian-Blessing units . . . after 8 years of serving a customer on each of 27 stools every fourteen minutes, it still looks and works like new!"

With his background of 35 years' drug experience, Mr. Lake knew exactly who to see for the finest, most efficient food-service equipment! When he planned the fountain luncheonette at his LaSalle Pharmacy in Chicago's popular LaSalle Hotel, he specified Bastian-Blessing equipment: two TWIN-SERV® fountains with COLD-POINT® Beverage Dispensing systems, two sandwich units, three sink units, four Lowerators, two dry storage bases, two complete combination pie and sweet roll cabinets, unit after unit of stainless steel

shelving, and a 54 ft. Formica counter ... all arranged for the utmost customer convenience as well as for unequalled employee-efficiency. Proof of the wisdom of Mr. Lake's choice back in 1952 is the fact that today – eight years and over 5 million customers later – every unit of Bastian-Blessing equipment is still working full time ... still attracting customers with its spotless appearance .. still pleasing both customers and employees with its time-saving, stepsaving efficiency! For further information about the complete Bastian-Blessing line of fine food-service equipment, call your nearest distributor or write: THE BASTIAN-BLESSING COMPANY, 4201 West Peterson Avenue, Chicago 46, Illinois. Dept. 4-B



Listed under "Restaurant Equipment and Supplies" in all cities over 10,000 population

BASTIAN-BLESSING

World's largest manufacturer of fountain and counter food-service equipment

GRIDDLE STANDS - SANDWICH UNITS - SODA FOUNTAINS - REFRIGERATED DISPLAY CASES - SINK UNITS - DISHWASHING MACHINES - FOOD WARMERS


combine architectural beauty with

LOWEST MAINTENANCE



Bishop Robert J. Armstrong High School, Sacramenta, California Architect: Harry J. Devine

New Providence Hospital Washington, D. C. Architect: Faulkner, Kingsbury & Stenhouse



Quality Approved

FOR HOSPITALS

ALUMINUM WINDOWS

No. 2 Broadway New York City, N. Y. Architect: Emery Roth & Sons

"QUALITY-APPROVED" aluminum windows—awning, casement, double-hung, jalousie, projected or sliding—are rustproof, rotproof... never need painting or expensive maintenance... retain their trim modern appearance for the life of the building... save money year after year for the owner. Look for the "Quality-Approved" seal on the window. Specify "Quality-Approved" to make sure. For latest Window Specifications book, write to Dept.AR-602.

ALUMINUM WINDOW MANUFACTURERS ASSOCIATION · 630 Third Ave., New York 17



The Window Manufacturers listed below are anxious and ready to supply you with "Quality Approved" Aluminum Windows

Adams Engineering Co., Inc., Miami, Fla. * Albritten Engineering Corp., Bryan, Texas * Aluminum & Glass Products Co., Houston, Texas * American Duralite Corp., Loudon, Tenn. * Arnold Altex Aluminum Co., Miami, Fla. * The Wm. Bayley Co., Springfield, Ohio * Capitel Products Corp., Mechanicsburg, Pa. * Cace Steel Preducts Corp., Chicago, III. * Cressly Window Corp., Miami, Fla. * Fenestra Incorporated, Philadelphia, Pa. * Michael Flynn Mfg. Co., Philadelphia, Pa. * Mayfeir Industries, Inc., Lafayette, La. * Miami Window Corp., Miami, Fla. * Porterfield Industries, Inc., Miami, Fla. * Porte







A truly economical wall or roof: EGSCO_® "SANDWICH" CONSTRUCTION

A truly economical industrial or commercial building wall or roof is the combination of insulation material sandwiched between two sheets of formed metal, providing a durable, non-combustible covering with only one-fourth the heat loss of an 8" masonry wall.

The economy of such a structure stems from three sources: —low cost of component parts; low cost of labor due to fast covering of large surfaces; minimum maintenance due to corrosion-resistant surfaces.

For complete information, structural spans and specification, please refer to Sweet's Architectural File 8b/Sm, or write for Bulletin 59S.





Interior and exterior sheets formed of: aluminum; galvanized, aluminized or stainless steel, and with all mill finishes and architectural colors.

OTHER EGSCO BUILDING PRODUCTS: Insulated metal panels and curtain walls; corrugated roofing and siding; metal roof deck; steel concrete forms.



ELWIN G. SMITH & CO., INC.

manufacturers of EGSCO products
PITTSBURGH 2, PA.

DETROIT . TOLEDO . CLEVELAND . PHILADELPHIA . CHICAGO . BOSTON

Office Literature

Riveting Aluminum

Covers use of conventional and special rivets and explains design and fabrication of riveted joints. Tables list weights and dimensions of aluminum rivets, recommended rivet lengths, mechanical properties of wrought aluminum alloys, and other data. 52 pp. Reynolds Metals Co., Dept. PRD-23, Richmond 18, Va.*

Welded and Fitted Railings

Provides basic engineering and specification data and standards for railing design plus design details for welded and fitted railings. 12 pp. Tubular Products, Inc., Souderton, Pa.*

Rolling Steel Doors

(A.I.A. 16-D) Details features and engineering specifications of fourteen types of rolling steel doors. Tables of clearance dimensions and specifications for window shutters and grilles are also included. Catalog G-60, 16 pp. R. C. Mahon Co., East 8-Mile Rd., Detroit 34, Mich.*

Pyrex Lifetime Drainline

(A.I.A. 29-B-8) Contains product and property data, information on joints and hanging, and a complete list of available fittings for the new Pyrex lifetime drainline system for disposal of corrosive wastes. Schematic drawings and sample specifications are also included. Bulletin PE-30, 12 pp. Plant Equipment Sales Dept., Corning Glass Works, Corning, N. Y.*

Expanded Metal Meshes

(A.I.A. 15-T) Shows five new architectural expanded metal meshes, with drawings and descriptions of suggested applications, and a table of sizes, weights and dimensions. 8 pp. Penn Metal Co., Inc., Expanded Metal Sales Office, P. O. Box 1460, Parkersburg, W. Va.*

Painting Galvanized Steel

Describes galvanized steel sheets, including those with inhibitive coatings; discusses the reasons for painting galvanized steel; and gives instructions for selecting and applying appropriate paints. 14 pp. American Iron and Steel Institute, 150 East 42nd St., New York 17, N. Y. *Additional product information in Sweet's Architectural File

Aetnapak® in-stock steel doors and frames



check these custom-quality features

- · completely flush hollow metal door (no visible seams)
- · continuous-weld joints, dressed smooth
- · fully insulated
- · fully reinforced (continuous interlocking vertical stiffener bars)
- · flush inverted Y louvers (no bolts or projections beyond door plane)
- · frames with adjustable floor anchors and removable spreaders
- · complete U-L service including "A" labels with single-point locks

These and many other custom-quality features are built into Aetnapak* in-stock steel doors and frames. Avoid custom engineering delay; choose from a variety of cataloged door and frame types ready for shipment from inventory within 48 hours. Write for your catalog today.

Other Aetna products: Aetnawall® Movable Metal Partitioning Systems; Aetna Custom Hollow Metal Doors and Frames.

*Order Aetnapak with or without hardware-doors

and frames, doors separately, frames separately.

Hardware. Your Name and Title. Company Name

AETNA STEEL PRODUCTS CORPORATION

Please send free catalog of AETNAPAK custom-

quality, always-in-stock Steel Doors, Frames and

730 Fifth Avenue, New York 19, N.Y.

AETNA STEEL PRODUCTS CORPORATION, 730 FIFTH AVENUE, NEW YORK 19, N. Y.

for a lifetime of beauty and convenience... plan to include



the very best HIGH PRESSURE PLASTIC LAMINATES

Specify architectural Farlite plastic laminates wherever you need a tough, wearresistant, long-lasting surface that's easy to clean . . . and stays fresh and bright for years. Hundreds of colors and patterns, including many eye-catching wood grains, allow an almost unlimited variety of creative treatments. Write for a colorful Farlite brochure . . . and samples too, if you wish!

PLASTICS DIVISION

RLEY & LOETSCHER MFG. CO.

DUBUQUE, IOWA



The finest in Builders' Millwork since 1875

The Record Reports



California Office Building Has Load-Bearing Grilles


The American Cement Corporation's 13-story home office building in Los Angeles, scheduled for completion next fall, is a reinforced concrete structure with load-bearing concrete grilles as north and south walls. Concrete mullions surround two parking levels above the ground floor. Daniel, Mann, Johnson & Mendenhall, architects and engineers; Peter Kiewit Sons Co., general contractor.



New Orleans Office Building To Be City's Largest

Construction is to begin soon on New Orleans' largest office building, a 28-story structure at 225 Baronne. Total net rentable area is 421,000 sq ft, with each floor having about 16,500. Shaw, Metz & Associates, architects.

more news on page 334



Shadle Park High School, Spokane, Washington, Culler, Gale, Martell and Norrie, Architects

Grace McWayne School, Batavia, Illinois, Raymond A. Orput, Rockford, Architect

R-W FOLDING PARTITIONS

for gymnasiums, classrooms and auditoriums

Initially it may cost a few more dollars to buy the rugged strength, sound-retarding qualities and dependable, trouble-free operation of an R-W Folding Partition. However, in the years to come, the inherent quality of every R-W Folding Partition will "pay-off" with a saving of tax dollars through reduced maintenance, repair and redecorating costs. You can pay less—you can pay more—but you cannot buy more actual value for each dollar invested or a finer product than an R-W Folding Partition. For complete information on how R-W Folding Partitions will effectively divide space and sound in gymnasiums, classrooms and auditoriums at an ultimate savings in cost, write for your free copy of Catalog No. 600.

VISIT US IN BOOTHS

1352 - 1354

of The NEA

CONVENTION

ATLANTIC CITY

FEB. 13 - 17



Richards-Wilcox


MANUFACTURING COMPANY

FOLDING PARTITION DIVISION

116 W.THIRDST. . AURORA, ILL. Branches in all Principal Cities



Ceco responsibility starts with the making of steel in new electric furnaces.



Uniformity of finished steel is assured by an automated universal bar rolling mill. Pictured is the cooling bed for bar products.

NEVER OUT OF OUR HANDS

PRODUCTS OF STEEL FOR BUILDING





Ceco's control of service to its customers begins at the mill, continues through engineering and fabrication, and ends on job sites coast to coast.




Ceco holds itself responsible for everything from manufacturing to erection. Prescribed standards of engineering must be met.

Bishop Clarkson Memorial Hospital, Omaha Architects: Leo A. Daly Company Contractors: Peter Kiewit Sons' Company

To you this means Ceco guards quality in building components . . . from making steel through erecting finished products

Ceco, with its new steel mill, adds to the dynamic growth of the construction industry with an integrated company seeking ways to protect your interests. Accountability for all processes from raw material to erection of finished building components is behind our promise of quality. You can depend on Ceco, since product control is never out of our hands. Ceco Steel Products Corporation. Sales offices, warehouses and fabricating plants in principal cities. General offices: 5601 West 26th Street, Chicago 50, Illinois.



Accountability for Ceco quality in manufacturing aluminum building components starts with the melting of aluminum pig and scrap for casting into billets.



Here aluminum sections are cooled and straightened after being extruded. This is another step in Ceco quality control to ensure better building products.


NEVER OUT OF OUR HANDS

PRODUCTS OF ALUMINUM FOR BUILDING





Finished aluminum windows ready for shipment present a craftsmanlike appearance. Care in product handling assures delivery of quality products.



Ceco responsibility continues through job site delivery and field erection—the final step in supplying products that bring perfection in performance.

Jack Yates Senior High School, Houston Architects: Herbert Voelcker & Associates Contractors: Linbeck Construction Co.


Here again, from casting aluminum through erecting finished products, Ceco guards quality in components for buildings

Only when every step of product manufacture is under one control can there be positive assurance of quality. At Ceco that promise can be made—since control of our aluminum products for building is never out of our hands. Ceco's facilities for casting aluminum, fabricating it into finished products and erecting them on the project add up to an integrated company, giving architects an assured source of dependability. Ceco Steel Products Corporation. Sales offices, warehouses and fabricating plants in principal cities. General offices: 5601 West 26th Street, Chicago 50, Illinois.

IN CONSTRUCTION PRODUCTS CECO ENGINEERING MAKES THE BIG DIFFERENCE . . .

Curtainwalls, Windows, Screens, Doors / Concrete Reinforcing / Steelforms / Steel Joists Cecoframe Buildings / Roofing Products / Metal Lath

TOTAL MANUFACTURING FOR THE BUILDING INDUSTRY FROM RAW TO FINISHED PRODUCTS



VICTORIAN ROSES AND GAY NINETIES BELLES - WOVEN INTO A HANDSOME BIGELOW - SET THE MOTIF FOR THE MAIN LOUNGE AND BAR



THERE'S A CARPET FOR EVERY PURPOSE AND DECOR IN BIGELOW'S WIDE SELECTION

Bigelow Carpet is selected by top designers for the most important architectural jobs. Reasonable price, long economical service, and top performance under traffic—as well as beauty, are prime considerations in every Bigelow Carpet designed for use in public areas. Special designs, colors and textures available. If you plan an installation, consult Bigelow's Carpet specialists about colors, patterns, weaves, at prices your client can afford. No charge for this service. Contact Bigelow through the nearest sales office or by writing to Bigelow Contract Department, 140 Madison Avenue, New York 16, N. Y.

PEOPLE WHO KNOW ... BUY



Bigelow sales offices are located in the following cities: Atlanta, Ga.; Boston, Mass.; Buffalo, N. Y.; Chicago, III.; Cincinnati, Ohio; Cleveland, Ohio; Dallas, Texas; Denver, Colo.; Detroit, Mich.; Hartford, Conn.; High Point, N. C.; Kansas City, Mo.; Los Angeles, Calif.; Minneapolis, Minn.; New York, N. Y.; Philadelphia, Pa.; Pittsburgh, Pa.; St. Louis, Mo.; San Francisco, Calif.; Seattle, Wash.



wood casement windows

... only ones to offer exclusive Rolscreen feature

Clients often have the mistaken idea that windows are pretty much alike. That is, until you tell them about Pella wood casements. For, only pella offers an inside screen that rolls up and down! Besides that, inconspicuous storm sash remain in place the year 'round. After wrestling with conventional screens and storm sash, clients regard these two pella features as sheer

luxury. Yet, chances are Pella wood casements run no more than the windows and equipment you might be using. Countless arrangements are possible with 18 standard ventilating units in up to 68 in. glass height by 24 in. glass width. Full specifications in Sweet's. Consult classified telephone directory for nearest U. S. or Canadian Pella distributor. Rolscreen company, Pella, Iowa.





MET-L-WOOD

Durable, Beautiful Structural Laminates

Wall Panels - Pipe and Column Enclosures - Convector Covers

Your uses of Met-L-Wood provide basic satisfaction from initial planning clear through years-later "thank you's" from building maintenance crews. Quickest way to get acquainted with Met-L-Wood possibilities on your projects is to look over Met-L-Wood Architectural Bulletin 591. Met-L-Wood development and engineering brains are ready to help, too. Write for Bulletin 591 now.

Progressive installation photos from Vulcan Building, Cleveland, Ohio. Mc-Dowell Company acted as its own general contractor and Hubbell & Benes and Hoff, Inc. were associate engineers and architects.

MET-L-WOOD CORPORATION

6755 West 65th Street

Chicago 38, Illinois

The Record Reports

On the Calendar

February

- 1-4 Semi-Annual Meeting, American Society of Heating, Refrigerating and Air-Conditioning Engineers—Baker Hotel and Memorial Auditorium, Dallas
- 1-4 First Instrument-Automation Conference and Exhibit of 1960, sponsored by Instrument Society of America—Rice Hotel and Sam Houston Coliseum, Houston
- 5-7 Fourth Annual Home Improvement Products Show— Navy Pier, Chicago
- 18-20 Winter Meeting, National Society of Professional Engineers
 —Broadview Hotel, Wichita,
 Kan.
- 22-27 Banff Session '60, Architecture and Structure—Banff, Alberta, Canada
- 29ff National Convention and Exhibit, Dept. of Audio-Visual Instruction, National Education Association; through Mar. 4—Netherland Hilton Hotel, Cincinnati

March

- 6-9 Fifth National Electrical Industries Show, sponsored by Eastern Electrical Wholesalers Association—The Coliseum, New York
- 7-11 National Convention (first of three in 1960), American Society of Civil Engineers—New Orleans
- 13-14 Annual Convention, National Housing Conference—Statler-Hilton Hotel, Washington
- 14-17 56th Annual Convention, American Concrete Institute —Commodore Hotel, New York
- 21-23 First National Electric House Heating Exposition, sponsored by Electric House Heating Equipment Section, National Electrical Manufacturers Association—Sherman Hotel, Chicago

April

4-7 1960 Nuclear Congress—The Coliseum, New York continued on page 338




wood mp windows

combine modern efficiency with ecclesiastical design

For protection against Canadian winters, these Pella multi-purpose windows offer the recognized insulating qualities of wood and self-storing, inside "storms." The 20 standard sized M-P units combine into hundreds of arrangements compatible with practically all architectural requirements. For optimum

window efficiency and rapid installation on the job, you can rely on the quality materials and exacting craftsmanship of Pella M-P WINDOWS. Full specifications in SWEET'S. For nearest U. S. or Canadian distributor, consult your classified telephone directory. ROLSCREEN COMPANY, PELLA, IOWA.





One of 4 schools in the Ontario School District, Cal. for which Rilco supplied laminated pitched and tapered beams. Architect: Jay Dewey Harnish; Contractor: Hoefer Construction Company.

Schools with RILCO

Beautiful Fire Safe Economical

One of the schools shown here was built for \$7.75 per sq. ft., one cost \$10.24, another \$7.30, that's economy. The beauty of Rilco laminated wood members is a plus — a beauty only wood can offer. There is no institutional chill — warmth of wood that mellows with age makes youngsters feel at home.

Rilco arches, beams and trusses help reduce erection time and costs — delivered carefully wrapped for protection—drilled for furnished hardware, they go up *fast* with regular job-site labor. Maintenance free — laminated wood is not subject to chemical change, rust, corrosion, splitting or warping.

Fire resistant Rilco laminated wood, arches, beams and Rilco Deck are slow to burn, won't collapse under high temperatures — allow time to save structure and contents.

Rilco laminated wood members bring all three *Beauty*, *Fire Safety*, *Economy* to any school. For more information on building *bigger* and *better* for *less* contact your closest Rilco office.



RILCO LAMINATED PRODUCTS, INC.
W818 FIRST NATIONAL BANK BUILDING, ST. PAUL 1, MINNESOTA
District offices: Newark, N. J. • Fort Wayne, Ind. • Tacoma, Wash.



Banner County High School, Harrisburg, Nebraska was built for \$10.24 sq. ft. including all fixed equipment. Architect: Robert Ditzen; Contractor: Fullen Construction Co.



Total cost was \$7.75 sq. ft. to construct St. Joseph's School, McPherson, Kansas. Architect: Robert E. Marr; General Contractor: Frank Jackson.



Gymnasium of Kiowa Elementary School, Kiowa, Colorado. School was built at a cost of \$7.30 sq. ft. Architect: Robert W. Ditzen; Contractor: Broadway Construction Co.



Mutschler teaches teachers, too!

Mutschler cabinetwork facilities are so complete, so up-to-date, these beautiful but practical units are being specified not only for regular school homemaking departments... but also for teacher and graduate student laboratories. The benefits of nationwide school planning services are available to architects and boards without additional cost. If you have a new or remodeled homemaking department in mind, send coupon for literature and name of nearest Mutschler sales engineer.

VISIT OUR EXHIBIT

at the AASA Convention, Atlantic City, Feb. 13–17th Booth M-2





Photos shown are "Home Economics Education Studio" for instruction of teachers and graduate students at Michigan State University.



MUTSCHLER BROTHERS COMPANY Dept. 2102, Nappanee, Indiana

Please send literature on your school homemaking cabinetwork . . . without obligation.

name	
school/firm	
address	
city, state	

The Record Reports

- 5-7 Spring Conferences, Building Research Institute—Statler-Hilton Hotel, New York
- 18-22 92nd Annual Convention, American Institute of Architects—Mark Hopkins Hotel, San Francisco
- 19-21 Church Design and Building Conference and Exposition— Morrison Hotel, Chicago
- 25-27 Annual Convention, Construction Specifications Institute—Rickey's Studio Inn, Palo Alto, Calif.

25-29 41st Annual Convention and Welding Exposition, American Welding Society—Biltmore Hotel and Great Western Exhibit Center, Los Angeles

Office Notes

Offices Opened

Ralph C. Beardsworth and Robert C. Stearns announce a new partnership, Beardsworth & Stearns, Architects, at 1290 Patterson St., Eugene, Ore John W. Floore and Clyde Hueppelsheuser announce a new partnership for the practice of architecture, Floore & Hueppelsheuser, at 1401 W. Lancaster, Fort Worth, Texas. James Waldowski, A.I.A., has opened an office for the practice of architecture at 310 Fidelity Bldg., Spokane, Wash.

Firm Changes

Chatelain, Gauger and Nolan, Architects and Engineers, announces that James L. Murphy, Jr., A.I.A., and Thomas J. Stohlman, A.I.A., are now associates in the firm. Address: 1632 K St., N.W., Washington.

Daniel, Mann, Johnson & Mendenhall, Inc., announces the appointment of Frank R. Sherman, manager, international operations, as vice president. Address: 3325 Wilshire Blvd., Los Angeles 5.

Charles Luckman Associates of New York and Los Angeles announces that Edward X. Tuttle, Sr., has joined the New York office as vice president.

D. B. Steinman, Consulting Engineer, announces that his associates R. M. Boynton, C. H. Gronquist, and J. London have been admitted to partnership and that the firm is now known as Steinman, Boynton, Gronquist & London, Consulting Engineers. Address: 117 Liberty St., New York 6.

New Addresses

Frank D. Cain, Jr., A.I.A., 609 Cedar Ridge Rd., Bowling Green, Ky. Chapman & Hurst, Architects, 416 Moore Ave., Toronto 17, Ont.

Jos. V. Edeskuty & Associates, Consulting Engineers, 2917 Hennepin Ave., Minneapolis 8.

Gunn & Meyerhoff, A.I.A., 128 Habersham St., Savannah, Ga.

Hammel & Green, Inc., Architects, 2650 University Ave., St. Paul.


LaPierre, Litchfield & Partners, Architects, and Litchfield, Whiting, Bowne & Associates, Architects and Engineers, 8 W. 40th St., New York 18.

Charles Luckman Associates (New York office), 680 Fifth Ave., New York 19.

Simons, Lapham and Mitchell, Architects, 10 N. Atlantic Wharf, Charleston, S. C.

Walker-McGough-Trogdon, Architects, North Nine Post St., Spokane 1, Wash.

more news on page 344



NATURAL SLATE CHALKBOARDS

. . . because young eyes deserve the best!

Trend setting in every detail! That's the new West Springfield High School. And blending perfectly with the contemporary feel of its classrooms are natural slate chalkboards. A wise choice because slate's neutral color provides the right balance with modern decor's strong, gay colors. But there's more to the choice of slate than mere color harmony. For of all chalkboards, slate communicates best. Only white chalk on slate produces the desired high contrast necessary to permit young eyes to see and grasp the written message instantly. Only slate is so easy to clean . . . durable . . . and so low in annual maintenance cost. That's why leading schools, like West Springfield, continue to specify natural slate . . . quarried in Pennsylvania.

for information on specific properties of slate, write:

NATURAL SLATE BLACKBOARD CO. THE STRUCTURAL SLATE CO.

Pen Argyl, Pa.

natural slate . . . 500 million years in the making












See why Pittsburgh Corning Products make the things you build cost less, last longer, look better



Central Park School, Dundas, Ontario, Canada. Architect: Allen & MacIver, Hamilton, Ontario

example: PC Glass Blocks to brighten the world of learning

The learning environment gets a new lift from disciplined design with PC Glass Blocks. Here is the one material able to combine the desirable characteristics of window and wall at once. Precise direction and diffusion of transmitted natural light. All the insulation value of a 12" concrete block. And the brilliant sparkle of 12 ceramic face colors for color accents—now available on architect's specifications. Like the church described on a following page, this school wall dramatizes the increasing authority over design which Pittsburgh Corning's growing line of PC Glass Blocks puts at the architect's disposal.

Take advantage of the coupon on the fourth page of this advertisement.

PITTSBURGH




CORNING

example: FOAMGLAS* insulation to keep heat in its place for good

Most roof insulations do an adequate job of controlling heat flow when they're first installed. But only FOAMGLAS roof insulation maintains its initial permanence level for the life of the building. The reason is simple. FOAMGLAS is the only thermal insulation composed entirely of sealed glass cells. Result: moisture can never penetrate FOAMGLAS to form a heat leak as it does in other materials. Insulating performance never varies. This is one of the many excellent reasons for a FOAMGLAS specification on a roof . . . as well as walls or piping—wherever heat flow must be controlled. Page 4 of this advertisement details more of the FOAMGLAS insulation story.

Take advantage of the coupon on the fourth page of this advertisement.



PITTSBURGH



example: PC Glass Blocks to add color with dignity in a reverent place

Brilliant color in a disciplined design adds warmth, welcome and restrained identity to the church you see here. The continued evolution of glass blocks has made such interpretations possible . . . at an initial cost far lower than possible with other materials. PC's Color Glass Blocks have provided a whole spectrum of professionally selected shades for the architect. And very soon PC will announce a dramatic new use of architectural light and shade. These are the vital elements of design authority which have become the continuous thread of design oriented PC Glass Block development by Pittsburgh Corning. And see how good design can be added to important functions as in the classroom shown on page 1 of this advertisement.


Take advantage of the coupon on the fourth page of this advertisement.

Grace Evangelical Lutheran Church, Peoria, Illinois. Architect: Richard Hapke, Peoria, Illinois.



example: FOAMGLAS® core insulation to smooth the skin of this curtain wall panel

Permanent skin flatness has assumed increasing importance in curtain wall panel design. And you'll seldom see a panel with skin so flat, true and smooth—permanently—as you see on this page. Pittsburgh Corning's FOAMGLAS core insulation makes the difference. The unique strength and rigidity of this insulation forms a firm support for the many types of curtain wall skins. Since FOAMGLAS is dimensionally stable, it can't soften, slump or sag . . . prevents dimpling and oil canning after installation. Add this to the lasting insulating value described on an earlier page and the soundness of a FOAMGLAS specification becomes increasingly clear. (To be continued)



PITTSBURGH CORNING CORPORATION Dept. B-20, One Gateway Center, Pittsburgh 22	2, Pa.
Please send me descriptive literature on the bu	uilding products checked below.
☐ FOAMGLAS Roof Insulation	PC GLASS BLOCKS
☐ FOAMGLAS Low Temperature Insulation	☐ The PC 4 x 12 Block
☐ FOAMGLAS Insulation for Piping & Eqmt.	☐ PC Color Glass Blocks
☐ FOAMGLAS STAY-DRY Pipe Insulation	☐ FOAMSIL®, the Acid-proof
☐ FOAMGLAS Insulation for Curtain Walls	Insulating Refractory
Name	
Company	_Title
Address	
City	Zone State

PITTSBURGH






Created in SPECTRA-COLORS and

GEOMETRIC PATTERNS that add a new concept

to interior and exterior applications

Specify ANOTEC* for new construc-tion or modernization! Ideal for sun deflectors, decorative wall panels, spandrels, column facings, window guards, room-dividers, parapet and terrace railings, swimming pool enclosures, patio screens, grilles, louvers, gates, fences, etc.

Complete information and specifications available upon request.



AR -12



1379 N. North Branch Street • Chicago 22, Illinois • MO-hawk 4-4530

City_

KLEMP INTERNATIONAL 1379 N. North Branch Street Chicago 22, Illinois ☐ Please send complete information and specifications on ANOTEC. ☐ Please have one of your representatives contact me. Name_ Firm_ Address


*Trademark

The Record Reports

Radioisotope Lab Exhibits Special Design Features

The Picker Research Center in Cleveland, dedicated last June, is one of the most completely equipped radioisotope laboratories in the country for commercial use. McGeorge-Hargett & Associates were architects and engineers for the \$1-million Center; the Sam W. Emerson Company was general contractor.

Because the Center is located near



*HAWS*FIRST WITH BEAUTY



In drinking fountains...the skill and beauty embodied in Haws superbly styled fountains are recognized the world over: Model 10Y was selected for International Design Competition, Milano, Italy. Designed by Channing Wallace Gilson, this beautiful fiberglass fountain is only one of Haws' many distinctive fountain creations.

In flush valves ... you see only a button—for Haws-Kramer "Silent Service" Flush Valve System is concealed in the wall to give home bathrooms the streamlined beauty of "built-in" convenience. "Silent Service" operates with conventional pipe sizes for easy adaptation to residential construction. Find out more!

Specify these new Haws items. See them in Sweet's Architectural File or write for complete Haws catalog-today!




HAWS/KRAMER FLUSH VALVE DIVISION 819 Bryant Street • San Francisco 3, California

EXPORT DEPARTMENT: 19 Columbus Avenue, San Francisco 11, California, U.S.A.

residential and industrial areas, particular emphasis was placed on maximum safety in design, construction, and operation. Some of the design features:


The radiography room has 3 ft of concrete shielding and a labyrinth entrance. The high-level test cell has 5½-ft concrete walls and 4-ft floor and ceiling. The cell is closed by a 40-ton hinged door (an internally braced steel tank filled with concrete) and has a viewing window 5 ft thick, consisting of a 10-in. inside coverplate of non-browning glass, 48 ins. of zinc bromide solution, and a 2-in. outside coverplate of safety glass. There are separate air-conditioning systems for the isotope area, two research areas, and lobby-reception area.



Gamma "garden," the main storage vault for radioisotopes and the high-level irradiation facility, is a well extending from the first-floor level to the basement level. The 54 storage tubes (one here being sealed by a technician) can hold up to 100,000 curies of Cobalt 60 or equivalent. The 6-ft-sq well in a corner of the building is shielded on the inner sides by shield rooms filled with coarse concrete sand (bulk density: 127 lbs per cu ft)

more news on page 346

NOW! AN ARCHITECT'S MANUAL



for the design and specification of Stainless Steel

New Armco booklet contains concise information on how stainless steel can be most effectively and economically used in architecture. For the first time, you can obtain a *complete guide* for the design and specification of stainless steel. A new manual published by Armco Steel Corporation shows the expanding use of stainless in contemporary architecture and presents useful pertinent information on grades forms, finishes and fabrication, including roll forming.

Especially useful are the extensive data on factors that affect the cost of stainless steel and are subject to control by the architect. Graphs and tables establish the relative cost of various grades. They show how the price of stainless steel components can be reduced by design methods and by judicious selection of sheet sizes, finish, and fabrication.

Also included in the Armco manual are discussions of standard building products of stainless steel, how to insure maximum durability, and recommended specifications as well as a glossary of stainless steel terminology.

Prepared on the basis of suggestions from leading architects, both designers and specification writers will find the new manual extremely helpful in making the most effective use of stainless steel at least cost. It enables you to confirm the fact that stainless steel can be specified at a price comparable to that of less durable metals. For your free copy of Armco Stainless Steels/for Architecture, write Armco Steel Corporation, 1170 Curtis Street, Middletown, Ohio.



ARMCO STEEL



Armco Division • Sheffield Division • The National Supply Company • Armco Drainage & Metal Products, Inc. • The Armco International Corporation • Union Wire Rope Corporation

A Washington Report

continued from page 58

He gave a measure of attention to the recently-settled steel strike and to the dangers of inflation. Of the prolonged strike, he said that one of its lessons was that the potential danger to the entire nation of longer and greater strikes must be met.

"It is my intention," the President added, "to encourage regular discussions between management and labor outside the bargaining table, to consider the interest of the public as well as their mutual interest in the maintenance of industrial peace, price stability and economic growth."

On urban problems, the President made these general remarks:

"Our vigorous expansion, which we all welcome as a sign of health and vitality, is many-sided. We are, for example, witnessing explosive growth in metropolitan areas.

"By 1975 the metropolitan areas of the United States will occupy twice the territory they do today.

The roster of urban problems with which they must cope is staggering. They involve water supply, cleaning the air, adjusting local tax systems, providing for essential educational, cultural and social services, and destroying those conditions which breed delinquency and crime.

"In meeting these, we must, if we value our historic freedoms, keep within the traditional framework of our Federal system with powers divided between the national and state governments. The uniqueness of this system may confound the casual observer, but it has worked effectively for nearly 200 years."

Troy plans laundries

Troy's Laundry Planning Service provides custom-designed institutional laundries to meet your budget and operational requirements




MCDONOUGH HOSPITAL, MACOMB, ILL.
TROY-PLANNED LAUNDRY FOR ARCHITECT LANKTON-ZIEGELE-TERRY
AND ASSOCIATES, PEORIA, ILL.

Complete floor plans and specifications are prepared to your instructions.

This is a FREE service to architects from Troy, the world's oldest and most experienced manufacturer of power laundry equipment.

Write for new TROY LAUNDRY EQUIPMENT SPECIFICATIONS BOOK



Thoy achiner

LAUNDRY MACHINERY
Division of
American Machine and Metais, Inc.
East Moline, Illinois

TROY LAUNDRY MACHINERY
Division of American Machine and Metals, Inc.
Dept. AR-260, EAST MOLINE, ILLINOIS
Send new TROY LAUNDRY EQUIPMENT SPECIFICATIONS BOOK.

NAME OF INSTITUTION			
ADDRESS			_
CITY	ZONE	STATE	_

Open-End Authorization Asked For FHA Insuring Program


FHA Commissioner Julian H. Zimmerman called upon Congress to provide his agency with an open-end insurance authorization, lifting the present ceiling of \$37.7 billion. He pointed out that under present law, FHA's insuring program can come to a complete stop if Congress refuses to raise the overall insurance authorization and that authorization has been completely used. He argued that since the FHA is a completely self-supporting Federal agency, using no taxpayers' money, there should be no reluctance to grant it unlimited mortgage insurance authorization.

But Congress repeatedly has refused to do this. It has mixed the FHA authorization legislation in an omnibus bill with several other housing matters. Mr. Zimmerman characterized this as "spoon-feeding" the agency and declared, "I don't know of anyone in Congress, either Republican or Democrat, who is opposed to the concepts of the FHA. Yet, every year Congress insists on wrapping FHA's mortgage insurance authorization into omnibus legislation which usually becomes a catch-all for many controversial or unreasonable proposals. This serves only to hold FHA as hostage in order to get legislation signed into law which the President otherwise opposes.

"Omnibus legislation has tended to become a collection of unrelated provisions in a single bill. This is unfair to a President, and has been opposed by every one of them back to President Lincoln."


more news on page 350

What architects should know about office sound control problems...and



The elements which make sound energy difficult to control are the almost friction-free medium of air, and the tremendous range of the human ear as a sound receiver. Since most speech and typical office machine sounds fall within the area of maximum ear sensitivity (600 to 6,000 cycles), proper control within this range is a major element in increasing worker efficiency and reducing office fatigue. The noise level of a room can be measured in terms of decibels, the smallest amount of sound the human ear can detect. Most offices have a rating of between 40 and 80 decibels. The job must be analyzed to see what type of sound problem exists. If noisy machines annoy people in the room, then the problem is one of soaking up the noise or sound absorption. If the problem is to stop the sounds that originate in the room from going into the next room, then it concerns transmission, and walls, rather than partitions, must be installed.


its solution with GR soundex partitions



Sound waves travel in every direction from their source. When they strike something, part is absorbed and part bounces off in all directions. SOUNDEX partitions trap and absorb sound waves. They have a noise-reduction coefficient (NRC) of .85, which means we can reduce the noise level as much as 38% in some rooms. Where the problem of sound transmission is concerned, Soundex walls are recommended. The sound blocking quality of these walls rates high (40 decibels), more than enough for all but "heated" discussions.

the secret is the floating core principle

The construction of SOUNDEX partitions is such that as sound passes through the perforations of the partition surfaces it is partially soaked up by the 1¼" fiberglass behind the holes. Waves that get through the glass set up vibrations in the center baffle which, acting as a diaphragm, returns the waves to be "re-absorbed" in the fiberglass on each side of it. Thus the patented "floating core" principle doubles the partition sound absorbing efficiency.



See our complete file in Sweet's Catalog.

Please send me color samples.


ADDRESS.

GR PRODUCTS INC.
2417 Eastern Avenue S. E., Grand Rapids, Michigan


ZONE STATE

New concept in Air -





Units are easily installed, easily adjusted, and easily serviced.



Air is completely isolated from the light by double-wall construction – a patented Barber-Colman feature.

Diffusing Troffers

Troffers

Patented*
double-wall
construction
isolates air
from light
for

- Controlled
 air distribution
- Freedom from smudging
- Maximum lighting efficiency

Patent No. 2564334,


These units are the combined development of two leaders in their respective fields—Barber-Colman in engineered distribution of air and Day-Brite in engineered distribution of light. They ideally unite these two factors in a distinctive modular unit to provide the ultimate in human comfort and flexibility in interior design.

Air passes through a separate chamber completely isolated from the fluorescent tubes and is diffused into the room at low noise levels. Thorough aspiration at moderate velocities completely eliminates drafts.

Physical separation of light and air eliminates smudging of the fluorescent tubes, reflector, and ceiling. There is no reduction in luminous area. Lighting output is maintained at uniform high efficiency because the fluorescent tube temperatures are maintained at optimum level, unaffected by air temperature and flow.

Combination diffusers may be used to handle either supply or return air and are available in 1 x 4 and 2 x 4 sizes with either two or four fluorescent tubes in a variety of glass, plastic, or metal enclosures.

Call Barber-Colman or Day-Brite for complete specifications — ask for new Catalog F-9768.



Combination units may be used for either supply or return air service.



Low noise assured - octave band sound data and NC ratings available.

BARBER COLMAN

BARBER-COLMAN COMPANY

Dept. B, 1104 Rock Street, Rockford, Illinois

Uni-Fig engineered air distribution products and Electrionic automatic controls

Washington Topics

continued from page 60

Following are more detailed results of the survey as summarized by HEW Secretary Flemming:

1. On the basis of reports from all 50 states and the District of Columbia, the overall classroom shortage has been reduced from 141,900 to 132,400, or a decline of 9500. However, the number of classrooms needed to accommodate pupils enrolled in excess of normal classroom capacity rose from 65,800 to 66,400, or an increase of 600, and the number of pupils enrolled in excess of normal classroom capacity rose from 1.850,000 in the fall of 1958 to 1.883,-000 this fall. The net reduction in the estimated classroom shortage was due to a reduction of 10.100 classrooms-from 76,100 to 66,000estimated to be needed to replace obsolete facilities. Three-quarters of this reduction was accounted for by the estimates of one state, Alabama, which reduced its estimate in this category by 7600.

2. During the first 11 months of 1959, voters in 48 states approved bond issues totaling \$1,230,736,000. While this compares unfavorably with the \$1,364,100,000 approved during the first 11 months of 1958, it is an increase of approximately 30 per cent over the \$949 million approved during the first 11 months of 1957. Since the number of bond elections tends to run higher in regular election years than in off-years, the increase over 1957 is a more reliable measure of current voter support of classroom construction than the reduction from the comparable period last year.

3. State education agencies estimate that classroom construction this year will lag behind last year by 10.4 per cent. This will be the second year in a row in which classroom construction has declined, after an uninterrupted succession of annual increases extending back to the end of

Building Down Again?

Here's the record:


	Classrooms	% Change from
Year	Constructed	Previous Year
1955-56	63,300	+ 5.3
1956-57	68,700	+ 8.5
1957-58	72,100	+ 4.9
1958-59	70,000	-2.9
1959-60	62,700	-10.4

"The classroom need has lessened in about three-fifths of the states," said United States Commissioner of Education Lawrence G. Derthick, in commenting on the survey results. "The survey showed, however, that the shortage increased in the remaining states.

"The number of pupils in excess of normal classroom capacity rose from 1,850,000 to 1,883,000. This is an acute problem since, as it has been pointed out many times, it is not only the actual number of pupils in excess of normal classroom capacity who suffer from overcrowding, but also all other pupils who share the same crowded school quarters with them."

The enrollments continue to rise, he pointed out. The survey recorded 35.3 million full-time pupils in public elementary and secondary schools in the fall of 1959; 24 million in elementary, and 11.3 million in secondary. The overall enrollment was 1.2 continued on page 354

Concentrate Responsibility...



SEDGWICK **Dumb Waiter** Doors

When you select a Sedgwick Dumb Waiter, you get a completely integrated installation including dumb waiter doors - designed, engineered, manufactured and installed by Sedgwick.

This places the responsibility for the entire installation in the hands of one supplier - cutting in half the red tape, contracts and approvals, and eliminating your coordination of door and dumb waiter design and erection. Furthermore, all equipment is shipped at the same time, saving shipping and handling costs. The same mechanics install both doors and dumb waiters.

Sedgwick Dumb Waiters and Doors are available in a complete range of modern, improved types and standard sizes that can be adapted to fit requirements exactly.

(See standard specifications and layouts in SWEETS 33a/Se)

Doors are manufactured in bi-parting, slideup, slide-down or hinged arrangement. Also access and clean-out doors. (Underwriters' Labelled where required.) Send today for complete literature and specifications.

Sedgewick MACHINE WORKS

- 142 W. 15th Street, New York 11, N. Y.


 Please send general information
- Please send specific recommendation

* SIDEWALK ELEVATORS * FREIGHT WAITERS * RESIDENCE ELEVATORS NAME * "STAIR-TRAVELORS" ADDRESS

NATIONWIDE SERVICE

350

THOMAS BOURNE, Architect
J. H. POMEROY, Contractor



VAMPCO ALUMINUM WINDOWS, Curtain Walls and Doors add a note of modern beauty to new Air Route Traffic Control Center!

Architects and contractors everywhere are specifying aluminum windows, curtain walls and entrance doors to give new office buildings, institutional buildings, schools, churches, hospitals and industrial plants today's modern streamlined styling and exterior beauty.

The beautiful new Air Route Traffic Control Center, Fremont, California (pictured above) is a fine example of how Vampco aluminum products are being used in thousands of new buildings from coast to coast. It has Vampco Aluminum Curtain Walls 120W Series with Box Mullions, 7000 series Doors and Frames, Manually and Mechanically Operated Ventilators. The panels are of Porcelain Enamel.

Added structural strength, lifetime durability, better lighting and ventilation, lower original and upkeep costs (no painting required), and the speed with which buildings can be erected with Vampco Curtain Walls are but a few of the many added advantages Vampco provides.

Vampco Aluminum Windows include: casement, combination casement, awning, intermediate projected, curtain walls of varying sizes and thicknesses, heavy construction, glass block and custom-designed types. Let VAMPCO'S special designing service help you solve your unusual building problems. Mail coupon below, today!

VALLEY METAL PRODUCTS CO.



PLAINWELL, MICHIGAN SUBSIDIARY OF MUELLER BRASS CO. PORT HURON, MICHIGAN



See Complete File in Your Current Sweet's Catalog

VERY FINEST IN LIFELONG ALUMINUM WINDOWS

VALLEY METAL PRODUCTS COMPANY

Dept. AR-20, PLAINWELL, MICH.

- Send 60-page Industrial-Institutional Window Catalog.
 Send Light Construction Aluminum Window Catalog.
- Send Curtain Wall Catalog.

Send Entrance-Door Catalog.

NAME

COMPAN

ADDRESS

CITYSTATE....



NEW "CLEAN LOCK" IN WATER COOLERS!

WESTINGHOUSE ON-THE-WALL COOLER

Hides unsightly plumbing-makes floor cleaning easier!

This slim, smartly styled "Wall Line" Water Cooler offers special advantages not found in conventional coolers. A real space-saver, it extends only $12\frac{1}{2}$ inches from the wall. Other coolers with exposed plumbing jut out from 6 to 10 inches further.

By completely enclosing unsightly plumbing, the new Westinghouse ends cleaning problems. There's nothing to catch trash under or behind it—nothing to become scuffed. Units may be installed at any desired height. When they're mounted on the floor, the bubbler's just right (31 in.) for children. The new Westinghouse Onthe-Wall Cooler is one of a line that gives you

YOU CAN BE SURE ... IF IT'S

Westinghouse

complete flexibility in cooler placement—flush to wall... on the wall... and in the wall. For full information, call your Westinghouse Distributor, listed under "Water Coolers" in the Yellow Pages. Or fill in and mail the coupon to us.

Specify Electric Water Coolers for school use—only slightly higher than nonrefrigerated wall fountains.

Water Cooler Department Columbus, Ohio	
Gentlemen: Please send f "Wall Line" Water Cook	ull information on your nevers.
NAME	
COMPANY	
ADDRESS	
CITY/ZONE	CTATE

Washington Topics

continued from page 350

million, or 3.5 per cent greater than it was the year before.

N. E. A. Continues Push for School Building Aid

Pushing along with its campaign for support of Federal aid to school construction legislation, the National Education Association published a new booklet in the form of a message to parents which contends that an outlay of \$5 billion will be required to eliminate the current shortage of classrooms in this country.

Quality classrooms are costly, the publication states, the average price being around \$40,000 per room. It states, too, that many of the buildings now being constructed are far from being "quality construction."

Parents were told by N.E.A. that their children learn more in a classroom that is well-equipped, attractive, and of appropriate size. Quotes from the "message":

"By law we require children to at-

tend school, but we often force them into an unsafe and unhealthful classroom. . . .

"We were short about 130,000 classrooms in the fall of 1959. Obsolete, inadequate, and overcrowded classrooms are affecting the education of at least eight million children.

"Little if any improvement can be expected under present conditions. . . .

"Dark, damp, cold, or poorly ventilated classrooms are hazards to the health of children. . . .

"Many schools in current operation pose a definite safety hazard to children. In 1957, there were 4300 school and college fires in the United States, according to the National Fire Protection Association. . . .

"Even though the school is new, your child probably is not getting quality education if he is in an over-crowded classroom. . . .


"Many new school buildings are virtually bare of instructional equipment and materials—because the school district had to mortgage itself to the hilt just to erect the building. . . ."

Sparkman Group Considers Ways To Stabilize Mortgage Credit

A glimpse of what's on the docket for consideration in Congress along the lines of housing was provided by Senator John J. Sparkman (D-Ala.), chairman of the Senate's housing subcommittee. In a look at the 1960's, he said he was convinced the answer to housing problems could be found in an even flow of mortgage credit. It appears to him that higher and higher interest rates do not stabilize the flow of mortgage money, and he is on a search for other means.

The Sparkman subcommittee was studying a number of proposals looking toward solution of this mortgage credit problem. These included (1) creation of a central mortgage bank; (2) changes in laws affecting the Federal Home Loan Bank System, the Federal Housing Administration and the Federal National Mortgage Association, and (3) creation of a Federal agency to lend to middle income families.

The 1960's present a real housing challenge, the Sparkman statement said. "All available statistics indicate continued on page 358



ALANCED DOOR



SUMMA	RY OF ESTI	MATED SAV	INGS	<u>d</u>	•
ype of Exterior:		<u>p</u>	e 160	8 109 8	27
Exterior walls	233	192	15	8 10	17
. Gables Hoof sheathing	17	8	8 -44	8 44	44
Wall sheathing Sub-floor	8 205	205	8 205	\$ 205 \$ 6	8 6
. Interior surfaces . Closet walls	8 6	8 3	8 3	8 3	8 3
8. Closet floors 9. Mouldings	533	488	\$ 453	\$ 397	\$ 308

A house needs many more sales features than price alone. Every Homasote product you use gives you additional distinctive selling points. Please study the many acound sales features in our "Friendly Walls" folder. Quiet rooms, no-glare walls, freedom from bathroom noises; protection of eyes, nerves and health -- it is a very strong story!

Never forget, Homasote products are weatherproof and tough. They improve with age. Buildings can be erected at any time of the year. Snow, rain, sleet, let will not bother the interior Homasote wall finish. Homasote products are not will not bother the interior Homasote wall finish. Homasote products are not "substitutes". They are basic products that truly add quality to the house.

The savings shown above are really substantial and deserve your most careful

MR. ARCHITECT ... MR. BUILDER Send us the plan for your current house project

Let us give you-without obligation-A COST-REDUCTION ANALYSIS Substantial savings are definitely possible!

The prospective home owner always wants more than he can afford. Today you can give him more for his money—both higher quality and important money savings, at the same time. The answer: draw on the wide range of forms, sizes, thicknesses and finishes in which weatherproof Homasote Panels are now supplied.

For example: on a 3-bedroom house-with 1200 square feet of exterior wall surface—the cost to the home owner can be \$515 to \$1712 lower than with other standard building materials. In addition, these savings do not include application costs which are generally lower by Homasote methods.

Let us prove this to you—in terms of Homasote Products applied to your current house plan in your area.


Send us your plan. It will be treated in strictest confidence and returned to you. With it you will receive a Cost-Reduction Analysis showing your net costs if you use one or more Homasote materials for: (1) exterior

walls, (2) gable ends, (3) roof sheathing, (4) wall sheathing, (5) sub-flooring, (6) interior walls, (7) closet walls, (8) closet floors, (9) eave and rake moldings. Each part will be itemized and show your net cost for the exact sq. ft. area indicated on your plan. The Summary of Estimated Savings (as per sample above) may suggest as many as five alternate combinations. (NOTE: It will not suggest any changes in your dimensions.)


Don't have doubts - get the facts now! You incur no obligation. Many progressive architects and builders have accepted our offer-and we haven't yet failed to prove our case to their great satisfaction. We give you the facts and figures; make your own comparisons ... Kindly mail your plan to Department B-17.



Homasote of Canada, Ltd., 224 Merton St., Toronto 7, Ont.




Terminal Building, Moissant International Airport Architects: Goldstein, Parham & Labouisse in association with Benson & Riehl



Overly Church Steeples



Overly U/L Labelled Fire Barriers



Overline Stainless Steel Entrances




Contours for the jet age ... Craftsmanship by Overly

This architecturally dramatic Overly parabolic roof covers the recently-completed Moissant International Air Terminal in New Orleans.* A batten type "B" design, the new roof has an alodine aluminum finish with 12 gauge ribs accentuating the arch design.

Why was Overly specified to fabricate this design? There are several reasons: The Overly tradition for *craftsmanship* is inherent at every step from original pre-fabrication at the plant to erection supervision at the construction site. Over 70 years of experience in metal fabrication allow us to offer a 15-year warranty against manufacturer's defects on all Overly Goodwin batten type roofs. And Overly's creative crafting of *any* roof form assures the architect of a skilled and accurate interpretation of his design in metal.

In planning roof installations of metal, consider Overly's assistance in faithfully translating your ideas into a lasting structure. You may also be interested in other Overly metal products: The complete line of Overline hollow metal doors and frames, labelled and non-labelled, in over 90 different styles; the Overline stainless steel entrance series, crafted to complement the exterior of any building; Overly fire barriers, the only U/L labelled and fully tested fire barrier available today; Overly Tilt-A-Front construction, specifically fabricated for one or two story buildings; and church steeples by Overly, crafted in handsome modern or Gothic. For metal products that match your specifications, why not contact Overly.

*Other current Overly Goodwin batten type installations may be found at the new addition to the U.S. Senate Office Building, Washington, D.C.; the Idlewild International Airport, New York City; the University Field House, University of Illinois and the U.S. Naval Academy Gymnasium, Annapolis, Md.



Overly "A" Label, Type 50 Doors

The Anchitect's Craftsman



MANUFACTURING COMPANY

Greensburg, Penna. • St. Louis 19, Missouri • Los Angeles 39, California

Washington Topics

continued from page 350

that we should immediately begin producing at least 1.5 million homes per year, stepping it up to two million a year before 1970."

The Alabama Senator explained that the nation entered the 1950's with approximately 16.5 million substandard homes. Now, 10 years later, there are an estimated 12 million substandard dwellings, he stated. He

contended that at this rate, it would eliminate the substandard residences.

Fallout Shelters Now Covered By FHA Insurance

A joint plan for stimulating the construction of fallout shelters in American homes was announced by the Office of Civil and Defense Mobiliza-

tion and the Housing and Home Finance Agency.

Cooperative effort between the two agencies produced a plan for bringing construction of these shelters under the benefits of Federal Housing Administration home mortgage insurance. This, it was said, would encourage building contractors and private individuals "to set an example" by building shelters into new housing developments, new subdivisions and model homes.

The cost of home shelters now becomes an eligible item in determining property values for all FHA home mortgage insurance. FHA took these steps to implement the decision:

- 1. Issuance to all its officials and field offices of a field bulletin describing the National Shelter Policy of the Administration. This included a statement by Director Leo A. Hoeg of OCDM on the importance of individual action by the homeowner to provide protection from the fallout hazard. Included were technical guides on how applications for FHA-insured financing of shelter construction shall be handled.
- 2. Initiation of a new FHA administrative memorandum series, issued periodically and designed to keep all FHA field personnel fully advised of shelter construction and financing matters.
- 3. Arranging conferences with top representatives of the home building industry in which their support is actively solicited.
- 4. Issuance of a supplemental section to the FHA Minimum Property Standards Manual devoted to shelter construction information. This includes descriptions, plans and specifications of shelters contained in the OCDM publication, "The Family Fallout Shelter," as well as additional construction guidance and information to the industry.

OCDM's Hoegh said that in the event of nuclear attack on this country, fallout shelters would offer the best single nonmilitary defense measure for the protection of the greatest number of people. Most of those beyond the range of nuclear blast and heat would survive if they had adequate protection from fallout.

The executive OCDM agency expressed confidence that the new actions taken by HHFA would substantially stimulate construction of home shelters across the entire country.

more news on page 362

SIMPLEX units



CUSTOM-BUILT to your instructional needs with chalkboard, corkboard or pegboard







- one material or any combination

A practical solution to diversified chalkboard and mounting problems. You plan each unit according to your requirements. A simple sketch with dimensions and materials indicated is all we need.

Your units are built in our factory and delivered to you ready to hang and use. All materials of proven, durable quality. Aluminum trims and chalk troughs are expertly fitted.

BECKLEY/CARDY

chicago 39, ill.

1911 n. narragansett ave.

Write for
CATALOG 23e
Be
or see SWEET'S
ARCHITECTURAL FILE

Italian Cherry Random Plank, shown below, is only one of the new Trendwood® finishes which include Swedish Cherry, Danish Birch, American Walnut, Swiss Walnut, and English Oak.



PLANK ... for beautiful, durable walls at low cost!

The newest in paneling for kitchens and other home interiors, Marlite Random Plank offers unlimited decorating possibilities for your clients —brand new opportunities for you to cut your wall construction costs.

The 16" wide tongued and grooved planks are 8' long and ½" thick for fast, simple installation over furring strips or existing walls. Ready to use without painting or further protection,

melamine plastic finished Random Plank resists stains, mars and dents.

It wipes clean with a damp cloth; stays like new for years.

Get complete details on Random Plank and other Marlite paneling from your building materials dealer, consult Sweet's File, or write Marlite Division of Masonite Corporation, Dept. 205, Dover, Ohio.

Marlite plastic-finished paneling

MARLITE IS ANOTHER QUALITY PRODUCT OF MASONITE® RESEARCH

6027

MARLITE BRANCH OFFICES AND WAREHOUSES: 204 Permalume Place, N.W., Atlanta 18, Georgia • 18 Moulton Street, Cambridge 38, Mass. • 1925 No. Harlem Ave., Chicago 35, Illinois 8908 Chancellor Row, Dallas 35, Texas • 3050 Leonis Blvd., Los Angeles 58, Calif. • 2440 Sixth Avenue So., Seattle 4, Washington • Branch Office: 101 Park Avenue, New York 17, N.Y.

The next time you're in Philadelphia take a good look at the

Einstein Medical Center ... another installation with

Take a good look at the clean, simple lines of this striking monument to modern-day medicine. Notice how beautifully everything fits—the synthesis of approximately 11,400 sq. ft. of LUPTON Type "H" curtain-wall units, 549 LUPTON "Master" projected aluminum windows, and 732 LUPTON double-hung aluminum windows with the overall architectural concept of the building.

Functionally, LUPTON aluminum construction is consistently economical. All parts are accurately prefabricated and delivered on schedule for simplified, routinized assembly. And lightweight LUPTON construction lowers foundation and framework costs. You get more usable floor space . . . save on maintenance.

Most advantageous of all, though, is LUPTON's dependability. As proven in hundreds of jobs—including the largest aluminum curtain-wall installation in the world—you can depend on LUPTON to meet your specifications, to deliver as scheduled. You can pinpoint responsibility, because LUPTON can do the whole job—even install!

See SWEET'S (Sections 3 and 17) for the Michael Flynn Aluminum Curtain Wall and Window catalogs, and write for further specific information. Inquire about LUPTON Comfort-Conditioning*—the new curtain-wall system that cools, heats, and ventilates. A call to the nearest LUPTON representative (see the Yellow Pages under "Windows—Metal") will bring fast action without obligation.

*Trade Mark

LUPTON

METAL WINDOWS . CURTAIN-WALLS MICHAEL FLYNN MANUFACTURING CO.

Main Office & Plant: 700 E. Godfrey Ave., Philadelphia 24, Pa.; West Coast Plant: City of Industry, Calif. (Los Angeles County); Stockton, Calif.; Chicago, III.; New York, N.Y.; Cincinnati, Ohio; Cleveland, Ohio; Dallas, Texas. Representatives in other principal cities.



The Einstein Medical Center (Northern Division),

CURTAIN-WALLS AND WINDOWS

Broad Street and Tabor Road, Philadelphia, Pa. Architect: Abraham Levy, Philadelphia. Contractor: James McGraw Co., Philadelphia.



1. SIMPLIFIED DESIGN OF REINFORCED CONCRETE

SECOND EDITION

By HARRY PARKER, University of Pennsylvania. The self-contained reference for those with a minimum of background. Thoroughly revised, with all new figures, many new tables and examples. The new chapter on prestressed concrete shows the advantages in its use. The book now conforms to recommended stresses and design procedures of the ACI, and includes many other new features. 1960, 320 pages. \$6.50

2. RESIDENTIAL CONSTRUCTION MANAGEMENT

By ERNEST L. BUCKLEY, Convair-Fort Worth. All the details on management for profit: organization; land development; project preparation; scheduling, materials control; subcontracts; sales promotion; many other factors. Actual control forms are shown. 1959. 193 pages. \$7.95

3. REINFORCED CONCRETE FUNDAMENTALS

With Emphasis On Ultimate Strength. By Phil. M. Ferguson, University of Texas. An up-to-date introduction, including pertinent information on the physical behavior of reinforced concrete members. 1958. 604 pages, \$9.50

4. THE TECHNICAL WRITER

By G. PARR, Chapman & Hall, Ltd., and J. W. GODPREY. Stresses form and content rather than style. Covers all factors, including editing, for producing effective technical writings. 1959, 340 pages. \$8.50

5. MATERIALS AND METHODS OF ARCHITECTURAL CONSTRUCTION

Third Edition. By HARRY PARKER, the late CHARLES M. GAY, and JOHN W. MACGUIRE, Univ. of Pennsylvania. 70% rewritten to include new materials, specifications, and types of construction. New safe load tables for modern working stresses. 1958. 724 pages. \$12.00

_____TRIAL ORDER____


	IN WILEY & SONS, Inc. Fourth Ave., New York 16, N. Y.
1 2	Send books circled on 10 days
3 4	approval. Within 10 days of receipt I'll remit full price plus
5	postage or return books postpaid
Name	
Street	
City	ZoneState
	ck here to save postage. Send ful

The Record Reports

Needs of a Major Airport Discussed in New York

When the Port of New York Authority recently announced that after extensive studies it favored locating an additional major New York metropolitan area airport in Morris County, N. J., the choice of the site produced local controversy. The reasons for selection of the site were outlined in a lengthy report from the Port Authority.

A new airport is necessary, the Port Authority says, because the existing ones will be at capacity use by 1965, and passenger demand will continue to increase after that (see chart).



The Authority listed the primary requirements for a suitable site for a major airport:

Ground travel time-more than 60 minutes for most of the passengers is out of the question; more than 45 minutes is dubious (extensive use of helicopters cannot be assumed). Air space-each existing airport needs a buffer zone, a rectangle 32 by 80 mi. centered on the airport; a new airport must also be located so as not to conflict with existing airways. Size-four 12,000-ft runways, protection from noise disturbance, and areas needed for other facilities add up to a total of about 10,000 acres. Physical requirements -the site must be reasonably level or capable of being made level without prohibitive cost; the site must be available within the limits of economic practicability; the surrounding area must be free of obstructions that cannot be feasibly removed.

The Port Authority presented detailed evaluations of 15 possible sites according to these four criteria; only the Morris County one, it said, met them all.

more news on page 366



retracted with use

of key only.

DEAD LOCK

The three locks featured above are engineered and manufactured to the same high standards of products made by Detroit Hardware Mfg. Co. Long life and dependability are built into these superior locks along with a plus value feature . . . interchangeability . . . making it possible to change any one of these locks with the other, without additional machining on the door. Inquire about these fine locks today — a Detroit Hardware representative will be glad to see you.

SHUR - LOCK

Detroit Hardware
Mfg. Company
Roseville, Michigan

DUKE...Pioneers in Food Service Progress!

Engineering-minded DUKE dealers know food service design



Duke sales representatives and Duke restaurant equipment dealers . . . all are specially trained to help you with engineering problems in design and layout. To the Duke man, food service planning aid to the architect is just as important as providing a quality, competitively priced modern line of Duke food service equipment.

Recommend Duke . . . famed for efficiency and economy in schools, restaurants and institutions everywhere. Look to Duke Cafeteria Counters and the original Thurmaduke Waterless Food Warmer. Get the facts now . . . mail coupon and consult your Sweet's Catalog file.

THURMADUKE

afeteria Counter, St. Thomas Aquinas High School, Florisant, Mis-Hellmuth, Ülmin & Kassabaum, Inc., Architects Frank T. Hilliker and Associates, Fued Service Consultant



pioneers new ideas in food service equipment

THURMADUKE WATERLESS
FOOD WARMERS AND
PORTABLE FOOD WARMERS

SERVICE TABLES

CAFETERIA COUNTERS

AEROHOT


Clip and Mail to: DUKE Manufacturing Co., Dept. 123
2305 N. Broadway, St. Louis 6, Mo.

Please send me information and specifications on one or all of following:

- ☐ Thurmaduke Waterless Food Warmers and Portable Food Warmers ☐ Service Tables
- □ Cafeteria Counters □ Low-cost Aerohat Food Warmers and Tables
 Are you interested in name of Duke dealer-representative in your area who can help you with

Are you interested in name of Duke dealer-representative in your area who can help you with food service equipment planning? Check here if you desire this information:

Firm_____Address_____



Stairwell of Polished Misco Wire Glass contributes to overall appearance as well as safety in the Fort Saunders Elementary School, Knoxville, Tenn.

Architect—Painter, Weeks & McCarty, Knoxville, Tenn.


For details, see your nearby distributor of quality glass or write for latest catalog. Address Department 7.







WORLD'S LARGEST






MISSISSIPPI GLASS ...

LEADS THE WAY IN

Daylighting WITH SAFETY

Combining beauty, utility, and economy, Mississippi leads the way by making available an extensive selection of translucent glass patterns that do wonderful things with daylight. In addition, rugged Mississippi Wire Glass, whether for obscurity or clear vision, affords effective but inconspicuous fire protection while enhancing the appearance of any structure . . . when installed in partitions, skylights, stairwells, windows, doors, or wherever else fire and breakage protection is required. The versatility of Mississippi glass provides architects and engineers with a practical solution to virtually every daylighting problem, including safety with decoration, with heat absorption and with light diffusion and direction.




Polished Misco Wire Glass glazed in main entrance of Hellertown High School, Heliertown, Pa. Architect—Heyl, Bond & Miller, Allentown, Pa. Contractor—Gottlieb-Schneider, Bethlehem, Pa. Glazing Contractor—Penn Allen Glass Company, Allentown, Pa.

MISSISSIPPI GLASS COMPANY

NEW YORK . CHICAGO . FULLERTON, CALIFORNIA

88 Angelica Street • St. Louis 7, Missouri

MANUFACTURER OF ROLLED, FIGURED AND WIRED GLASS



Albro custom curtain wall-in aluminum, bronze and stainless steel-gives the architect any system his design demands. From engineering to installation, ALBRO assumes total responsibility for the quality and performance of all architectural fabrications leaving its plant. This policy has stood for ALBRO's 30-yearsplus of metal engineering know-how. For more information, please ask for ALBRO's complete set of curtain wall, window and architectural metalwork catalogs on your company letterhead.



ALBRO METAL PRODUCTS CORPORATION Dept. S. 944 Longfellow Avenue New York 59, New York

The Record Reports

Landscape Architecture Research Is Topic at Georgia Meeting

A large group of landscape architects gathered last fall for a conference specifically on research in their field; it was thought to be the first meeting on that topic to be held anywhere in the world. The conference, held at the Georgia Center for Continuing Education of the University of Georgia, was sponsored by the Joint Council on Research in Landscape Architecture of the American Society of Landscape Architects and the National Conference on Instruction in Landscape Architecture, in cooperation with the University of Georgia. About 155 landscape architects and students from 18 states attended.

The program and arrangements were directed by Campbell E. Miller, chairman of A.S.L.A.'s Committee on Research, and Professor Hubert B. Owens, chairman, Division of Landscape Architecture, University of Georgia. Among the topics considered were: "Teaching People to Use Their Eyes," "Urban Renewal," "Method of Eliminating Overhead Wires," "The City and the Automobile," "The Landscape Architect and the Highway Program," "Collaboration Between Professions and Other Specialties."

A feature of the conference was an exhibit of work of members of the International Federation of Landscape Architects; examples from 23 countries were included.




Professor Hubert B. Owens, third from left, and students examine part of the exhibit of work of members of the International Federation of Landscape Architects

 $more\ news\ on\ page\ 370$



48-1000 the high ceiling GLARE-FREE recessed downlights



WATERLOO

Airline Grilles

All Extruded Aluminum Units for Floors, Sills and Walls

Streamlined Waterloo Airline Grilles fit perfectly into modern architectural and engineering concepts. These extruded aluminum grilles, available up to 12 feet in length in one piece construction, are excellent for every type of floor, sill and wall application.


Designed to match a wide range of architectural finishes, Waterloo Airline Grilles feature a unique bar-support method that makes them practically tamper-proof. Since these units are designed with 1/4" face bars on 1/2" centers, they are heel and pencil proof.

Write for comprehensive Selection Guide on these new multi-purpose Waterloo Grilles.



Waterloo Offers a Complete Line


TYPICAL WATERLOO UNITS



WATERLOO SUPPLY GRILLES * MODEL 2V



WATERLOO CURVED LOUVER GRILLES *




WATERLOO RETURN AIR GRILLES AND REGISTERS # MODEL 3HD

WATERLOO REGISTER COMPANY, INC.

P.O. BOX 72, WATERLOO, IOWA

WR 119



Bowling alley under construction in Seattle uses laminated wood beams fastened to laminated cross members for structural strength, will leave them exposed for their decorative value as well. Architect: Stanley W. Marr.

for new answers...look to WOOD

Its inherent strength, enhanced by latest techniques, broadens the scope of wood's many uses



Using bolted A-frame members for rigidity and strength, ceiling and walls of this home combine to provide internal spaciousness while creating an unusual peak effect. Architect: Thomas C. Babbitt.

The *strength* of wood is a multi-faceted quality. Wood has the favorable strength-to-weight ratio of a low-density, cellular structure. Wood has natural elasticity under stress . . . the ability to give, not break. Wood has durability proved through the centuries, commending its use inside and out.

Today, man-made processes give wood still greater strength. You see this in laminated beams, trusses, new fasteners, new preservatives, other technological developments that have adapted wood to situations never before in its realm. Intrinsic or improved, the strength of wood opens unlimited vistas in structural design. For more information on designing with wood, write to this address:

NATIONAL LUMBER MANUFACTURERS ASSOCIATION
Wood Information Center, 1319 18th St., N.W., Washington 6, D.C.

for freedom of design, look to wood



This carport boasts modern styling with a maximum of protection. Strength of wood in ceiling permits simplicity of design with exaggerated overhang. Wood fencing gives privacy. Architect: Van Evera Bailey.



Over 100 Jobs Completed in 12 Months

Financial buildings are being started at a record pace . . . a pace that is predicted will continue for at least five years!

In the face of this building boom, bankers and savings and loan associations will need your services more than ever. Yet, in no business is it more important that all phases of operation be taken into consideration during the planning stages.

This is where LeFebure comes in. For over 60 years, LeFebure has worked with financial institutions. Today, LeFebure is a recognized leader in the development of systems and equipment for banks and savings and loan associations.

This experience is available to you. If you're planning a new building, or remodeling a bank or savings and loan association, your first step should be to call in your LeFebure representative. He'll work with you to help achieve the results financial executives expect, in a way that will complement your own special skills and talent.



ARCHITECTS SERVICE DIVISION

Lefebure corporation cedar rapids, lower

7 4	CATA	OUR LOG IN EET.S	
F	ile	35-S	
S.			

		2 K - W	TRUE	ivities	e .	
NAME						
STREET OF	R BOX	No.				

STATE


The Record Reports

Independence for the Aging Person Held Goal at Chautauqua Meeting

"Aging with a Future" was the title of the six-day program of lectures and workshops sponsored by the Chautauqua Institution, in cooperation with the Special Staff on Aging of the U. S. Department of Health, Education and Welfare, Held at Chautauqua, N. Y., July 6-11, the program was considered by its sponsors a "forerunner" of the White House Conference on Aging in 1961.

Among the speakers was Walter K. Vivrett, professor of architecture at the University of Minnesota, whose topic was "Housing for the Older Adult." Mr. Vivrett commented that the elderly have become increasingly able to maintain their independence: they have acquired economic security through pension plans and social security payments; health security through growing medical knowledge, particularly in the area of rehabilitation; and a lengthened capacity to care for themselves and their homes through labor-saving devices. Nonetheless, he pointed out, there eventually comes a time for the old person when the private house becomes a financial burden, and when sickness or failing strength makes the keeping of a large house impossible. Then it becomes necessary to make a move, painful enough in itself, and made more painful still by the lack of housing for the old outside of institutions. Mr. Vivrett concluded: "Most of our recent efforts, both direct and indirect, to increase the supply and improve the quality of housing have been in behalf of younger households. These same techniques and similar techniques must be developed for housing for one- and two-person older households. This housing by definition must include housing and apartments for independent living, and living accommodations in such group environments as the hotel, the residence club and, to a very limited extent, the institutional setting. . . . There is general agreement that human services should be geared to reach and to restore all individuals to optimum health and to help them maintain themselves, as far as is possible, in their own homes, whether in the independent housing of the community or in some form of group setting."

more news on page 374



"It's wise to specify the Miracle 'Thin-Set' method of setting Clay Tile"?

TO BE SURE of over-all performance, specify Miracle—the quality adhesive. Let's take a look at the record. Miracle is tried and true over the years. Proof? Miracle tile installations can be found in subways, tunnels, hospitals, office buildings, schools and government projects all over the world. Swimming pools in the Dominican Republic, hospitals in Switzerland, hotels in Canada, projects in the Arctic — all easily installed by the Miracle 'Thin-Set' Method.

In addition, Miracle Adhesives Corporation offers architects and contractors full cooperation in providing specifications and details for all types of tile installations — showers, baths, sink tops, roof decks, promenades, facings, ceiling work.

MIRACLE ADHESIVES CORPORATION

250 Pettit Avenue, Bellmore, L. I., N. Y.

Yes, there is no substitute for "honesty" in the materials and workmanship that go into the design and manufacture of MONTGOMERY DEPENDABLE ELEVATORS. Whether the requirements be a simple two landing installation or one that would reach the moon, every foot of it would contain "honest" equipment of trouble-free quality where freedom of annoying and costly shutdowns would be enjoyed — a tradition and creed of the "Men of Montgomery" since 1892. le ELEVATORS

MOLINE, ILLINOIS

Exclusive Manufacturers of Passenger and Freight Elevators Since 1892

elevator company

THE NATION'S SCHOOLS STANDS SQUARELY FOR



SCHOOL ADMINISTRATION BY SCHOOL ADMINISTRATORS



—and for constant growth of the ability and responsibility of the career professional school administrator. • The Nation's Schools believes that the proper responsibility of the school board is to establish the broad policies which the administrator and his administrative staff shall carry out, to

delegate authority to carry them out, and to evaluate performance in terms of the results achieved. After two generations during which this procedural principle has been evolving, it is today almost universal in both theory and fact. • The Nation's Schools was established in

this concept in 1928 and has based its service to the top management group in American education on these beliefs during thirty years of successful publishing. For the past twenty-three years, more members of the top management group have subscribed to The Nation's Schools than to any comparable magazine.




THE NATION'S SCHOOLS DIVISION, THE MODERN HOSPITAL PUBLISHING CO., INC.



FRESH LOOK IN CURTAIN WALLS ...YOUR OWN PATTERNS IN

for more information, write: Stylon Corporation, Milford, Mass. Western Subsidiary: Redondo Tile Co. Redondo Beach, California.






New hospitals, and old ones too, keep that sparkling clean look when they are protected with Nixalite, the effective, lasting and inconspicuous Bird Barrier and Repellent. Birds will not land where Nixalite the man-made porcupine, is installed — there are 120 outwardly projecting needle-sharp points in every foot. Laboratory tests prove Nixalite



lasts a lifetime in any climate because it is fabricated from a spring-tempered, rustproof, nickel-and-chromium stainless steel under the most exacting engineering controls. Nixalite is in nationwide use on all types of structures.

pages in Sweet's Architectural, Light Construction, and Heavy Construction Files are devoted to Nixalite. Write for specs and full details.

NIXALITE COMPANY OF AMERICA



AEROFIN Smooth-Fin Coils offer you

Greater Heat Transfer per sq. ft. of face area

Lower Airway Resistance

-less power per c.f.m.

Aerofin smooth fins can be spaced as closely as 14 per inch with low air friction. Consequently, the heat-exchange capacity per square foot of face area is extremely high, and the use of high air velocities entirely practical. Tapered fin construction provides ample tube-contact surface so that the entire fin becomes effective transfer surface. Standardized encased units arranged for simple, quick, economical installation.



Write for Bulletin 5-55

AEROFIN Corporation

101 Greenway Ave., Syracuse 3, N.Y.

Aerofin is sold only by manufacturers of fan system apparatus. List on request.

FREE TO Architects



Here's a working tool that belongs in every architect's office. Ideal for the draftsman working on church plans — helps you figure pew spacing at a glance.

Just lay the scale on plans ... and you can determine quickly and accurately pew layouts with 32" - 33" - and 34" spacing.

This architect's precision scale measures 19½" by 1½"...double faced, two sides... scaled ½ and ¼-inch per foot... buff plastic vinylite, printed in black, easy to read.


The services of our experienced furniture designers are always available to you on matters pertaining to seating layout, woodwork and chancel furniture.

MAIL COUPON TODAY FOR YOUR FREE PEW SPACING SCALE

Name	 	_		
Address_	 			
City	Zone		State	

WINONA LAKE

The Record Reports



Architect Designs Community Observatory Building

An astronomical observatory, now near completion at the Stamford (Conn.) Museum and Nature Center, is intended for use by amateur astronomers and the public of the area. Architect of the three-story building is Gordon Edward Johnson; the concrete and steel structure, faced in brick and concrete, contains a 100seat auditorium and other facilities. The principal instrument, a 20-in. photo-visual telescope (designed by John F. Gregory), is mounted on an independent concrete pier which shows externally outside the entrance. General contractor is Frank Mercede & Sons.




Bronze and Stone Monument Rises in Italy

A bronze memorial to Italian soldiers dead and missing in Russia is now being erected in a Genoa cemetery. The sculptor is Lorenzo Garaventa, who donated his services. The monument is 5 m high; height of the figure, which represents "the resurrection of the hero," is 2 m. The engineer for the stone base, 6 m by 5 m, is Giacomo Viale.

EXPOSE AGGREGATE!



Create A New Building Material with TRETOSKALE



TRETOSKALE concrete retarder for unique surface finishes, better bonding, stronger joints.

Tretoskale liquid chemical concrete retarder makes possible unlimited opportunities for full utilization of the many "hidden" qualities of concrete. It retards the set of a predetermined thickness of a concrete surface (usually approx. \(\frac{1}{6} \)"), making it possible, in 12 to 24 hours, to easily remove the concrete surrounding the aggregate with a stream of water or by brushing with a stiff brush. Depending upon the type, size and color of aggregate in the mix, this new surface can be used for a variety of decorative effects; provides better bonding, stronger construction joints.

TRETOSKALE is non-staining, economical, provides uniform, even penetration; is easily and quickly applied to either form work before concrete is poured or to freshly placed, placid concrete. It is widely used for all types of concrete work, from sidewalks to curtain walls of multi-story office buildings. Tretol representatives can show you photographs in black and white and color of some outstanding surface finishes that have been achieved with Tretoskale.

Write or call today for the name of your TRETOSKALE distributor and the TRETOL catalog on products for concrete construction.




--- Quality Products for Concrete and Masserry

7252 W. 66th STREET, CHICAGO 38, ILLINOIS

INDIANA

another first from Bilt-Well by Caradco



3

SIMPLE STEPS:

 Slide detach shoe up the hardware linkage



2. Disengage linkage from swivel plate



3. Remove sash from retaining channel



Removable Awning Windows

Exclusive BILT-WELL quick hinge release makes sash removable from inside without tools

New removable BILT-WELL Awning Windows simplify original installation for the builder and maintenance for the homeowner.

Look for these other BILT-WELL features:

- 1 Brass or nylon bearings at all moving joints.
- 2 Hinge is fully concealed making unit prowler-proof.
- 3 Choice of operators—rigid bar, jointed bar, lever or gear.
- 4 Easily removed wood bead (patented) for simple reglazing.
- 5 New goldtone finish on all metal hardware.
- 6 Surpasses F.H.A. minimum property requirements.

The BILT-WELL Line of Building Woodwork-

WINDOW UNITS, Double-hung, Awning, Casement, Basement. CABINETS, Kitchen, Multipleuse, Wardrobe, Storage, Vanity-Lavatory. DOORS, Exterior, Interior, Screen and Combination.

CARADCO, Inc., Dubuque, Iowa

There's more to offer with

BILT WELL

by Caradco

These Exclusive Editorial Strengths...

Full access to the great building news resources of our publishers, F. W. Dodge Corporation, whose vital services to the building industry include *Dodge Reports*, *Sweet's Catalog Files*, and national *Dodge Construction Statistics*.

A large and skilled editorial organization—including editors on both coasts. (For a description of their high qualifications in architecture, engineering, journalism and building industry economics, ask for our folder, "Editors for Architects—and Engineers in Building".)


100% editorial concentration on the building market's two biggest buying influences: architects and engineers—with every page reflecting *their* information needs, experiences, education, professional interests and activities.

Editorial content continuously timed and balanced with the aid of Dodge Reports to be of top value to architects and engineers in terms of the work on their boards.

.. give Architectural Record

MOST POWER TO HELP YOU SELL!

- ▼ The largest number of architect and engineer subscribers ever made available to advertisers by an architectural magazine.
- Steady reader preference—as shown by 124 out of 139 studies among architects and engineers SPONSORED BY BUILDING PRODUCT MANUFACTURERS AND THEIR AGENCIES.
- By far the highest renewal percentage in the field.
- ✓ Verifiable coverage of over 88% of the total dollar volume of all architect-planned building—nonresidential and residential, small and large.
- Recognition of Architectural Record by advertisers and readers alike as the building industry's foremost magazine marketplace. Year after year more building product adver-



Editorial scope matching the full range of architect and engineer design interests, nonresidential and residential, small and large, as revealed by F. W. Dodge's accurate record of the activity of individual architectural and engineering offices the country over.

Intensive editorial research among architects and engineers including: regular personal interviews by Eastman Research Organization and the Record's own "Continuing Readership Research."

Most editorial pages—with most on nonresidential buildings, residential buildings—and news of the field.

Top editorial quality as evidenced by 41 awards for editorial excellence—including 5 out of 6 awards to architectural magazines by The American Institute of Architects.

Editorial initiative seen in a long series of editorial "firsts". Among them: Building Types studies, Architectural-Engineering Section, Time-Saver Standards, Western Edition—and more currently—presentation first of the most buildings selected for awards by The American Institute of Architects over the past three years.

tisers provide more pages of product information to more architects and engineers in Architectural Record than in any other magazine.

Architectural Record is 5 ways your best buy: in editorial, circulation, readership, market coverage and advertising. Plan now to put the Record's unequalled selling power to work for you in 1960.



Architectural Record

"workbook of the <u>active</u> architect and engineer" 119 W. 40th St., New York 18, N. Y. • OXford 5-3000

Carl Christenson Motor Warks, Aalborg, Denmark.

Arne Jacobsen, Architect. Hammerschmidt, Photographet

A POOR MICROPHONE



Often, an architect's acoustic concept is unjustly blamed for poor public address system sound quality...the real troublemaker is frequently an improperly selected microphone.



Write on letterhead for Professional Folder, Catalog and Microphone Specifications

SHURE BROTHERS, INC. 222 Hartrey Avenue, Evanston, III., Dept. 18-8

Required Reading

continued from page 78

plastics derived by the radical modification of natural materials, the basic differences among thermoplastic and thermosetting plastics, and the means by which variations may be obtained by additives and modifiers are simply explained. There is enough, but uncomplicated, recourse to molecular structure to make clear why these wide variations in basic materials and their different manifestations are possible.

Methods of manufacture and fabrication into finished parts are described sufficiently to indicate to the reader what is possible with these materials, and what the limitations are. The various operations of molding, extrusion, casting, laminating, calendering of sheet and film, drawing into filaments, vacuum forming, and all the rest are included.


The major part of the book is devoted to the rather surprisingly large number of applications of plastics in buildings. Included are protection of construction from inclement weather, adjuncts to concrete and masonry, vapor barriers, thermal and acoustical insulation, roofing and drainage, flashing, wall covering, flooring, stairs and stair treads, illuminated ceilings, windows, doors, plumbing equipment, piping, electrical insulation, lighting, furniture, counter tops and fronts, and many others.

A section is devoted to the growing uses of reinforced plastics in structural applications, such as the various plastics houses, buildings at fairs, large radomes, and similar structures in which plastics are the load-bearing elements. Air-supported structures are included.

The final sections of the book contain names of plastics, trade names, glossary, and literature references.

Although many of the examples and applications are drawn from German sources (and the text is entirely in German), the book is not limited to German practice but is of general interest. The illustrations, many in color, are well chosen and profuse. This book offers probably the most complete coverage of the subject now available.

—ALBERT G. H. DIETZ Professor of Building Engineering, M.I.T.



Send today for your copy of Zero's new 28-page catalog. Design and installation detail illustrations are drawn FULL-SIZE for easier visualization and incorporation directly into your plans with a minimum of scaling. Also contains important application data and many useful suggestions for writing weatherstripping specifications.

Weather stripping for:

- doors windows
- saddles
- lightproofing
- soundproofing
- sliding doors
- saddles for floor hinged doors




ZERO WEATHER STRIPPING CO., INC.

453 East 136th St. • New York 54 Phone: LUdlaw 5-3230 QUALITY SLIDING GLASS DOORS THAT LOOK YOU

SQUARE IN THE EVE

If frames could be turned inside out, you'd be amazed at the way some makers cut quality. Thin wall sections, inadequate weathersealing, weak corner construction, etc. — price-cut features often not apparent — in time cause client dissatisfaction and needless service expense. For doors with the constitution to look you square in the eye year after year (and the same goes for Miller dealers!) specify Miller quality aluminum doors: #1000 series for interchangeable 1" or 5/8" dual, or 1/4" or 3/16" single glass; #625 series for 5/8" dual glass; #187 series for 1/4" or 3/16" single glass.





"BUILT TO LAST A HOUSE TIME" FEATURES

① Heavy-walled box type aluminum extrusion frames. ② Heavy-tred threshold. ③ All-season weather seal. ④ Full grip "Magic Touch" hardware. ⑤ Track hugging, easily adjustable rollers. ⑥ Insect resistant, external screen. ⑦ Lustrous weather-protected Alumilited finish.

Write for catalog. See Sweet's Arch. File 16d/Mi, or Sweet's Light Construction File 5a/Mi. Dealers in principal cities.



Miller Sliding Glass Door Co., Inc. 3216-AR Valhalla Dr., Burbank, Calif. Member of Sliding Glass Door & Window Institute Member of Building Contractors Association specify. Cabors

Enhance the beauty of REDWOOD

inside . . .



House in Los Altos, Calif.

Architect: Bolton, White and Jack Herman, San Francisco
Paneling and woodwork finished with Cabat's Stain Wax.

outside . . .



Redwood siding and trim stained with Cabot's Creasate Stain.

Cabot's Finishes for

REDWOOD

Architects and builders know that Cabot produces the ideal finishes for Redwood. • Easy to apply and economical • Accent the texture and grain

For exteriors:

Your choice of finishes — clear, natural, gloss, driftwood or stains in 35 distinctive colors.

For interiors:

Stain, wax and seal in one easy operation with Cabot's Stain Wax

BAMUEL CABOT INC. 229 Oliver Building, Boston 9, Mass.

Please send your "Redwood Staining" Brochure

Coming in mid-May... fifth annual yearbook of America's

RECORD HOUSES



best-planned houses



In mid-May Architectural Record will again publish its exciting one-volume selection of the year's finest architect-planned houses.

Twenty houses, chosen from hundreds of top quality candidates, will be presented to Record's architect and engineer subscribers and—through the nation's bookstores—to house builders and buyers.

These houses, designed by twenty different architects, some famous, others whose work will appear for the first time in the architectural press, range from low budget to luxury design. They were custom planned for both individual owner and merchant builder clients.

Superb photographs—many in full color—and expertly drawn plans and details will reveal the distinctive merits of individual Record houses. Concise text will explain how each house is constructed and equipped . . . how it successfully serves the entire family.

"Record Houses of 1960" will also feature:

- Articles by leading authorities on latest developments in structure, interior design, mechanical equipment, lighting.
- New Products for the Quality House . . . plus advertised product information on 1960's newest materials, equipment and furnishings from America's foremost manufacturers in the field.

Architects have hailed "Record Houses" annuals as handy references, trend indicators, valuable aids for selling clients, and an inspiration!

"Record Houses of 1960" promises to be all of these things and more—a delight to read for everyone interested in quality house design.

Architectural Record subscribers will receive "Record Houses of 1960" in addition to the regular May issue. The house building and buying public will buy it, complete with advertised product informa-

RECORD HOUSES OF 1960

"the standard of quality house design"

119 West 40th Street, New York 18, N.Y. OXford 5-3000







AVAILABLE NOW-the only comprehensive manual to cover all the media and techniques of architectural rendering



Covers all aspects of technique —

- IMAGERY
- PERSPECTIVE
- COMPOSITION
- LIGHT
- COLOR
- EQUIPMENT

Covers all media in detail—

- PENCIL
- PEN AND INK
- SMUDGE CHARCOAL
- CHINESE INK
- WATER COLOR
- TEMPERA
- · AIR BRUSH
- · PASTELS
- COMBINATIONS OF MEDIA

MAIL THIS COUPON TODAY
FOR IMMEDIATE DELIVERY

ARCHITECTURAL RENDERING

the techniques of contemporary presentation

by Albert O. Halse, A.I.A.

277 pages • 8¾ x 115%" size
over 300 illustrations and line drawings
17 PAGES IN FULL COLOR
\$15.75

Here is a masterful, major treatise which explains in text and choice illustrations every technique and medium used in architectural rendering today. For anyone whose work requires knowledge of the methods of delineation, it offers something new and complete in its field.

Never before has so much information on rendering been amassed in a single volume. Every aspect of the subject receives attention here: interiors, exteriors, nature; perspective, lighting, reflections, textures; all of the media in detail; how to buy materials, and how and when to use them; professional tricks of the trade. Introductory chapters contain a history of rendering, a study of color and light, and basic information applicable to all rendering. Many detailed exercises guide you in techniques. Many examples of renderings in each medium give you direct access to expert solutions of a variety of problems. A special section of professional renderings done in various media has been included.

ARCHITECTURAL RENDERING is a delight to the eye as well as an invaluable reference. Its magnificent illustrations, 17 of them in full color, cover all of the steps of rendering, from pencil strokes to finished products. It is remarkable for its thoroughness, reliability, and convenience.

PRACTICAL

CLEAR • COMPREHENSIVE • DETAILED

Dodge Books, F. W. Dodge Corporation 119 W. 40th Street, New York 18, N. Y.

ZONE.....STATE.....

Send me . . . copies of ARCHITECTURAL RENDERING @ \$15.75. After ten days' free use, I will either remit payment, including postage, or return the book(s) without obligation.

ADDRESS.

CITY....

SAVE MONEY! Enclose payment and Dodge pays postage, same return privilege.



Albert O. Halse, A.I.A., one of the foremost teachers of delineation in the United States, has had 30 years of experience as a designer, architect, and professional renderer, and has been a successful color consultant and interior designer as well. For 13 years he has taught delineation at the School of Architecture, Columbia University, during which time he has been able further to develop, test, and prove the theories and principles of delineation set forth in this book. He is well known also as a practicing New Jersey architect, and he was recently honored by the Architects' League of Northern New Jersey for his distinguished service to the profession of architecture.

you can figure building costs

QUICKLY and ACCURATELY



BOECKH'S MANUAL OF APPRAISALS

OVER 100,000 individual unit costsmore than 300 buildings, with hundreds of variations, all easily converted to local cost conditions through the supplementary service, BUILDING COSTS.

BUILDING COSTS

Published Monthly

A supplementary service giving an analysis of current market conditions and the latest cost indexes for the major metropolitan areas of the United States and Canada to convert the estimating Manual to local cost conditions.



SEND TODAY FOR COMPLETE DETAILS

6.0	Boeckh	 Accel	-

1406 M Street, N.W. Washington 5, D. C.

Please forward to the undersigned, brochure containing full details of your building estimating and appraisal services.

ADDRESS

ZONE STATE



#700 ALUMINUM TRACK > ASSEMBLY FOR 1/4" **SLIDING GLASS DOORS**

Perfect for Residential and Commercial installations

- **GUN and TROPHY CASES**
- CHINA and BOOK CASES
- MERCHANDISE and MEDICAL CASES

TOO E-Z Glide Aluminum Track Assembly is the modern concept of effortless and noiseless sliding of large 1/4" glass doors. Readily adaptable to all size panels. Versatility and interchangeability of component parts adapts the #### TOO Assembly to a wide variety of installations with a minimum of stock. Doors are instantly removable by raising slightly. Mashed fingers and glass breakage due to free travel are eliminated. Friction coefficient of 0.16 is sufficient to considerably lessen travel of panel after moving force has ceased.







#720 track for by-passing doors. Drops into #710 track base or used alone. In 4, 6, 8 and 12 foot lengths.

#721 track for bypassing doors. Sur-face installation is easy. Drilled at 6" intervals. In 4, 6, 8 and 12 feet lengths.



cleaning. in 4, 6, 8 foot lengths.





#722 track for 1/4" by - passing doors. Provides own facia. May be mounted various ways. In 4, 6, 8 and 12 foot lengths.

#730 upper guide or side channel. Provides own handsome facia top and sides. In 4, 6. B and 12 foot lengths.







#740 reversible shoe with #750 fibre glide. Provides stable support and finished edge. In 4, 6, 8 and 12 foot lengths.

#760 rubber T-guide press fits into #740 #771 clip guide press shoe and glides free-ty into #730 upper guide. #780 rubber bumper guide.


SEE SWEET'S CATALOG For the complete EPCO line under Architectural File No. 18g-En and Light Construction File No. 7a-En.

FREE 20-PAGE CATALOG on the complete EPCO line of Magnetic and Friction Catches, E - Z Glide track and guides, and drawer and door pulls will be sent on re-





ENGINEERED PRODUCTS CO. P.O. BOX 118, FLINT, MICH. PH. CEdar 9-8689

Current Trends in Construction



Total contracts include residential, nonresidential, heavy engineering contracts





SCHOOL BUILDING did not have its best year in 1959, by any means, but it still represents an enormous part of the total building market. According to the Dodge figures, educational and science buildings in 1959 constituted the fourth largest category of construction, ranking behind residential and commercial building and highway construction. Nearly a quarter of all nonresidential building contracts in 1959 were for educational and science buildings.

THE FACT THAT school building declined rather sharply in 1959 apparently did not stem from any great easing of the need for new schools, but rather from a combination of other circumstances. These included the recession of 1958, the financial difficulties encountered by some states and municipalities, and a somewhat dim view taken by the voters in the bond issue elections of 1958. These circumstances were, of course, somewhat inter-related. Things have improved considerably on all these fronts, and the outlook for 1960 indicates that school activity will pick up perceptibly.

IN MANY, if not most, school districts, economy is the watchword. "Frills," whatever they may be, are frowned upon. One man's frill may be another man's necessity, of course, and there is endless debate over what should or should not be included, over and above bare classroom space. All too often, architects' original designs are stripped down beyond recognition by local authorities. The arguments over frills generally revolve around whether they are necessary for strictly educational purposes. But isn't there, perhaps, something more to life than the severely utilitarian?

HAVING SAT THROUGH some of these debates as a school board member, the thought has often occurred to me that the physical appearance of the building, its landscaping, and a few little luxuries may be worth far more -in cold dollars and cents-to the community than their cost. This is a radical thought, perhaps, for a school board, or for a town finance committee, but is it entirely unreasonable? Ask the real estate agents. If they operate in a neighborhood which possesses a school that is physically attractive, they will invariably take househunting clients past the school first, and then show them houses. Conversely, if the local school is decrepit, or even new and ordinary, it takes a low priority on the agent's itinerary. There is a definite relationship between schools and property values, and the appearance of the building may have just as much bearing as the educational excellence of the school. Perhaps it shouldn't, in the minds of some, but it does. A school on which a little extra money is spent may very well contribute far more in cash to the community, by raising property values and the tax base.

GEORGE CLINE SMITH
Vice President and Economist
F. W. Dodge Corporation

BETTER CONSTRUCTION THROUGH BETTER USE OF CEMENTS


news and notes from the field

Dusting Concrete Floors—Causes and Preventions

When a concrete floor dusts it is because the wearing surface is weak and traffic has caused it to become powdery. The wearing surface of a concrete floor is comparatively thin in cross section, and its construction must be controlled by certain basic principles. When properly constructed this top surface will resist extremely severe wear and abrasion indefinitely, and dusting will not occur.



UNIFORM DISTRIBUTION of coarse aggregate particles in correctly built con-crete floor. Note that aggregate extends right up to wearing surface



WEAK WEARING-SURFACE shows low strength layer of fines. Overtroweling has caused fine particles to rise to the top. Result is excessive shrinkage, cracking and dusting.

What Causes Dusting?

Weak surfaces and dusting generally result from the use of overly wet mixes, excessive troweling and/or inadequate curing which allows rapid evaporation of mixing water at the surface.

To confirm the fact that these practices actually cause dusting, an experienced finisher was called into the laboratory at one of the Alpha plants. He was asked to construct two slabs using the same concrete mix for each, but the slump, finishing and curing of the two slabs were to be drastically different.



More Information

Write for a copy of the Alpha Craftsmanship in Concrete Folder: Steel Trowel Finishing. Consult with your Alpha representative on any unusual problem.



Curing and finishing of this slab conformed to the recommendations for proper construction that follow. Sample A had a smooth, hard surface which did not dust.



In sample B water was added to increase the slump to 7 inches. It was troweled excessively and not properly cured. Sample B had a soft surface which was easily scratched with a nail as shown in the above illustration.

Since the cement and aggregates for each sample were identical, and each slab subjected to the same weather conditions, this Alpha experiment shows conclusively that the wetter mix, overtroweling and inadequate curing definitely produced the extreme difference in results.

How to Build Heavy-Duty **Concrete Floors**

1. Use a relatively dry mix, not over 4-inch slump, on a damp subgrade. For machine floating, water should not exceed 4 gal. per sack of cement; for hand floating not more than 5 gal. per sack of cement.

2. Compact by tamping, rolling or vibrating. If vibration is used, it should be uniformly applied and slump should not exceed one inch.

3. Strike off and wood float to grade immediately. If necessary, use steel trowel sparingly to remove float marks. Avoid excessive troweling!



4. Where an extremely smooth surface is desired, an intermediate troweling may be used with great care immediately after the water sheen leaves the surface.



Give final steel troweling when finger pressure just dents the surface. The trowel will then produce a ringing sound. Use enough finishers to handle the concrete when ready.



6. Cure with waterproof paper, membrane curing compounds, wet burlap or by ponding with water. Start curing as soon

Do not omit any of the above steps. Often small imperfections in fresh concrete surfaces do not show after the concrete is cured; so excessive troweling is unnecessary.

These recommendations are intended for use in finishing horizontal surfaces of non air-entrained concrete. When airentrained concrete is used, slightly different techniques may be required in steel troweling to prevent pulling or tearing the concrete surface.

385

PORTLAND CEMENT

Alpha Building, Easton,

the accompanying quotation is from a talk before the thirtyeighth annual meeting of the Eastern Association of College and University Business Officers held in Washington in December 1957 —delivered by Ernest V. Hollis, director of college and university administration, U.S. Office of Education

We have three powerful and salutary forces working together to bring the profession to maturity. The oldest of these are the regional associations of college and university business officers, of which none has played a more important role than the Eastern Association. Among the many significant projects of the regional associations none has contributed more to the growth of the profession than the workshops for upgrading personnel that have been nurtured so ably by Charlie Hoff in Nebraska, Frank Peterson in Kentucky, Ray Kettler in California and the committee on workshops of the Eastern Association.

The second of these forces is the National Federation of College and University Business Officers, which is new, but which has already sponsored the 60-college study and several other projects of nationwide significance.

unifying and stimulating

The third unifying and stimulating force that has advanced the profession is a commercial one. I refer to Hal Herman [editor] and his associates, who are doing such a magnificent service for the profession through the publication College and University Business.

The only part of the profession I am talking about this evening is the chief business officer of institutions and those among his associates who want to become, like him, generalists rather than specialists in the field. 22




COLLEGE AND UNIVERSITY BUSINESS WAS established in 1946 with the explicit purpose of being "unifying and stimulating" to those responsible for business management in the field of higher education—presidents, business managers and their staffs: superintendents of buildings and grounds, controllers, purchasing agents, and the directors of housing, food service and student centers. Ask any of these men and women, anywhere, how well the magazine has succeeded.



THE NATION'S SCHOOLS DIVISION, THE MODERN HOSPITAL PUBLISHING CO., INC.

CHICAGO 11. ILLINOIS

386



COORDINATION:

cornerstone of a great and growing firm

The new office building of A. Epstein and Sons, Inc., has evolved in four stages — over the course of the last 12 years — to keep pace with the achievements of this 39-year-old firm of architects and engineers. Its 27,000 square feet now accommodate one of the nation's largest practices — responsible for construction in excess of \$90-million annually. The efficient coordination of its complex activities is in itself a striking success for this notable firm.

In the area of communications, the members of A. Epstein and Sons place a great deal of importance on their cooperation with F. W. Dodge. They see to it that pertinent information on all jobs in progress is relayed to the Dodge Reporter as it becomes available.

Through Dodge Reports, this data is channelled to sources of vital services and supplies . . . in each of the areas where building is to take place . . . to create the most favorable bidding situation for Epstein's clients. Together with plans and specs filed in Dodge Plan Rooms nearest the construction sites, the Reports expedite contract awards, buying decisions, and building. At the same time, they relieve the Epstein staff of the nuisance of many otherwise unavoidable 'cold' sales calls.

Here is further evidence that DODGE REPORTS ARE A VALUABLE COMMUNICATIONS LINK BETWEEN THE ARCHITECT AND THOSE WHO SERVE HIM.



DODGE REPORTS

CONSTRUCTION NEWS SERVICE 119 West 40th Street, New York 18, N. Y

Part of 2nd floor offices. Not shown: Interior Design and Accounting Depts.

Land of the first o

Index to Advertising

ton Institute 37 A A Drow Metal Products Corp. 366 A-IC Allegheny Ludium Steel Corp. 251 A-IC Allegheny Ludium Steel Corp. 252 A-IC Allegheny Ludium Steel Corp. 368 A-IC-IC Alleminum Company of America 247 A Lording Market Lausing Corp. 308 A-IC-IC Alleminum Company of America 247 A Aluminum Window Mfgs. Association 323 A-IC-IC Aluminum Company of America 247 A Aluminum Window Mfgs. 363 A-IC-IC Aluminum Company of America 247 A Aluminum Window Mfgs. 363 A-IC-IC Aluminum Company of America 247 A Aluminum Window Mfgs. 363 A-IC-IC Aluminum Company of America 247 A Aluminum Window Mfgs. 363 A-IC-IC Aluminum Company of America 247 A Aluminum Window Mfgs. 363 A-IC-IC American Steel in Co. 55 A Gut Co. 267 A merican Gas Association 14-14 A-IC American Steindard, Industrial 34 A American Obean Tile Co. 142 A-IC American Steindard, Industrial 34 A American Obean Tile Co. 142 A-IC American Steadard, Industrial 34 A Hussey Drinking Faucet Company 344 A Hussey Drinking Faucet Company 344 A Hussey Drinking Faucet Company 344 A-IC-IC Aluminum Company 348-349, 390 A Republic Steel Corp. 345 A-IC-IC Aluminum Company 348-349, 390 A Husting Lower Food Co. 27 A Hobart Mfg. Co. 270 A Hobart Mfg. Co. 270 A Hobart Mfg. Co. 370 A Husting Laboratories 233 A Huntington Laboratories 233 A Hussey Mfg. Co., Inc. 22-23 A Co. 160 A-IC Bettlehem Steel Company 348 A-IC-IC Betwall Gypsum Co. 319 A-IC-IC-IC Betwall Gypsum Co. 319 A-IC-IC-IC Betwall Gypsum Co. 319 A-IC-IC-	ng Co. of 78 Co
A-IC Archivestina File Lipschit Lipschit A-IC Fareing Tile Institute A-IC Construction File Lipschit A-IC Fareing Tile Institute A-IC Construction File Lipschit A-IC Fareing Tile Language A-IC Construction Fareing Tile Construction File Construction Fareing Tile Construction File Construction Fareing Tile Fareing Tile Fareing Tile Construction Fareing Tile Fareing Til	Aniline & 104
A-IC Adam Steetic Co, Frank 307 A Adams & Westhake, The 268-2699 A Adams & Westhake, The 268-2799 A Adams & Westhake, The 268-2799 A Conditioning and Refrigera 325 A	Aniline &
A-IC Adam Electric Co., Frank. 307 A Alams-Rite Manufacturing Company Ad. C Fenestra Inc. 100 Annual Steel Products Corporation 273 A Act as Steel Products Corporation 273 A Albrow Metal Products Corporation 273 A Albrow Metal Products Corporation 274 A Albrow Metal Products Corporation 275 A Albrow Metal Products Corporation 275 A Albrow Metal Products Corporation 276 A-IC Allegheny Ladium Steel Corp. 285 A-IC Allegheny Ladium Steel Corp. 286 A-IC Allegheny Ladium Steel Corp. 285 A-IC Allegheny Ladium Steel Corp	148
Adams & Westlake, The 268-269 A. Act Gramm Mig. Co., Michael. 369-361 A. Corring Co. Act of Store Products Corporation of National Company of America 325 A. Company and Refrigeration Institute of A. Act of Allegheny Lordium Steel Corp. 365 A. Act Of Allegheny Lordium Steel Corp. 368 A. Act Of Allegheny Lordium Window Migs. Association of Michael Steel Corp. 368 A. Act Of American Brass Company 11 A. Act Of American Brass Company 11 A. Act Of American Granwood Flooring Co. 56 A. Act Of Corp. 368 A. Act Of Corp. 368 A. Act Of American Granwood Flooring Co. 56 A. Act Of Corp. 368 A. Grant Brass Corp. 368 A. Grant Brass Corp. 368 A. Grant Brass Corp. 368 A. Act Of American Steel Corp. 369 A. Act Of Co	
Aerofin Corporation 373 A Aetan Steel Products Corporation 325 Air Conditioning and Refrigeration Institute 37 A Alfro Metal Products Corp. 365 A-IC Alledhern, Ludium Steel Corp. 263 A-IC Alter Landert, Inc. 263 A-IC Alter Landert, Inc. 263 A-IC Alter Lander, Inc. 263 A-IC American Standard, Industrial Div. 263 A-IC American Sterilizer 263 A-IC American Standard, Industrial Div. 263 A-IC American Standard, Industrial Div. 263 A-IC American Steel Corp. 345 A-IC American Standard, Industrial Div. 263 A-IC American Standard, Industrial Div. 263 A-IC American Steel Corp. 345 A-IC American Standard, Industrial Div. 263 A-IC Bayley Co., 364 A-IC A	nc 8
A Conditioning and Refrigera- A A A A A A A A A A	339 to 342
Air Conditioning and Refrigera- tion Institute A Albrow Metal Products Corp. A Albrow Metal Products Corp. A Constant Products Corp. A Albrow Metal Products Corp. A Constant Product Corp. A Corp	Co., Paint
A Alfro Metal Products Corp. 366 A-IC Allegheny Ludding Steel Corp. 263 A-IC Allegheny Ludding Steel Corp. 264 A-IC American Stress Company of America 247 A Aluminum Window Mfss. Association 325 A-IC American Stress Company 14-14 A American Stress Company 14-14 A American Machine and Metals, Inc. 346 A A American Machine and Metals, Inc. 346 A A American Machine and Metals, Inc. 346 A A American Stress Company 344 A Architectural Record 376-377, 389-381 A-IC Armoc Drainage & Metal Products Co. 349 A-IC Armoc Drainage & Metal Products Co. 340 A-IC Armoc Steel Corp. 344 A-IC A Armoc Steel Corp. 344 A-IC A Armoc Steel Corp. 345 A-IC Bell & Ginsett Co. 319 A-IC Bell & Ginsett Co. 319 A-IC Bell & Ginsett Co. 322 A-IC Blyley Co. William 306 A-IC Bell & Ginsett Co. 323 A-IC Brid & Son, Inc. 238	126
A-IC-LC Alter Lansing Corp. A Cl-CL Alternium Company of America 247 A A Alminum Window Migs. Association 323 A-IC Anterion Brass Company 11 American Gas Association 144-145 A American Obean Tile Co. 346 A A Company Service Company 344 A Company Co. 40 A A Company Company Company 345 A-IC Armeo Desinage & Metal Products Obean Tile Co. 40 A Armeo Steel Corp. 345 A-IC Armeo Desinage & Metal Products Obean Tile Co. 40 A A Company Company 348-349, 390 A A-IC Company 348-349, 390 A Bastian-Blessing Company 348-349, 390 A Behlen Mig. Co. 439 A-IC Bayley Co., William 306 A Beckley-Cardy 358 A-IC Bigelow Sanford Carpet Co. 332 A-IC Bigelow Sanford Carpet Co. 3	308
A-IC-LC Alaminum Company of America A Aluminum Window Migs. Asso- ciation A Aluminum Window Migs. Asso- ciation A-IC American Brass Company 11 American Gas Association 144-145 American Gas Association 144-145 American Gas Association 144-145 American Olean Tile Co. A American Machine and Metals, Inc. A-IC American Olean Tile Co. A Merican Olean Tile Co. A American Olean Tile Co. A Merican Sterilizer A-IC Armo Dearinage & Metal Products Ucts A-IC Armo Dearinage & Metal Products Ucts A-IC Armo Dearinage & Metal Products Ucts A-IC Armo Organiage & Metal Products Ucts A-IC Bayley Co., William 306 A-IC Bethehem Steel Company 322 A-IC Bigelow Sanford Carpet Co. 332 A-IC Bigelow Sanford Carpet Co. 332 A-IC Bigelow Sanford Carpet Co. 333 A-IC Bigelow Sanford Carpet Co. 334 A-IC Bigelow Sanford Carpet Co. 335 A-IC Bigelow Sanford Carpet Co. 336 A-IC Bigelow Sanford Carpet Co. 337 A-IC Bulldog Electric Products Co. 340 A-IC Bulldog Electric Products Co. 341 A-IC Bulldog Electric Products Co. 341 A-IC Bulldog Electric Products Co. 342 A-IC Bulldog Electric Products Co. 343 A-IC Bulldog Electric Products Co. 344 A-IC Bulldog Electric Products Co. 345 A-IC Bulldog Electric Products Co. 346 A-IC Bulldog Electric Products Co. 347 A-IC Bulldog Electric Products Co. 348 A-IC Bulldog Electric Products Co. 349 A-IC Buller Manufacturing 341 A-IC Buller Manufacturing 341 A-IC Buller Manufacturing 341 A-IC Buller Manufacturing 342 A-IC Buller Manufacturing 343 A-IC Buller Manufacturing 344 A-IC Buller Manufacturing 345 A-IC Buller Manufacturing 346 A-IC Buller Manufacturing 347 A-IC Buller Manufacturing 348 A-IC Buller Manufacturing 349 A-IC Buller Manufacturing 349 A-IC Buller Manufacturing 340 A-IC Buller Manufacturing 341 A-IC Buller Manufacturing 341 A-IC Buller Manufacturing 342 A-IC Buller Manufacturing 343 A-IC Bulle	erator
A-LC Martina Brass Company 11 American Grash Brass Company 11 Anderson Mrs. Co. 283 A Reflectal Corporation A Republic Select Company 285 A Reflectal Corporation 16 A Republic Select Company 144 A Requible Select Company 144 A Hauston Elevator Co. 112 A Hause Drinking Faucet Company 344 A Hauston Elevator Co. 112 A Hobert Mrg. Co. 279 A Hobort Mrg. Co. 335 A Hussey Mrg. Co., Inc. 22-23 A Hussey	
American Gas Association 144-145	America . 251
American Granwood Flooring Co. A American Machine and Metals, Inc. A American Mechine and Metals, Inc. A American Olean Tile Co. A American-Standard, Industrial 12 B. C.	250
American Olean Tile Co. 142	286
A-IC American-Standard, Industrial Div. 105-108 A merican Sterilizer 249 A merican Sterilizer 249 A Haws Drinking Faucet Company 344 A-C Richards-Wilcox Mfg. A-IC Armeo Drainage & Metal Products Lets. 4 Hines Lumber Co., Edward 16-17 A-IC Armeo Drainage & Metal Products Lets. 4 Holeomb & Hoke Mfg. Co., Inc. 33-36 A-IC Armetor Steel Corp. 345 A-IC Marstrong Cork Co. 29, 76-77 A-IC A-IC Arock Floor Products 73 A-IC Barber-Colman Company 348-349, 390 A-IC Barber-Colman Company 348-349, 390 A-IC Barber-Colman Company 348-349, 390 A-IC Bethelen Mfg. Co. 48 A-IC Betwall Gypsum Co. 305 A-IC Bethelen Mfg. Co. 319 A-IC Bethelen Steel Company A-IC Bethelen Steel Company Biglow Sanford Carpet Co. 332 A-IC Bird & Son, Inc. 238 A-IC Bird & Son, Inc. 249-241 A-I	any 83-84
American Sterilizer 249 A Haws Drinking Faucet Company 344 Architectural Record 376-377, 380-381 A Hillyard Chemical Co. 82 Alc Carmeo Drainage & Metal Products Co. 279 A Hobart Mig. Co. 279 A Holoamb & Hoke Mig. Co., 16, 33-36 A-IC La Armetong Cork Co. 29, 76-77 A-LC Arrock Floor Products 73 A-IC Barber-Colman Company 348-349, 390 A Bastian-Blessing Company 322 A-IC Barber-Colman Company 348-349, 390 A Bastian-Blessing Company 322 A-IC Barber-Colman Company 348-349, 390 A Beckley-Cardy 358 Behlen Mig. Co. 48 A-IC-LC Bestwall Gypsum Co. 305 A-IC Bet Bit & Gossett Co. 319 A-IC-LC Betwall Gypsum Co. 305 A-IC Betwall Gypsum Co. 305 A-IC Bit & Son, Inc. 238 A-IC Bottler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Caradco, Inc. 375 A-IC Caradco, Inc. 375 A-IC Caraco, Inc. 375 America 92 A-IC Caradco, Inc. 375 America 92 A Haws Drinking Faucet Company 344 A Hillyard Chemical Co. 82 A-IC Butler Mig. Co. 127 A Hobourt Mig. Co. 127 A Holocomb & Hoke Mig. Co., Inc. 334 A Holocomb & Hoke Mig. Co., Inc. 34 A Holocomb & Mig. and Haas Company A Lic. Roberton Co., Inc. 147 A Honge's Windows, Inc. 134 A Horon, A. C. Company & A-IC Roberton Co., A-IC Roberton Co., Inc. 147 A Jamison Cold Storage Door Co. 124 A-IC Storage Do	
A-IC Armeo Drainage & Metal Products uets 255 A A Armo Steel Corp. 345 A-IC-LC Armstrong Cork Co. 29, 76-77 A-LC Azrock Floor Products 73 A-IC-LC Armstrong Cork Co. 29, 76-77 A-LC Azrock Floor Products 73 A-IC-LC Barber-Colman Company 348-349, 390 A-IC-Barber-Colman Company 348-349, 390 A Bastian-Blessing Company 322 A-IC Bayley Co., William 306 A Beckley-Cardy 368 A-IC-LC Bell & Gassett Co. 319 A-IC-LC Betwell Gypsum Co. 305 A-IC Bird & Son, Inc. 238 A-IC-Bird & Son, Inc. 252 A-IC-Bird & Son, Inc. 240-241 A-IC-Bird & Son, Inc. 270 A-IC-Bird & Son, Inc. 271 A-IC-Bird & Son, Inc. 272 A-IC-Bird & Son, Inc. 273 A-IC-Bird & Son, Inc. 273 A-IC-Bird & Son, Inc. 274 A-IC-	Co 327
A-IC-LC Armstrong Cork Co. 29, 76-77 A-LC Azrock Floor Products 73 A-LC Barber-Colman Company 348-349, 390 A Bastian-Blessing Company 322 A-IC Barber-Colman Company 348-349, 390 A Bastian-Blessing Company 322 A-IC Barber Colman 366 A Bastian-Blessing Company 322 A-IC Barber Colman 366 A Bastian-Blessing Company 322 A-IC Barber Colman 366 A Hussey Mfg. Co., inc. 22-23 A-IC Barber Colman 366 A-IC Bell & Gossett Co. 312-313 A-IC Bell & Gossett Co. 319 A-IC-LC Bestwall Gypsum Co. 365 A-IC Bettwell Gypsum Co. 365 A-IC Bituminous Coal Institute 281 A-IC Bituminous Coal Institute 281 A-IC Bituminous Coal Institute 281 A-IC Burden Metal Products Co. 71 A-IC Borden Metal Products Co. 71 A-IC Burden Metal Products Co. 71	ar C 146
A-IC Barber-Colman Company 348-349, 390 A Bastian-Blessing Company 322 A-IC Bayley Co., William 366 A Beckley-Gardy 358 Behlen Mfg. Co. 48 A-IC Bell & Gossett Co. 319 A-IC Bell & Gossett Co. 319 A-IC Bell & Gossett Co. 302 A-IC Betwall Gypsum Co. 305 A-IC Bethlehem Steel Company Bigelow Sanford Carpet Co. 332 A-IC Bituminous Coal Institute 281 A-IC Bituminous Coal Institute 281 A-IC Bituminous Coal Institute 281 A-IC Barber-Deficition Company Blakeslee & Co. 68 Borden Metal Products Co. 71 A-IC Bruse Company, E. L. 147 Bullogs Electric Products Div. I-T-E- Circuit Breaker Co. 93 A-IC Butler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC LC Longany Institute, Inc. and National Cotton Council 97 A-IC Carpenter & Company Inc. 97 A Sylvania Lighting Px A Huntington Laboratories 233 A Hussey Mfg. Co., Inc. 22-23 A-IC Rust-Oleum Corp A Huntington Laboratories 233 A Hussey Mfg. Co., Inc. 22-23 A-IC Rust-Oleum Corp A Hussey Mfg. Co., Inc. 22-23 A-IC Rust-Oleum Corp A Hussey Mfg. Co., Inc. 22-23 A-IC Rust-Oleum Corp A Linen Supply Association of 22-25 A-IC Rust-Oleum Corp A-IC St. Regis Paper Comp A-IC Sargent and Company A-IC Sargent and Company A-IC Sargent and Company A-IC Sargent and Company A-IC Logone Sharon Steel Corp A Sinmons Company Inc. 264-265 A-IC LC Ruster Co. 312 A-IC Rust-Oleum Corp A-IC Kaiser Aluminum & Chemical Sales, Inc. 127-130 A-IC Sono Pave Company A-IC Scargenter A Seqwick Machine Wo Sharon Steel Corp A Sinmons Company Inc. 264-265 A-IC Scargenter A Seqwick Machine Wo Sharon Steel Corp A Sinmons Company Inc. A-IC Kensieg Door Co. 124 A-IC Kens	ration 45
A-IC Barber-Colman Company 348-349, 390 A Bastian-Blessing Company 322 A-IC Bayley Co., William 366 A Beekley-Cardy 358 Behlen Mfg. Co. 48 A-IC Bell & Gossett Co. 319 A-IC Bettwall Gypsum Co. 305 A-IC Betthehem Steel Company 98-99, 114-115 Bigelow Sanford Carpet Company 98-99, 114-115 A-IC Bituminous Coal Institute 281 A-IC Bituminous Coal Institute 281 A-IC Bituminous Coal Institute 281 A-IC Bruce Company, E. L. 147 B-IC Borden Metal Products Co. 71 A-IC Bruce Company, E. L. 147 B-IB Groten Metal Products Co. 71 B-IB Groten Metal Products Co. 71 A-IC Bruce Company, E. L. 147 B-IB Groten Metal Products Co. 71 A-IC Bruce Company S. A. C. Company S. A. C. Company S. A. C. Caradeo, Inc. 379 A Canvas Awning Institute, Inc. and National Cotton Council 97 A-IC Caradeo, Inc. 375 A-IC Bush Sales, Inc. 375 A-IC Linen Supply Association of A Sylvania Lighting Pre	333, 335
A Hussey Mg. Co., Inc. 22-23 A Russey Mg. Co., Inc. 22-23 A Russey Mg. Co., Inc. 22-23 A Russey Mg. Co., Inc. 22-23 A LC Bayley Co., William 366 A Beekley-Cardy 358 Behlen Mg. Co. 48 A-LC Bil & Gossett Co. 319 A-IC. LC Bestwall Gypsum Co. 365 A-IC Bestwall Gypsum Co. 365 A-IC Bituminous Evel Company Bigelow Sanford Carpet Co. 332 A-IC Bituminous Coal Institute 281 A Blakeslee & Co., G. S. 368 Boockh & Associates, E. H. 383 A-IC Bituminous Coal Institute 281 A-IC Borden Metal Products Co. 71 A-IC Borden Metal Products Co. 71 A-IC Bruee Company, E. L. 147 Buildog Electric Products Div. A-IC Butler Manufacturing 51 A-IC Leppold Company, The 46-47 A Canvas Awning Institute, Inc. and National Cotton Council 97 A-IC Caradeo, Inc. 375 A Linen Supply Association of A Sylvania Lighting Pre	135
A-IC Bayley Co., William 306 A Beekley-Cardy 358 Behlen Mfg. Co. 48 A-IC Bell & Gossett Co. 319 A-IC Bell & Gossett Co. 319 A-IC Bell & Gossett Co. 305 A-IC Bettwall Gypsum Co. 305 A-IC Betthehem Steel Company Bigelow Sanford Carpet Co. 328 A-IC Bituminous Coal Institute 281 A-IC Borden Metal Products Co. 71 A-IC Borden Metal Products Co. 71 A-IC Borden Metal Products Co. 71 A-IC Burges-Manning Company 100 A-IC Burges-Manning Company 100 A-IC Butler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Caradeo, Inc. 379 A Canvas Awning Institute, Inc. and National Cutton Council 97 A-IC Caradeo, Inc. 375 A-IC Linen Supply Association of 375 A-IC Caradeo, Inc. 375 A-IC Butler Products Co. 312-313 A-IC LC Sando Inc. 375 A-IC LC Inland Steel Products Co. 312-313 A-IC Structoglas Div. 252 A-IC Storage Door Co. 124 A-IC LC Sando Inc. 312-313 A-IC LC	50
A-LC Befil & Gossett Co. 319 A-IC-LC Bestwall Gypsum Co. 305 A-IC Bethehem Steel Company Bigelow Sanford Carpet Co. 332 A-LC Bird & Son, Inc. 238 A-LC Bird & Son, Inc. 238 A-IC Bituminous Coal Institute 281 A Blakeslee & Co. G. S. 308 Boockh & Associates, E. H. 383 A-IC Burled Metal Products Co. 71 A-LC Borden Metal Products Co. 71 A-LC Bruce Company, E. L. 147 Bulldog Electric Products Div. 1-T-E- Circuit Breaker Co. 93 A-IC Burled Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Byers Co., A. M. 4 A Cabot Inc., Samuel 379 A-IC Caradeo, Inc. 379 A-IC Caradeo, Inc. 375 A	
A-IC Bethiehem Steel Company Bigelow Sanford Carpet Co. 332 A-IC Bird & Son, Inc. 238 A-IC Bituminous Coal Institute 281 A Blakeslee & Co. G. S. 308 Bosckh & Associates, E. H. 383 A-IC Borden Metal Products Co. 71 A-IC Borden Metal Products Co. 71 A-IC Bulldog Electric Products Div. I-T-E- Circuit Breaker Co. 93 A-IC Burgess-Manning Company 100 A-IC Butler Manufacturing 51 A-IC Byers Co. A. M. 4 Cabot Inc., Samuel 379 A Canvas Awning Institute, Inc. and National Cotton Council 97 A-IC Caradco, Inc. 375 A-IC Linen Supply Association of A Spepard Elevator Co. 124 Shumson Cold Storage Door Co. 124 Sic Mfg. Co., Inc. Sic Mfg. and Tool Cold Sic Mf	rks 350
Bigelow Sanford Carpeter Co. 332	pany 24
A-LC Bird & Son, Inc	378
A-IC Borden Metal Products Co. 71 A-LC Bruee Company, E. L. 147 A-IC Burgees-Manning Company 100 A-IC Survey-Manning Company 100 A-IC Survey-Manning Manufacture 100 A-IC Survey-Manning Manufacture 100 A-IC Survey-Manning Company 100 A-IC Survey-Manning Company 100 A-IC Survey-Manning Survey-Manning Company 100 A-IC Survey-Manning Manning Company 100 A-IC Survey-Manning Manning Company 100 A-IC Survey-Manning Manning 100 A-IC Survey-Manning Manning 100 A-IC Survey-Manning Manning 100 A-IC Survey-Manning 100 A-IC Survey-Man	68
A-IC Borden Metal Products Co. 71 A-LC Bruce Company, E. L. 147 A-IC Bruce Company, E. L. 147 Bulldog Electric Products Div. I-T-E- Circuit Breaker Co. 93 A-IC Klemp International 343 A Burgess-Manning Company 100 A-IC Butler Manufacturing 51 A-IC Smith & Co. Inc. Elw Surfactor Machine Square D Company Square D Company 5 A Standard Tile Co., Inc. Butler Manufacturing 5 A-IC Lepond Company 1 A-IC Smith & Co. Inc. Elw Surfactor Machine Square D Company 5 A Standard Tile Co., Inc. Butler Manufacturing 5 A-IC Company 6 A-IC Smith & Co. Inc. Elw Surfactor Machine Machi	4th Cover
Bruce Company, E. I. 147 Bullog Electric Products Div. LT-E- Circuit Breaker Co. 93 A Burgess-Manning Company 100 A-IC Butler Manufacturing 51 A-IC Sonoco Products Company 5 Standard Tile Co., Inc. 940 A-IC Strobers Manufacturing 51 A-IC Butler Manufacturing 51 A-IC Bonoco Products Company 5 Standard Tile Co., Inc. 940 A-IC Strobers Manufacturing 51 A-IC Butler Manufacturing 51 A-	n Cr
A Burgess-Manning Company 100 A-IC Remp International 343 A Burgess-Manning Company 100 A-IC Butler Manufacturing 51 A-IC Byers Co., A. M. 4 A LCN Closers, Inc. 240-241 A Cabot Inc., Samuel 379 A Canvas Awning Institute, Inc. and National Cotton Council 97 A-IC Caradco, Inc. 375 A-IC Libbey Owens Ford Glass Co. A-IC Libbey Owens Ford Glass Co. A-IC Sylvania Lighting Proceedings 175 A Linen Supply Association of 270 A Sylvania Lighting Proceedings 175 A Sylvania Lighting 175 A Structory 175 A Sylvania Lighting Proceedings 175 A Sylvania Lighting	any 248
A-IC Butler Manufacturing 51 A-IC Byers Co., A. M. 4 A LCN Closers, Inc. 240-241 A Structoglas, Div. of In Molded Plastics, Inc. A Cabot Inc., Samuel 379 A Canvas Awning Institute, Inc. and National Cotton Council 97 A-IC-LC Libbey Owens Ford Glass Co. 271 to 274 A-IC Caradeo, Inc. 375 A Linen Supply Association of Carpenter & Company, Inc. 375 Carpenter & Company, Inc. 375 A Marrica 92 A Survas Sweet's Catalog Service A Sylvania Lighting Pro	311
A Cabot Inc., Samuel	ernational
A Canvas Awning Institute, Inc. and National Cotton Council. 97 A-IC-LC Libbey Owens Ford Glass Co. 271 to 274 A Linen Supply Association of Sweet's Catalog Service Carpenter & Company, Inc. 287 A Main Chemical Corp. Sweet's Catalog Service A Sylvania Lighting Pro	The 338
and National Cotton Council. 97 A-LC Caradeo, Inc. 375 Carpenter & Company, Inc. 267 America 92 A Linen Supply Association of A Sylvania Lighting Pro	373
Carpenter & Company, Inc. 267	e 389 ducts 295
A Case Manufacturing Corporation 79 Lowest Mer Company 246 A T & S Brass and Bro	
A-IC Ceco Steel Products Corp 328-331	22
A-IC LC Chrysler Airtemp Division, A-IC Maconnoise Co. P. C. 20 A-IC Tectum Corp.	117
Chrysler Corporation 131 A-1C Marlo Coif Co. 292 A Timber Structures, Inc. A-1C Cleaver-Brooks 304 A-1C Marlo Coif Co. 292 A Tretol Inc. 152 Cleveland Crane & Engineering Co. The A Mastic Tile Division 132 A Troy Laundry Machin	309
	ery 346
Committee on Steel Pipe Res A McPhilben Lighting	mu a air
A-IC Concrete Reinforcing Steel Insti- A Met-L-Wood Corp	rp. (Sub.) 89
A Connor Engineering Corn 51 A-LC Miller Sliding Glass Door Co., A-IC Unco Co. The	52
A-IC Construction Specialties, Inc. 300 Continental Can Company 41 A Mills Company, The 101 A-LC Uvalde Rock Asphalt	Co 73
A Cook, Loren Company 270 A-LC Miracle Adhesives Corp. 370 A Valley Metal Products	
A Curtis-All Brite Lighting, Inc. 86-87 A-IC Monsanto Chemical Co., Plastics Vibroflotation Founda	ion Co 298
A-IC Day-Brite Lighting, Inc. 116 A-IC Montgomery Elevator Co. 371 Vogel-Peterson Co	ny, Henry 252
A-LC Devoe & Raynolds Co., Inc. 96 A Musti Fluettia Mr. Lo. 293-294 A vonnegut Hardware Co., The 293-294 A vonnegut Hardwa	0 316-317
Dietzgen Co., Eugene 19 Mutschler Brothers Co. 337 A Wasco Products	277
Dodge Reports 387 A-IC-LC Natco Corporation 103 A Waterloo Register Co. A-IC-LC Dow Chemical Co., The 269-261 West Coast Lumber	Inc 367 Inspection
A Duke Manufacturing Co	303
A During Company log The A National Plastic Products Co., A.IC.I.C Westinghouse Electric	113
The 120-121 Wegenhauser Compar Nation's Schools The 279 Wegenhauser Compar	110 110
A Resitern Products Corp. 259 Nesbitt, Inc., John J 61 to 66 Williams & Co., C. K.	y 118-119
A-IC Eastman Chemical Products, Inc. 143 A-IC Ebco Mfg. Co., The	n 362
A Ellison Bronze Co., Inc	nn 362 318

NEW YORK—Claude B. Riemersma, Sales Manager, Tom Tredwell, Advertising Mgr.; Blake Hughes, Marketing Mgr.; Richard C. Crabtree, Business Mgr., Benton B. Orwig, Director of New Business Development; Terry Wunk, Advertising Production Mgr.; Harry M. Horn, Jr.; Michael J. Davin, 119 W. 40 St.; BOSTON—Harry M. Horn, Jr., 355 Park Square Bldg.; BUFFALO—Benton B. Orwig, 70 Niagara St.; CHI-CAGO—Claude B. Riemersma, Sales Mgr.; Robert T. Franden, David K. Bortz, James A. Anderson, Charles L. Reed, Jr., 319 N. Michigan Ave.; CLEVELAND—John C. Jackson, Regional Mgr.; Joseph F. Palmer, Louis F. Kutscher, 2811 Hanna Bldg.; LOS ANGELES—Wettstein, Nowell & Johnson, Inc., 672 S. Lafayette Park Pl.; MIAMI—Benton B. Orwig, 302 N. W. First St.; PHILADELPHIA—Tom Tredwell, Harry M. Horn, Jr., 1821 Arch St.; PHITSBURGH—John C. Jackson, 411 Seventh Ave.; PORTLAND—Wettstein, Nowell & Johnson, Inc., 1921 S. W. Washington St.; ST. LOUIS—Robert T. Franden, John I. Howell, 3842 W. Pine Blvd.; SAN FRANCISCO—Wettstein, Nowell & Johnson, Inc., 355 Stockton St.

A-IC-LC

These symbols tell you which advertisers' catalogs are INSTANTLY ACCESSIBLE in your office

The great majority of Architectural Record advertisers employ Sweet's Catalog Service to maintain their catalogs continuously in architectural, engineering and building-contractor offices.

By doing so, these manufacturers make it easier than is otherwise possible for you always to have instant access to further information about their products or services.

The above symbols* are included in the facing Advertisers' Index as a quick guide to which advertisers' catalogs are in your Sweet's File—classified by product type, indexed, up-to-date, and always ready for use whenever you want them.



Sweet's Catalog Service Division — F. W. Dodge

Corporation 119 West 40th Street New York 18, N. Y.



*A (Architectural Catalog File)

IC (Industrial Construction Catalog File)

LC (Light Construction Catalog File)

MULTI LIGHTING EQUIPMENT FROM FITTINGS to FLOODLIGHTS

For Industrial - School - Airport - Hospital Use



ROOSEVELT ELEMENTARY SCHOOL GYMNASIUM, Livonia, Mich. Installation of MULTI 3088 Unit flush mounted in suspended ceiling





Multi No. 3088 is available with hinged wire guard, cast aluminum guard or hinged glass cover as shown above. The Multi 3088 Unit for Gymnasium lighting is designed for servicing from above or below when mounted in suspended ceilings. Detachable heavy steel saddle is held by two easily removable wing nuts for service from above. For maintenance from below simply unscrew threaded reflector neck and remove through plaster ring. Reflector is all white, lifetime porcelain enamel baked on steel.

There is a complete Multi line of quality lighting equipment for industrial, hospital, airport and other school uses. Industrial, incandescent and fluorescent RLM Units, Floodlights, Parking Area Post Lights, Yard Lights, Spar Lights—Lampholders, Boxes, Fittings, Lenses and Accessories.

All Multi Lighting Equipment is completely produced and assembled under rigid standards of quality control in our own factory. For more than 30 years it has been the choice of users in leading industrial plants, schools, hospitals, and institutions everywhere. See the Multi Catalog in Sweets or write for your copy today.







Decentralization of industrial sites means greater dependence upon motor hauling. At Western Electric Company's new Illinois Distribu-

ting House in West Chicago, 100 trucks daily are dependably served by 32 Barber-Colman OVERdoors. Electrically operated by Barber-Colman industrial heavy-duty operators, the OVER-doors open quickly and smoothly, close securely, always provide

RELIABLE all-weather service and protection. Barber-Colman OVERdoors and operators meet the exacting demands of industry and transportation in every conceivable type of installation. Write now for complete data on doors, electric operators, door radio controls.



BARBER-COLMAN COMPANY

Dept. PO2, Rockford, Illinois

Add the practical warmth of QUALITYBILT
Wood Windows





for buildings with charm, distinction, and livability




Entrances • Doors • Frames • Sash • Blinds
Casements • Glider Windows • Sliding Doors
Screens • Combination Doors • Storm Sash
Garage Doors • Mouldings • Interior Trim • Sash
Units • Louvers • Kitchen Cabinet Units • Cabinet
Work • Stairwork • Disappearing Stairs
"Farlite" Laminated Plastics

● Here is a pleasing example of Qualitybilt Casement Windows combined with rugged stone . . . creating a warm, friendly atmosphere to the entire building. This is just one more instance of the wide range of architectural treatments possible with Qualitybilt's complete wood window line. And . . . the superior insulating characteristics of Qualitybilt wood windows allows even more liberal use of window areas without sacrificing comfort or adding to heating and cooling costs!

You'll get complete details in Sweets Architectural and Light Construction File, or by contacting . . .

FARLEY & LOETSCHER MFG. CO. DUBUQUE, IOWA

Double PROTECTION with SLOAN Vacuum Breakers



Municipal plumbing codes as well as U. S. Government specifications stipulate that all plumbing fixtures be protected against the possibility of back-syphonage by either an air gap, where practicable, or by an approved vacuum breaker.

Sloan Valve Company pioneered the development of vacuum breakers and was first to gain approval from the National Plumbing Laboratory which formerly tested such devices. Sloan Vacuum Breakers, sensitive to the slightest vacuum, incorporate double protection to prevent back-syphonage as follows:

When a vacuum occurs in the supply line (as indicated in Fig. 2), two things happen simultaneously. The swinging check instantly seats against the water port to prevent back-syphonage; and, as it swings, it opens the air port, admitting full atmospheric pressure to the fixture, which again prevents back-syphonage.

This superior vacuum breaker represents another achievement of Sloan engineering, constantly employed to assure outstanding products through research. It is one more example of that bonus of quality you expect from Sloan. And, since you can have Sloan quality at no extra cost, why not make sure you get it.



SLOAN VALVE COMPANY . 4300 WEST LAKE STREET . CHICAGO 24, ILLINOIS

